

Calcium-sensing receptor (version 2019.4) in the IUPHAR/BPS Guide to Pharmacology Database

Daniel Bikle¹, Hans Bräuner-Osborne², Edward M. Brown³, Wenhan Chang¹, Arthur Conigrave⁴, Fadil Hannan⁵, Katie Leach⁶, Daniela Riccardi⁷, Dolores Shoback¹, Donald T. Ward⁸ and Polina Yarova⁷

1. University of California San Francisco, USA
2. University of Copenhagen, Denmark
3. Harvard University, USA
4. University of Sydney, Australia
5. Royal Liverpool University Hospital, UK
6. Monash University, Australia
7. Cardiff University, UK
8. University of Manchester, UK

Abstract

The calcium-sensing receptor (CaS, **provisional nomenclature as recommended by NC-IUPHAR [44]**) responds to multiple endogenous ligands, including extracellular calcium and other divalent/trivalent cations, polyamines and polycationic peptides, L-amino acids (particularly L-Trp and L-Phe), glutathione and various peptide analogues, ionic strength and extracellular pH (reviewed in [74]). While divalent/trivalent cations, polyamines and polycations are CaS receptor agonists [14, 106], L-amino acids, glutamyl peptides, ionic strength and pH are allosteric modulators of agonist function [34, 44, 58, 104, 105]. Indeed, L-amino acids have been identified as "co-agonists", with both concomitant calcium and L-amino acid binding required for full receptor activation [143, 51]. The sensitivity of the CaS receptor to primary agonists is increased by elevated extracellular pH [17] or decreased extracellular ionic strength [105]. This receptor bears no sequence or structural relation to the plant calcium receptor, also called CaS.

Contents

This is a citation summary for Calcium-sensing receptor in the [Guide to Pharmacology](#) database (GtoPdb). It exists purely as an adjunct to the database to facilitate the recognition of citations to and from the database by citation analyzers. Readers will almost certainly want to visit the relevant sections of the database which are given here under database links.

[GtoPdb](#) is an expert-driven guide to pharmacological targets and the substances that act on them. GtoPdb is a reference work which is most usefully represented as an on-line database. As in any publication this work should be appropriately cited, and the papers it cites should also be recognized. This document provides a citation for the relevant parts of the database, and also provides a reference list for the research cited by those parts.

Please note that the database version for the citations given in GtoPdb are to the most recent preceding version in which the family or its subfamilies and targets were substantially changed. The links below are to the current

version. If you need to consult the cited version, rather than the most recent version, please contact the GtoPdb curators.

Database links

Calcium-sensing receptor

<http://www.guidetopharmacology.org/GRAC/FamilyDisplayForward?familyId=12>

Introduction to Calcium-sensing receptor

<http://www.guidetopharmacology.org/GRAC/FamilyIntroductionForward?familyId=12>

Receptors

CaS receptor

<http://www.guidetopharmacology.org/GRAC/ObjectDisplayForward?objectId=54>

References

1. Adams GB, Chabner KT, Alley IR, Olson DP, Szczepiorkowski ZM, Poznansky MC, Kos CH, Pollak MR, Brown EM and Scadden DT. (2006) Stem cell engraftment at the endosteal niche is specified by the calcium-sensing receptor. *Nature* **439**: 599-603 [PMID:16382241]
2. Aslanova UF, Morimoto T, Farajov EI, Kumagai N, Nishino M, Sugawara N, Ohsaga A, Maruyama Y, Tsuchiya S and Takahashi S *et al.*. (2006) Chloride-dependent intracellular pH regulation via extracellular calcium-sensing receptor in the medullary thick ascending limb of the mouse kidney. *Tohoku J. Exp. Med.* **210**: 291-300 [PMID:17146194]
3. Ba J, Brown D and Friedman PA. (2003) Calcium-sensing receptor regulation of PTH-inhibitable proximal tubule phosphate transport. *Am. J. Physiol. Renal Physiol.* **285**: F1233-43 [PMID:12952858]
4. Bai M, Quinn S, Trivedi S, Kifor O, Pearce SH, Pollak MR, Krapcho K, Hebert SC and Brown EM. (1996) Expression and characterization of inactivating and activating mutations in the human Ca²⁺-sensing receptor. *J. Biol. Chem.* **271**: 19537-45 [PMID:8702647]
5. Balan G, Bauman J, Bhattacharya S, Castrodad M, Healy DR, Herr M, Humphries P, Jennings S, Kalgutkar AS and Kapinos B *et al.*. (2009) The discovery of novel calcium sensing receptor negative allosteric modulators. *Bioorg. Med. Chem. Lett.* **19**: 3328-32 [PMID:19442519]
6. Bandyopadhyay S, Jeong KH, Hansen JT, Vassilev PM, Brown EM and Chattopadhyay N. (2007) Calcium-sensing receptor stimulates secretion of an interferon-gamma-induced monokine (CXCL10) and monocyte chemoattractant protein-3 in immortalized GnRH neurons. *J. Neurosci. Res.* **85**: 882-95 [PMID:17285630]
7. Blankenship KA, Williams JJ, Lawrence MS, McLeish KR, Dean WL and Arthur JM. (2001) The calcium-sensing receptor regulates calcium absorption in MDCK cells by inhibition of PMCA. *Am. J. Physiol. Renal Physiol.* **280**: F815-22 [PMID:11292623]
8. Bradbury RA, Cropley J, Kifor O, Lovicu FJ, de Longh RU, Kable E, Brown EM, Seely EW, Peat BB and Conigrave AD. (2002) Localization of the extracellular Ca(2+)-sensing receptor in the human placenta. *Placenta.* **23**: 192-200 [PMID:11945086]
9. Bradbury RA, Sunn KL, Crossley M, Bai M, Brown EM, Delbridge L and Conigrave AD. (1998) Expression of the parathyroid Ca(2+)-sensing receptor in cytotrophoblasts from human term placenta. *J. Endocrinol.* **156**: 425-30 [PMID:9582498]
10. Broadhead GK, Mun HC, Avlani VA, Jourdon O, Church WB, Christopoulos A, Delbridge L and Conigrave AD. (2011) Allosteric modulation of the calcium-sensing receptor by gamma-glutamyl peptides: inhibition of PTH secretion, suppression of intracellular cAMP levels, and a common mechanism of action with L-amino acids. *J. Biol. Chem.* **286**: 8786-97 [PMID:21187282]
11. Brown AJ, Zhong M, Finch J, Ritter C, McCracken R, Morrissey J and Slatopolsky E. (1996) Rat calcium-sensing receptor is regulated by vitamin D but not by calcium. *Am. J. Physiol.* **270**: F454-60 [PMID:8780248]
12. Brown EM and Chen CJ. (1989) Calcium, magnesium and the control of PTH secretion *Bone Miner* **5**:

- 249-57 [PMID:2655774]
13. Brown EM, Fuleihan G el-H, Chen CJ and Kifor O. (1990) A comparison of the effects of divalent and trivalent cations on parathyroid hormone release, 3',5'-cyclic-adenosine monophosphate accumulation, and the levels of inositol phosphates in bovine parathyroid cells. *Endocrinology* **127**: 1064-71 [PMID:2167204]
 14. Brown EM, Gamba G, Riccardi D, Lombardi M, Butters R, Kifor O, Sun A, Hediger MA, Lytton J and Hebert SC. (1993) Cloning and characterization of an extracellular Ca(2+)-sensing receptor from bovine parathyroid. *Nature* **366**: 575-80 [PMID:8255296]
 15. Brown EM, Katz C, Butters R and Kifor O. (1991) Polyarginine, polylysine, and protamine mimic the effects of high extracellular calcium concentrations on dispersed bovine parathyroid cells. *J. Bone Miner. Res.* **6**: 1217-25 [PMID:1666808]
 16. Bräuner-Osborne H, Jensen AA, Sheppard PO, O'Hara P and Krosggaard-Larsen P. (1999) The agonist-binding domain of the calcium-sensing receptor is located at the amino-terminal domain. *J. Biol. Chem.* **274**: 18382-6 [PMID:10373443]
 17. Champion KL, McCormick WD, Warwicker J, Khayat ME, Atkinson-Dell R, Steward MC, Delbridge LW, Mun HC, Conigrave AD and Ward DT. (2015) Pathophysiologic Changes in Extracellular pH Modulate Parathyroid Calcium-Sensing Receptor Activity and Secretion via a Histidine-Independent Mechanism. *J. Am. Soc. Nephrol.* **26**: 2163-71 [PMID:25556167]
 18. Canaff L, Petit JL, Kisiel M, Watson PH, Gascon-Barré M and Hendy GN. (2001) Extracellular calcium-sensing receptor is expressed in rat hepatocytes. coupling to intracellular calcium mobilization and stimulation of bile flow. *J. Biol. Chem.* **276**: 4070-9 [PMID:11071898]
 19. Chang W, Pratt S, Chen TH, Nemeth E, Huang Z and Shoback D. (1998) Coupling of calcium receptors to inositol phosphate and cyclic AMP generation in mammalian cells and *Xenopus laevis* oocytes and immunodetection of receptor protein by region-specific antipeptide antisera. *J Bone Miner Res.* **13**: 570-580 [PMID:9556057]
 20. Chang W, Tu C, Chen TH, Bikle D and Shoback D. (2008) The extracellular calcium-sensing receptor (CaSR) is a critical modulator of skeletal development. *Sci Signal* **1**: ra1 [PMID:18765830]
 21. Chang W, Tu C, Chen TH, Komuves L, Oda Y, Pratt SA, Miller S and Shoback D. (1999) Expression and signal transduction of calcium-sensing receptors in cartilage and bone. *Endocrinology* **140**: 5883-93 [PMID:10579354]
 22. Chang W, Tu C, Cheng Z, Rodriguez L, Chen TH, Gassmann M, Bettler B, Margeta M, Jan LY and Shoback D. (2007) Complex formation with the Type B gamma-aminobutyric acid receptor affects the expression and signal transduction of the extracellular calcium-sensing receptor. Studies with HEK-293 cells and neurons. *J. Biol. Chem.* **282**: 25030-40 [PMID:17591780]
 23. Chattopadhyay N, Cheng I, Rogers K, Riccardi D, Hall A, Diaz R, Hebert SC, Soybel DI and Brown EM. (1998) Identification and localization of extracellular Ca(2+)-sensing receptor in rat intestine. *Am. J. Physiol.* **274**: G122-30 [PMID:9458781]
 24. Chattopadhyay N, Evliyaoglu C, Heese O, Carroll R, Sanders J, Black P and Brown EM. (2000) Regulation of secretion of PTHrP by Ca(2+)-sensing receptor in human astrocytes, astrocytomas, and meningiomas. *Am. J. Physiol., Cell Physiol.* **279**: C691-9 [PMID:10942719]
 25. Chattopadhyay N, Yano S, Tfelt-Hansen J, Rooney P, Kanuparthi D, Bandyopadhyay S, Ren X, Terwilliger E and Brown EM. (2004) Mitogenic action of calcium-sensing receptor on rat calvarial osteoblasts. *Endocrinology* **145**: 3451-62 [PMID:15084499]
 26. Chattopadhyay N, Ye C, Singh DP, Kifor O, Vassilev PM, Shinohara T, Chylack Jr LT and Brown EM. (1997) Expression of extracellular calcium-sensing receptor by human lens epithelial cells. *Biochem. Biophys. Res. Commun.* **233**: 801-5 [PMID:9168937]
 27. Chattopadhyay N, Ye C, Yamaguchi T, Nakai M, Kifor O, Vassilev PM, Nishimura RN and Brown EM. (1999) The extracellular calcium-sensing receptor is expressed in rat microglia and modulates an outward K⁺ channel. *J. Neurochem.* **72**: 1915-22 [PMID:10217268]
 28. Chattopadhyay N, Ye CP, Yamaguchi T, Kifor O, Vassilev PM, Nishimura R and Brown EM. (1998) Extracellular calcium-sensing receptor in rat oligodendrocytes: expression and potential role in regulation

- of cellular proliferation and an outward K⁺ channel. *Glia* **24**: 449-58 [PMID:9814825]
29. Chen CJ, Barnett JV, Congo DA and Brown EM. (1989) Divalent cations suppress 3',5'-adenosine monophosphate accumulation by stimulating a pertussis toxin-sensitive guanine nucleotide-binding protein in cultured bovine parathyroid cells. *Endocrinology* **124**: 233-9 [PMID:2462488]
 30. Cheng I, Klingensmith ME, Chattopadhyay N, Kifor O, Butters RR, Soybel DI and Brown EM. (1998) Identification and localization of the extracellular calcium-sensing receptor in human breast. *J. Clin. Endocrinol. Metab.* **83**: 703-7 [PMID:9467597]
 31. Cheng I, Qureshi I, Chattopadhyay N, Qureshi A, Butters RR, Hall AE, Cima RR, Rogers KV, Hebert SC and Geibel JP *et al.* (1999) Expression of an extracellular calcium-sensing receptor in rat stomach. *Gastroenterology* **116**: 118-26 [PMID:9869609]
 32. Cheng Z, Tu C, Rodriguez L, Chen TH, Dvorak MM, Margeta M, Gassmann M, Bettler B, Shoback D and Chang W. (2007) Type B gamma-aminobutyric acid receptors modulate the function of the extracellular Ca²⁺-sensing receptor and cell differentiation in murine growth plate chondrocytes. *Endocrinology* **148**: 4984-92 [PMID:17615148]
 33. Conigrave AD, Mun HC, Delbridge L, Quinn SJ, Wilkinson M and Brown EM. (2004) L-amino acids regulate parathyroid hormone secretion. *J. Biol. Chem.* **279**: 38151-9 [PMID:15234970]
 34. Conigrave AD, Quinn SJ and Brown EM. (2000) L-amino acid sensing by the extracellular Ca²⁺-sensing receptor. *Proc. Natl. Acad. Sci. U.S.A.* **97**: 4814-9 [PMID:10781086]
 35. Cook AE, Mistry SN, Gregory KJ, Furness SG, Sexton PM, Scammells PJ, Conigrave AD, Christopoulos A and Leach K. (2015) Biased allosteric modulation at the CaS receptor engendered by structurally diverse calcimimetics. *Br. J. Pharmacol.* **172**: 185-200 [PMID:25220431]
 36. Dauban P, Ferry S, Faure H, Ruat M and Dodd RH. (2000) N1-Arylsulfonyl-N2-(1-aryl)ethyl-3-phenylpropane-1,2-diamines as novel calcimimetics acting on the calcium sensing receptor. *Bioorg. Med. Chem. Lett.* **10**: 2001-4 [PMID:10987436]
 37. Davey AE, Leach K, Valant C, Conigrave AD, Sexton PM and Christopoulos A. (2012) Positive and negative allosteric modulators promote biased signaling at the calcium-sensing receptor. *Endocrinology* **153**: 1232-41 [PMID:22210744]
 38. de Jesus Ferreira MC, Héliès-Toussaint C, Imbert-Teboul M, Bailly C, Verbavatz JM, Bellanger AC and Chabardès D. (1998) Co-expression of a Ca²⁺-inhibitable adenylyl cyclase and of a Ca²⁺-sensing receptor in the cortical thick ascending limb cell of the rat kidney. Inhibition of hormone-dependent cAMP accumulation by extracellular Ca²⁺. *J. Biol. Chem.* **273**: 15192-202 [PMID:9614133]
 39. Desfleurs E, Wittner M, Pajaud S, Nitschke R, Rajerison RM and Di Stefano A. (1999) The Ca²⁺-sensing receptor in the rabbit cortical thick ascending limb (CTAL) is functionally not coupled to phospholipase C. *Pflugers Arch.* **437**: 716-23 [PMID:10087149]
 40. Dvorak MM, Siddiqua A, Ward DT, Carter DH, Dallas SL, Nemeth EF and Riccardi D. (2004) Physiological changes in extracellular calcium concentration directly control osteoblast function in the absence of calciotropic hormones. *Proc. Natl. Acad. Sci. U.S.A.* **101**: 5140-5 [PMID:15051872]
 41. Emanuel RL, Adler GK, Kifor O, Quinn SJ, Fuller F, Krapcho K and Brown EM. (1996) Calcium-sensing receptor expression and regulation by extracellular calcium in the AtT-20 pituitary cell line. *Mol. Endocrinol.* **10**: 555-65 [PMID:8732686]
 42. Fatherazi S, Belton CM, Cai S, Zarif S, Goodwin PC, Lamont RJ and Izutsu KT. (2004) Calcium receptor message, expression and function decrease in differentiating keratinocytes. *Pflugers Arch.* **448**: 93-104 [PMID:14770313]
 43. Ferry S, Chatel B, Dodd RH, Lair C, Gully D, Maffrand JP and Ruat M. (1997) Effects of divalent cations and of a calcimimetic on adrenocorticotrophic hormone release in pituitary tumor cells. *Biochem. Biophys. Res. Commun.* **238**: 866-73 [PMID:9325183]
 44. Foord SM, Bonner TI, Neubig RR, Rosser EM, Pin JP, Davenport AP, Spedding M and Harmar AJ. (2005) International Union of Pharmacology. XLVI. G protein-coupled receptor list. *Pharmacol. Rev.* **57**: 279-88 [PMID:15914470]
 45. Freichel M, Zink-Lorenz A, Holloschi A, Hafner M, Flockerzi V and Raue F. (1996) Expression of a

- calcium-sensing receptor in a human medullary thyroid carcinoma cell line and its contribution to calcitonin secretion. *Endocrinology* **137**: 3842-8 [PMID:8756555]
46. Fudge NJ and Kovacs CS. (2004) Physiological studies in heterozygous calcium sensing receptor (CaSR) gene-ablated mice confirm that the CaSR regulates calcitonin release in vivo. *BMC Physiol.* **4**: 5 [PMID:15099400]
 47. Gama L, Wilt SG and Breitwieser GE. (2001) Heterodimerization of calcium sensing receptors with metabotropic glutamate receptors in neurons. *J. Biol. Chem.* **276**: 39053-9 [PMID:11489900]
 48. Garrett JE, Tamir H, Kifor O, Simin RT, Rogers KV, Mithal A, Gagel RF and Brown EM. (1995) Calcitonin-secreting cells of the thyroid express an extracellular calcium receptor gene. *Endocrinology* **136**: 5202-11 [PMID:7588259]
 49. Gavai AV, Vaz RJ, Mikkilineni AB, Roberge JY, Liu Y, Lawrence RM, Corte JR, Yang W, Bednarz M and Dickson Jr JK *et al.*. (2005) Discovery of novel 1-arylmethyl pyrrolidin-2-yl ethanol amines as calcium-sensing receptor antagonists. *Bioorg. Med. Chem. Lett.* **15**: 5478-82 [PMID:16216508]
 50. Geibel J, Sritharan K, Geibel R, Geibel P, Persing JS, Seeger A, Roepke TK, Deichstetter M, Prinz C, Cheng SX, Martin D and Hebert SC. (2006) Calcium-sensing receptor abrogates secretagogue-induced increases in intestinal net fluid secretion by enhancing cyclic nucleotide destruction. *Proc Natl Acad Sci U S A* **103**: 9390-9397 [PMID:16760252]
 51. Geng Y, Mosyak L, Kurinov I, Zuo H, Sturchler E, Cheng TC, Subramanyam P, Brown AP, Brennan SC and Mun HC *et al.*. (2016) Structural mechanism of ligand activation in human calcium-sensing receptor. *Elife* **5**: [PMID:27434672]
 52. Gerbino A, Ruder WC, Curci S, Pozzan T, Zaccolo M and Hofer AM. (2005) Termination of cAMP signals by Ca²⁺ and G(α)_i via extracellular Ca²⁺ sensors: a link to intracellular Ca²⁺ oscillations. *J. Cell Biol.* **171**: 303-12 [PMID:16247029]
 53. Haden ST, Brown EM, Stoll AL, Scott J and Fuleihan GE. (1999) The effect of lithium on calcium-induced changes in adrenocorticotrophin levels. *J. Clin. Endocrinol. Metab.* **84**: 198-200 [PMID:9920083]
 54. Handlogten ME, Huang C, Shiraishi N, Awata H and Miller RT. (2001) The Ca²⁺-sensing receptor activates cytosolic phospholipase A₂ via a G α _i-dependent ERK-independent pathway. *J. Biol. Chem.* **276**: 13941-8 [PMID:11278341]
 55. Hannan FM, Babinsky VN and Thakker RV. (2016) Disorders of the calcium-sensing receptor and partner proteins: insights into the molecular basis of calcium homeostasis. *J. Mol. Endocrinol.* **57**: R127-42 [PMID:27647839]
 56. Hatem S, Hoyaux D, De Decker V, Appelboom T, Pochet R and Steinfeld S. (2002) Expression of calcium-sensing receptor in human minor salivary glands. *Clin Exp Rheumatol.* **20**: 576-576 [PMID:12175122]
 57. Hauache OM, Hu J, Ray K, Xie R, Jacobson KA and Spiegel AM. (2000) Effects of a calcimimetic compound and naturally activating mutations on the human Ca²⁺ receptor and on Ca²⁺ receptor/metabotropic glutamate chimeric receptors. *Endocrinology* **141**: 4156-63 [PMID:11089548]
 58. Ho C, Conner DA, Pollak MR, Ladd DJ, Kifor O, Warren HB, Brown EM, Seidman JG and Seidman CE. (1995) A mouse model of human familial hypocalciuric hypercalcemia and neonatal severe hyperparathyroidism. *Nat. Genet.* **11**: 389-94 [PMID:7493018]
 59. Huang C, Handlogten ME and Miller RT. (2002) Parallel activation of phosphatidylinositol 4-kinase and phospholipase C by the extracellular calcium-sensing receptor. *J. Biol. Chem.* **277**: 20293-300 [PMID:11907035]
 60. Huang C, Hujer KM, Wu Z and Miller RT. (2004) The Ca²⁺-sensing receptor couples to G α _{12/13} to activate phospholipase D in Madin-Darby canine kidney cells. *Am. J. Physiol., Cell Physiol.* **286**: C22-30 [PMID:12954603]
 61. Itami A, Kato M, Komoto I, Doi R, Hosotani R, Shimada Y and Imamura M. (2001) Human gastrinoma cells express calcium-sensing receptor. *Life Sci.* **70**: 119-29 [PMID:11787938]
 62. Janicic N, Soliman E, Pausova Z, Seldin MF, Rivière M, Szpirer J, Szpirer C and Hendy GN. (1995) Mapping of the calcium-sensing receptor gene (CASR) to human chromosome 3q13.3-21 by fluorescence in situ hybridization, and localization to rat chromosome 11 and mouse chromosome 16. *Mamm. Genome*

- 6: 798-801 [PMID:8597637]
63. Kessler A, Faure H, Petrel C, Ruat M, Dauban P and Dodd RH. (2004) N2-benzyl-N1-(1-(1-naphthyl)ethyl)-3-phenylpropane-1,2-diamines and conformationally restrained indole analogues: development of calindol as a new calcimimetic acting at the calcium sensing receptor. *Bioorg. Med. Chem. Lett.* **14**: 3345-9 [PMID:15149704]
 64. Kessler A, Faure H, Roussanne MC, Ferry S, Ruat M, Dauban P and Dodd RH. (2004) N(1)-Arylsulfonyl-N(2)-(1-(1-naphthyl)ethyl)-1,2-diaminocyclohexanes: a new class of calcilytic agents acting at the calcium-sensing receptor. *Chembiochem* **5**: 1131-6 [PMID:15300839]
 65. Kiefer L, Leiris S and Dodd RH. (2011) Novel calcium sensing receptor ligands: a patent survey *Expert Opin Ther Pat* **21**: 681-98 [PMID:21406038]
 66. Kifor O, Diaz R, Butters R and Brown EM. (1997) The Ca²⁺-sensing receptor (CaR) activates phospholipases C, A2, and D in bovine parathyroid and CaR-transfected, human embryonic kidney (HEK293) cells. *J. Bone Miner. Res.* **12**: 715-25 [PMID:9144337]
 67. Kifor O, MacLeod RJ, Diaz R, Bai M, Yamaguchi T, Yao T, Kifor I and Brown EM. (2001) Regulation of MAP kinase by calcium-sensing receptor in bovine parathyroid and CaR-transfected HEK293 cells. *Am J Physiol Renal Physiol.* **280**: F291-F302 [PMID:11208605]
 68. Komoto I, Kato M, Itami A, Shimada Y, Doi R, Hosotani R and Imamura M. (2003) Expression and function of the calcium-sensing receptor in pancreatic islets and insulinoma cells. *Pancreas* **26**: 178-84 [PMID:12604917]
 69. Komuves L, Oda Y, Tu CL, Chang WH, Ho-Pao CL, Mauro T and Bikle DD. (2002) Epidermal expression of the full-length extracellular calcium-sensing receptor is required for normal keratinocyte differentiation. *J. Cell. Physiol.* **192**: 45-54 [PMID:12115735]
 70. Kumar S, Matheny CJ, Hoffman SJ, Marquis RW, Schultz M, Liang X, Vasko JA, Stroup GB, Vaden VR and Haley H *et al.*. (2010) An orally active calcium-sensing receptor antagonist that transiently increases plasma concentrations of PTH and stimulates bone formation. *Bone* **46**: 534-42 [PMID:19786130]
 71. Kwak JO, Kwak J, Kim HW, Oh KJ, Kim YT, Jung SM and Cha SH. (2005) The extracellular calcium sensing receptor is expressed in mouse mesangial cells and modulates cell proliferation. *Exp. Mol. Med.* **37**: 457-65 [PMID:16264270]
 72. Kállay E, Bonner E, Wrba F, Thakker RV, Peterlik M and Cross HS. (2003) Molecular and functional characterization of the extracellular calcium-sensing receptor in human colon cancer cells. *Oncol. Res.* **13**: 551-9 [PMID:12899245]
 73. Leach K, Gregory KJ, Kufareva I, Khajehali E, Cook AE, Abagyan R, Conigrave AD, Sexton PM and Christopoulos A. (2016) Towards a structural understanding of allosteric drugs at the human calcium-sensing receptor. *Cell Res.* **26**: 574-92 [PMID:27002221]
 74. Leach K, Sexton PM, Christopoulos A and Conigrave AD. (2014) Engendering biased signalling from the calcium-sensing receptor for the pharmacotherapy of diverse disorders. *Br. J. Pharmacol.* **171**: 1142-55 [PMID:24111791]
 75. Leach K, Wen A, Cook AE, Sexton PM, Conigrave AD and Christopoulos A. (2013) Impact of clinically relevant mutations on the pharmacoregulation and signaling bias of the calcium-sensing receptor by positive and negative allosteric modulators. *Endocrinology* **154**: 1105-16 [PMID:23372019]
 76. Letz S, Haag C, Schulze E, Frank-Raue K, Raue F, Hofner B, Mayr B and Schöfl C. (2014) Amino alcohol-(NPS-2143) and quinazolinone-derived calcilytics (ATF936 and AXT914) differentially mitigate excessive signalling of calcium-sensing receptor mutants causing Bartter syndrome Type 5 and autosomal dominant hypocalcemia. *PLoS ONE* **9**: e115178 [PMID:25506941]
 77. Ma JN, Owens M, Gustafsson M, Jensen J, Tabatabaei A, Schmelzer K, Olsson R and Burstein ES. (2011) Characterization of highly efficacious allosteric agonists of the human calcium-sensing receptor. *J. Pharmacol. Exp. Ther.* **337**: 275-84 [PMID:21239511]
 78. MacLeod RJ, Chattopadhyay N and Brown EM. (2003) PTHrP stimulated by the calcium-sensing receptor requires MAP kinase activation. *Am. J. Physiol. Endocrinol. Metab.* **284**: E435-42 [PMID:12388158]
 79. MacLeod RJ, Yano S, Chattopadhyay N and Brown EM. (2004) Extracellular calcium-sensing receptor

- transactivates the epidermal growth factor receptor by a triple-membrane-spanning signaling mechanism. *Biochem. Biophys. Res. Commun.* **320**: 455-60 [PMID:15219850]
80. Mamillapalli R and Wysolmerski J. (2010) The calcium-sensing receptor couples to Galpha(s) and regulates PTHrP and ACTH secretion in pituitary cells. *J. Endocrinol.* **204**: 287-97 [PMID:20032198]
 81. Mantovani G, Corbetta S, Romoli R, Alberti L, Beck-Peccoz P and Spada A. (2001) Absence of thyroid transcription factor-1 expression in human parathyroid and pituitary glands. *Mol. Cell. Endocrinol.* **182**: 13-7 [PMID:11500234]
 82. McNeil L, Hobson S, Nipper V and Rodland KD. (1998) Functional calcium-sensing receptor expression in ovarian surface epithelial cells. *Am. J. Obstet. Gynecol.* **178**: 305-13 [PMID:9500491]
 83. McNeil SE, Hobson SA, Nipper V and Rodland KD. (1998) Functional calcium-sensing receptors in rat fibroblasts are required for activation of SRC kinase and mitogen-activated protein kinase in response to extracellular calcium. *J Biol Chem.* **273**: 1114-1120 [PMID:9422777]
 84. Mitsuma T, Rhue N, Kayama M, Mori Y, Adachi K, Yokoi Y, Ping J, Nogimori T and Hirooka Y. (1999) Distribution of calcium sensing receptor in rats: an immunohistochemical study. *Endocr Regul* **33**: 55-9 [PMID:10467425]
 85. Miyazaki H, Tsubakimoto J, Yasuda K, Takamuro I, Sakurai O, Yanagida T and Hisada Y. (2013) Arylalkylamine compound and process for preparing the same. Patent number: US8362274 B2.
 86. Motoyama HI and Friedman PA. (2002) Calcium-sensing receptor regulation of PTH-dependent calcium absorption by mouse cortical ascending limbs. *Am. J. Physiol. Renal Physiol.* **283**: F399-406 [PMID:12167589]
 87. Nagy E and Rigby WF. (1995) Glyceraldehyde-3-phosphate dehydrogenase selectively binds AU-rich RNA in the NAD(+)-binding region (Rossmann fold). *J. Biol. Chem.* **270**: 2755-63 [PMID:7531693]
 88. Nemeth EF. (2013) Allosteric modulators of the extracellular calcium receptor. *Drug Discov Today Technol* **10**: e277-84 [PMID:24050279]
 89. Nemeth EF. (2004) Calcimimetic and calcilytic drugs: just for parathyroid cells? *Cell Calcium* **35**: 283-9 [PMID:15200152]
 90. Nemeth EF, Delmar EG, Heaton WL, Miller MA, Lambert LD, Conklin RL, Gowen M, Gleason JG, Bhatnagar PK and Fox J. (2001) Calcilytic compounds: potent and selective Ca²⁺ receptor antagonists that stimulate secretion of parathyroid hormone. *J. Pharmacol. Exp. Ther.* **299**: 323-31 [PMID:11561095]
 91. Nemeth EF, Heaton WH, Miller M, Fox J, Balandrin MF, Van Wagenen BC, Colloton M, Karbon W, Scherrer J and Shatzen E *et al.*. (2004) Pharmacodynamics of the type II calcimimetic compound cinacalcet HCl. *J. Pharmacol. Exp. Ther.* **308**: 627-35 [PMID:14593085]
 92. Nemeth EF and Scarpa A. (1986) Cytosolic Ca²⁺ and the regulation of secretion in parathyroid cells. *FEBS Lett.* **203**: 15-19 [PMID:3755106]
 93. Nemeth EF, Steffey ME, Hammerland LG, Hung BC, Van Wagenen BC, DelMar EG and Balandrin MF. (1998) Calcimimetics with potent and selective activity on the parathyroid calcium receptor. *Proc. Natl. Acad. Sci. U.S.A.* **95**: 4040-5 [PMID:9520489]
 94. Oda Y, Tu CL, Chang W, Crumrine D, Kömüves L, Mauro T, Elias PM and Bikle DD. (2000) The calcium sensing receptor and its alternatively spliced form in murine epidermal differentiation. *J. Biol. Chem.* **275**: 1183-90 [PMID:10625662]
 95. Oda Y, Tu CL, Pillai S and Bikle DD. (1998) The calcium sensing receptor and its alternatively spliced form in keratinocyte differentiation. *J. Biol. Chem.* **273**: 23344-52 [PMID:9722568]
 96. Ogata S, Kubota Y, Satoh S, Ito S, Takeuchi H, Ashizuka M and Shirasuna K. (2006) Ca²⁺ stimulates COX-2 expression through calcium-sensing receptor in fibroblasts. *Biochem. Biophys. Res. Commun.* **351**: 808-14 [PMID:17097611]
 97. Ohsu T, Amino Y, Nagasaki H, Yamanaka T, Takeshita S, Hatanaka T, Maruyama Y, Miyamura N and Eto Y. (2010) Involvement of the calcium-sensing receptor in human taste perception. *J. Biol. Chem.* **285**: 1016-22 [PMID:19892707]
 98. Olszak IT, Poznansky MC, Evans RH, Olson D, Kos C, Pollak MR, Brown EM and Scadden DT. (2000) Extracellular calcium elicits a chemokinetic response from monocytes in vitro and in vivo. *J. Clin. Invest.*

- 105:** 1299-305 [[PMID:10792005](#)]
99. Peiris D, Pacheco I, Spencer C and MacLeod RJ. (2007) The extracellular calcium-sensing receptor reciprocally regulates the secretion of BMP-2 and the BMP antagonist Noggin in colonic myofibroblasts. *Am. J. Physiol. Gastrointest. Liver Physiol.* **292**: G753-66 [[PMID:17138967](#)]
 100. Petrel C, Kessler A, Dauban P, Dodd RH, Rognan D and Ruat M. (2004) Positive and negative allosteric modulators of the Ca²⁺-sensing receptor interact within overlapping but not identical binding sites in the transmembrane domain. *J. Biol. Chem.* **279**: 18990-7 [[PMID:14976203](#)]
 101. Petrel C, Kessler A, Maslah F, Dauban P, Dodd RH, Rognan D and Ruat M. (2003) Modeling and mutagenesis of the binding site of Calhex 231, a novel negative allosteric modulator of the extracellular Ca(2+)-sensing receptor. *J. Biol. Chem.* **278**: 49487-94 [[PMID:14506236](#)]
 102. Pi M, Faber P, Ekema G, Jackson PD, Ting A, Wang N, Fontilla-Poole M, Mays RW, Brunden KR and Harrington JJ *et al.*. (2005) Identification of a novel extracellular cation-sensing G-protein-coupled receptor. *J. Biol. Chem.* **280**: 40201-9 [[PMID:16199532](#)]
 103. Pi M, Spurney RF, Tu Q, Hinson T and Quarles LD. (2002) Calcium-sensing receptor activation of rho involves filamin and rho-guanine nucleotide exchange factor. *Endocrinology* **143**: 3830-8 [[PMID:12239094](#)]
 104. Quinn SJ, Bai M and Brown EM. (2004) pH Sensing by the calcium-sensing receptor. *J. Biol. Chem.* **279**: 37241-9 [[PMID:15201280](#)]
 105. Quinn SJ, Kifor O, Trivedi S, Diaz R, Vassilev P and Brown E. (1998) Sodium and ionic strength sensing by the calcium receptor. *J. Biol. Chem.* **273**: 19579-86 [[PMID:9677383](#)]
 106. Quinn SJ, Ye CP, Diaz R, Kifor O, Bai M, Vassilev P and Brown E. (1997) The Ca²⁺-sensing receptor: a target for polyamines. *Am. J. Physiol.* **273**: C1315-23 [[PMID:9357776](#)]
 107. Remy C, Kirchhoff P, Hafner P, Busque SM, Müller MK, Geibel JP and Wagner CA. (2007) Stimulatory pathways of the Calcium-sensing receptor on acid secretion in freshly isolated human gastric glands. *Cell. Physiol. Biochem.* **19**: 33-42 [[PMID:17310098](#)]
 108. Riccardi D, Hall AE, Chattopadhyay N, Xu JZ, Brown EM and Hebert SC. (1998) Localization of the extracellular Ca²⁺/polyvalent cation-sensing protein in rat kidney. *Am. J. Physiol.* **274**: F611-22 [[PMID:9530279](#)]
 109. Riccardi D, Park J, Lee WS, Gamba G, Brown EM and Hebert SC. (1995) Cloning and functional expression of a rat kidney extracellular calcium/polyvalent cation-sensing receptor. *Proc. Natl. Acad. Sci. U.S.A.* **92**: 131-5 [[PMID:7816802](#)]
 110. Riccardi D, Traebert M, Ward DT, Kaissling B, Biber J, Hebert SC and Murer H. (2000) Dietary phosphate and parathyroid hormone alter the expression of the calcium-sensing receptor (CaR) and the Na⁺-dependent Pi transporter (NaPi-2) in the rat proximal tubule. *Pflugers Arch.* **441**: 379-387 [[PMID:11211126](#)]
 111. Rodriguez L, Tu C, Cheng Z, Chen TH, Bikle D, Shoback D and Chang W. (2005) Expression and functional assessment of an alternatively spliced extracellular Ca²⁺-sensing receptor in growth plate chondrocytes. *Endocrinology* **146**: 5294-303 [[PMID:16166224](#)]
 112. Rogers KV, Dunn CK, Hebert SC and Brown EM. (1997) Localization of calcium receptor mRNA in the adult rat central nervous system by in situ hybridization. *Brain Res.* **744**: 47-56 [[PMID:9030412](#)]
 113. Rutten MJ, Bacon KD, Marlink KL, Stoney M, Meichsner CL, Lee FP, Hobson SA, Rodland KD, Sheppard BC and Trunkey DD *et al.*. (1999) Identification of a functional Ca²⁺-sensing receptor in normal human gastric mucous epithelial cells. *Am. J. Physiol.* **277**: G662-70 [[PMID:10484392](#)]
 114. Rácz GZ, Kittel A, Riccardi D, Case RM, Elliott AC and Varga G. (2002) Extracellular calcium sensing receptor in human pancreatic cells. *Gut* **51**: 705-11 [[PMID:12377811](#)]
 115. Sanders JL, Chattopadhyay N, Kifor O, Yamaguchi T and Brown EM. (2001) Ca(2+)-sensing receptor expression and PTHrP secretion in PC-3 human prostate cancer cells. *Am. J. Physiol. Endocrinol. Metab.* **281**: E1267-74 [[PMID:11701443](#)]
 116. Sanders JL, Chattopadhyay N, Kifor O, Yamaguchi T and Brown EM. (2000) Extracellular calcium-sensing receptor (CaR) expression and its potential role in parathyroid hormone-related peptide (PTHrP) secretion in the H-500 rat Leydig cell model of humoral hypercalcemia of malignancy. *Biochem. Biophys. Res.*

- Commun.* **269**: 427-32 [PMID:10708570]
117. Sanders JL, Chattopadhyay N, Kifor O, Yamaguchi T, Butters RR and Brown EM. (2000) Extracellular calcium-sensing receptor expression and its potential role in regulating parathyroid hormone-related peptide secretion in human breast cancer cell lines. *Endocrinology* **141**: 4357-4364 [PMID:11108243]
 118. Sands JM, Naruse M, Baum M, Jo I, Hebert SC, Brown EM and Harris HW. (1997) Apical extracellular calcium/polyvalent cation-sensing receptor regulates vasopressin-elicited water permeability in rat kidney inner medullary collecting duct. *J Clin Invest.* **99**: 1399-1405 [PMID:9077550]
 119. Shalhoub V, Grisanti M, Padagas J, Scully S, Rattan A, Qi M, Varnum B, Vezina C, Lacey D and Martin D. (2003) In vitro studies with the calcimimetic, cinacalcet HCl, on normal human adult osteoblastic and osteoclastic cells. *Crit. Rev. Eukaryot. Gene Expr.* **13**: 89-106 [PMID:14696958]
 120. Shcherbakova I, Huang G, Geoffroy OJ, Nair SK, Swierczek K, Balandrin MF, Fox J, Heaton WL and Conklin RL. (2005) Design, new synthesis, and calcilytic activity of substituted 3H-pyrimidin-4-ones. *Bioorg. Med. Chem. Lett.* **15**: 2537-40 [PMID:15863312]
 121. Sheinin Y, Kállay E, Wrba F, Kriwanek S, Peterlik M and Cross HS. (2000) Immunocytochemical localization of the extracellular calcium-sensing receptor in normal and malignant human large intestinal mucosa. *J. Histochem. Cytochem.* **48**: 595-602 [PMID:10769043]
 122. Shinagawa Y, Inoue T, Katsushima T, Kiguchi T, Ikenogami T, Ogawa N, Fukuda K, Hirata K, Harada K and Takagi M *et al.*. (2011) Discovery of a potent and short-acting oral calcilytic with a pulsatile secretion of parathyroid hormone. *ACS Med Chem Lett* **2**: 238-42 [PMID:24900301]
 123. Tfelt-Hansen J, Chattopadhyay N, Yano S, Kanuparthi D, Rooney P, Schwarz P and Brown EM. (2004) Calcium-sensing receptor induces proliferation through p38 mitogen-activated protein kinase and phosphatidylinositol 3-kinase but not extracellularly regulated kinase in a model of humoral hypercalcemia of malignancy. *Endocrinology* **145**: 1211-7 [PMID:14645111]
 124. Thomsen AR, Hvidtfeldt M and Bräuner-Osborne H. (2012) Biased agonism of the calcium-sensing receptor. *Cell Calcium* **51**: 107-16 [PMID:22192592]
 125. Turksen K and Troy TC. (2003) Overexpression of the calcium sensing receptor accelerates epidermal differentiation and permeability barrier formation in vivo. *Mech. Dev.* **120**: 733-44 [PMID:12834872]
 126. VanHouten J, Dann P, McGeoch G, Brown EM, Krapcho K, Neville M and Wysolmerski JJ. (2004) The calcium-sensing receptor regulates mammary gland parathyroid hormone-related protein production and calcium transport. *J Clin Invest.* **113**: 598-608 [PMID:14966569]
 127. Wada M, Nagano N, Furuya Y, Chin J, Nemeth EF and Fox J. (2000) Calcimimetic NPS R-568 prevents parathyroid hyperplasia in rats with severe secondary hyperparathyroidism. *Kidney Int.* **57**: 50-8 [PMID:10620187]
 128. Walter S, Baruch A, Dong J, Tomlinson JE, Alexander ST, Janes J, Hunter T, Yin Q, Maclean D and Bell G *et al.*. (2013) Pharmacology of AMG 416 (Velcalcetide), a novel peptide agonist of the calcium-sensing receptor, for the treatment of secondary hyperparathyroidism in hemodialysis patients. *J. Pharmacol. Exp. Ther.* **346**: 229-40 [PMID:23674604]
 129. Wang M, Yao Y, Kuang D and Hampson DR. (2006) Activation of family C G-protein-coupled receptors by the tripeptide glutathione. *J. Biol. Chem.* **281**: 8864-70 [PMID:16455645]
 130. Wang R, Xu C, Zhao W, Zhang J, Cao K, Yang B and Wu L. (2003) Calcium and polyamine regulated calcium-sensing receptors in cardiac tissues. *Eur. J. Biochem.* **270**: 2680-8 [PMID:12787035]
 131. Wang Y, Awumey EK, Chatterjee PK, Somasundaram C, Bian K, Rogers KV, Dunn C and Bukoski RD. (2003) Molecular cloning and characterization of a rat sensory nerve Ca²⁺-sensing receptor. *Am J Physiol Cell Physiol.* **285**: C64-C75 [PMID:12637267]
 132. Ward DT and Riccardi D. (2012) New concepts in calcium-sensing receptor pharmacology and signalling. *Br. J. Pharmacol.* **165**: 35-48 [PMID:21627634]
 133. Widler L, Altmann E, Beerli R, Breitenstein W, Bouhelal R, Buhl T, Gamse R, Gerspacher M, Halleux C and John MR *et al.*. (2010) 1-Alkyl-4-phenyl-6-alkoxy-1H-quinazolin-2-ones: a novel series of potent calcium-sensing receptor antagonists. *J. Med. Chem.* **53**: 2250-63 [PMID:20158186]
 134. Yamaguchi T, Chattopadhyay N, Kifor O and Brown EM. (1998) Extracellular calcium (Ca²⁺(o))-sensing

- receptor in a murine bone marrow-derived stromal cell line (ST2): potential mediator of the actions of Ca^{2+} (o) on the function of ST2 cells. *Endocrinology* **139**: 3561-8 [PMID:9681508]
135. Yamaguchi T, Chattopadhyay N, Kifor O, Butters Jr RR, Sugimoto T and Brown EM. (1998) Mouse osteoblastic cell line (MC3T3-E1) expresses extracellular calcium (Ca^{2+} o)-sensing receptor and its agonists stimulate chemotaxis and proliferation of MC3T3-E1 cells. *J. Bone Miner. Res.* **13**: 1530-8 [PMID:9783541]
 136. Yamaguchi T, Chattopadhyay N, Kifor O, Ye C, Vassilev PM, Sanders JL and Brown EM. (2001) Expression of extracellular calcium-sensing receptor in human osteoblastic MG-63 cell line. *Am. J. Physiol., Cell Physiol.* **280**: C382-93 [PMID:11208534]
 137. Yamaguchi T, Yamauchi M, Sugimoto T, Chauhan D, Anderson KC, Brown EM and Chihara K. (2002) The extracellular calcium Ca^{2+} o-sensing receptor is expressed in myeloma cells and modulates cell proliferation. *Biochem. Biophys. Res. Commun.* **299**: 532-8 [PMID:12459170]
 138. Yamaguchi T, Ye C, Chattopadhyay N, Sanders JL, Vassilev PM and Brown EM. (2000) Enhanced expression of extracellular calcium sensing receptor in monocyte-differentiated versus undifferentiated HL-60 cells: potential role in regulation of a nonselective cation channel. *Calcif. Tissue Int.* **66**: 375-82 [PMID:10773108]
 139. Yang W, Wang Y, Roberge JY, Ma Z, Liu Y, Michael Lawrence R, Rotella DP, Seethala R, Feyen JH and Dickson JK. (2005) Discovery and structure-activity relationships of 2-benzylpyrrolidine-substituted aryloxypropanols as calcium-sensing receptor antagonists. *Bioorg Med Chem Lett* **15**: 1225-1228 [PMID:15686947]
 140. Yano S, Macleod RJ, Chattopadhyay N, Tfelt-Hansen J, Kifor O, Butters RR and Brown EM. (2004) Calcium-sensing receptor activation stimulates parathyroid hormone-related protein secretion in prostate cancer cells: role of epidermal growth factor receptor transactivation. *Bone* **35**: 664-72 [PMID:15336602]
 141. Ye C, Chattopadhyay N, Brown EM and Vassilev PM. (2000) Defective extracellular calcium ($\text{Ca}^{(o)}$)-sensing receptor (CaR)-mediated stimulation of a $\text{Ca}^{(2+)}$ -activated potassium channel in glioblastoma cells transfected with a dominant negative CaR. *Brain Res Mol Brain Res.* **80**: 177-187 [PMID:11038250]
 142. Ye C, Rogers K, Bai M, Quinn SJ, Brown EM and Vassilev PM. (1996) Agonists of the $\text{Ca}^{(2+)}$ -sensing receptor (CaR) activate nonselective cation channels in HEK293 cells stably transfected with the human CaR. *Biochem. Biophys. Res. Commun.* **226**: 572-9 [PMID:8806675]
 143. Zhang C, Miller CL, Gorkhali R, Zou J, Huang K, Brown EM and Yang JJ. (2016) Molecular Basis of the Extracellular Ligands Mediated Signaling by the Calcium Sensing Receptor. *Front Physiol* **7**: 441 [PMID:27746744]