

## Acid-sensing (proton-gated) ion channels (ASICs) (version 2019.4) in the IUPHAR/BPS Guide to Pharmacology Database

Stephan Kellenberger<sup>1</sup>, Lachlan D. Rash<sup>2</sup> and Laurent Schild<sup>1</sup>

1. Université de Lausanne, Switzerland
2. The University of Queensland, Australia

### Abstract

Acid-sensing ion channels (ASICs, **nomenclature as agreed by NC-IUPHAR [35]**) are members of a Na<sup>+</sup> channel superfamily that includes the epithelial Na<sup>+</sup> channel (ENaC), the FMRF-amide activated channel (FaNaC) of invertebrates, the degenerins (DEG) of *Caenorhabditis elegans*, channels in *Drosophila melanogaster* and 'orphan' channels that include BLINaC [46] and INaC [47] that have also been named BASICs, for bile acid-activated ion channels [58]. ASIC subunits contain two TM domains and assemble as homo- or hetero-trimers [34, 31, 5] to form proton-gated, voltage-insensitive, Na<sup>+</sup> permeable, channels (reviewed in [33, 57]). Splice variants of ASIC1 [termed ASIC1a (ASIC, ASIC $\alpha$ , BNaC2 $\alpha$ ) [55], ASIC1b (ASIC $\beta$ , BNaC2 $\beta$ ) [13] and ASIC1b2 (ASIC $\beta$ 2) [50]; note that ASIC1a is also permeable to Ca<sup>2+</sup>] and ASIC2 [termed ASIC2a (MDEG1, BNaC1 $\alpha$ , BNC1 $\alpha$ ) [45, 56, 30] and ASIC2b (MDEG2, BNaC1 $\beta$ ) [40]] have been cloned. Unlike ASIC2a (listed in table), heterologous expression of ASIC2b alone does not support H<sup>+</sup>-gated currents. A third member, ASIC3 (DRASIC, TNaC1) [54], has been identified. A fourth mammalian member of the family (ASIC4/SPASIC) does not support a proton-gated channel in heterologous expression systems and is reported to downregulate the expression of ASIC1a and ASIC3 [1, 32, 24, 39]. ASIC channels are primarily expressed in central and peripheral neurons including nociceptors where they participate in neuronal sensitivity to acidosis. They have also been detected in taste receptor cells (ASIC1-3), photoreceptors and retinal cells (ASIC1-3), cochlear hair cells (ASIC1b), testis (hASIC3), pituitary gland (ASIC4), lung epithelial cells (ASIC1a and -3), urothelial cells, adipose cells (ASIC3), vascular smooth muscle cells (ASIC1-3), immune cells (ASIC1,-3 and -4) and bone (ASIC1-3). A neurotransmitter-like function of protons has been suggested, involving postsynaptically located ASICs of the CNS in functions such as learning and fear perception [25, 36, 63], responses to focal ischemia [59] and to axonal degeneration in autoimmune inflammation in a mouse model of multiple sclerosis [29], as well as seizures [64] and pain [19, 20, 10, 22]. Heterologously expressed heteromultimers form ion channels with differences in kinetics, ion selectivity, pH- sensitivity and sensitivity to blockers that resemble some of the native proton activated currents recorded from neurones [40, 3, 28, 8].

### Contents

This is a citation summary for Acid-sensing (proton-gated) ion channels (ASICs) in the [Guide to Pharmacology](#) database (GtoPdb). It exists purely as an adjunct to the database to facilitate the recognition of citations to and from the database by citation analyzers. Readers will almost certainly want to visit the relevant sections of the database which are given here under database links.

[GtoPdb](#) is an expert-driven guide to pharmacological targets and the substances that act on them. GtoPdb is a

reference work which is most usefully represented as an on-line database. As in any publication this work should be appropriately cited, and the papers it cites should also be recognized. This document provides a citation for the relevant parts of the database, and also provides a reference list for the research cited by those parts.

Please note that the database version for the citations given in GtoPdb are to the most recent preceding version in which the family or its subfamilies and targets were substantially changed. The links below are to the current version. If you need to consult the cited version, rather than the most recent version, please contact the GtoPdb curators.

## Database links

### Acid-sensing (proton-gated) ion channels (ASICs)

<http://www.guidetopharmacology.org/GRAC/FamilyDisplayForward?familyId=118>

#### Channels and Subunits

##### ASIC1

<http://www.guidetopharmacology.org/GRAC/ObjectDisplayForward?objectId=684>

##### ASIC2

<http://www.guidetopharmacology.org/GRAC/ObjectDisplayForward?objectId=685>

##### ASIC3

<http://www.guidetopharmacology.org/GRAC/ObjectDisplayForward?objectId=686>

## References

1. Akopian AN, Chen CC, Ding Y, Cesare P and Wood JN. (2000) A new member of the acid-sensing ion channel family. *Neuroreport* **11**: 2217-22 [PMID:10923674]
2. Andrey F, Tsintsadze T, Volkova T, Lozovaya N and Krishtal O. (2005) Acid sensing ionic channels: modulation by redox reagents. *Biochim. Biophys. Acta* **1745**: 1-6 [PMID:16085050]
3. Babinski K, Catarsi S, Biagini G and Séguéla P. (2000) Mammalian ASIC2a and ASIC3 subunits co-assemble into heteromeric proton-gated channels sensitive to Gd<sup>3+</sup>. *J. Biol. Chem.* **275**: 28519-25 [PMID:10842183]
4. Babinski K, Lê KT and Séguéla P. (1999) Molecular cloning and regional distribution of a human proton receptor subunit with biphasic functional properties. *J. Neurochem.* **72**: 51-7 [PMID:9886053]
5. Baconguis I, Bohlen CJ, Goehring A, Julius D and Gouaux E. (2014) X-ray structure of acid-sensing ion channel 1-snake toxin complex reveals open state of a Na<sup>(+)</sup>-selective channel. *Cell* **156**: 717-29 [PMID:24507937]
6. Baron A and Lingueglia E. (2015) Pharmacology of acid-sensing ion channels - Physiological and therapeutical perspectives. *Neuropharmacology* **94**: 19-35 [PMID:25613302]
7. Baron A, Schaefer L, Lingueglia E, Champigny G and Lazdunski M. (2001) Zn<sup>2+</sup> and H<sup>+</sup> are coactivators of acid-sensing ion channels. *J. Biol. Chem.* **276**: 35361-7 [PMID:11457851]
8. Baron A, Voilley N, Lazdunski M and Lingueglia E. (2008) Acid sensing ion channels in dorsal spinal cord neurons. *J. Neurosci.* **28**: 1498-508 [PMID:18256271]
9. Blanchard MG, Rash LD and Kellenberger S. (2012) Inhibition of voltage-gated Na<sup>(+)</sup> currents in sensory neurones by the sea anemone toxin APETx2. *Br. J. Pharmacol.* **165**: 2167-77 [PMID:21943094]
10. Bohlen CJ, Chesler AT, Sharif-Naeini R, Medzihradzky KF, Zhou S, King D, Sánchez EE, Burlingame AL, Basbaum AI and Julius D. (2011) A heteromeric Texas coral snake toxin targets acid-sensing ion channels to produce pain. *Nature* **479**: 410-4 [PMID:22094702]
11. Cadiou H, Studer M, Jones NG, Smith ES, Ballard A, McMahon SB and McNaughton PA. (2007) Modulation of acid-sensing ion channel activity by nitric oxide. *J. Neurosci.* **27**: 13251-60 [PMID:18045919]
12. Chassagnon IR, McCarthy CA, Chin YK, Pineda SS, Keramidis A, Mobli M, Pham V, De Silva TM, Lynch JW and Widdop RE *et al.*. (2017) Potent neuroprotection after stroke afforded by a double-knot spider-

- venom peptide that inhibits acid-sensing ion channel 1a. *Proc. Natl. Acad. Sci. U.S.A.* **114**: 3750-3755 [PMID:28320941]
13. Chen CC, England S, Akopian AN and Wood JN. (1998) A sensory neuron-specific, proton-gated ion channel. *Proc. Natl. Acad. Sci. U.S.A.* **95**: 10240-5 [PMID:9707631]
  14. Chen X, Kalbacher H and Gründer S. (2006) Interaction of acid-sensing ion channel (ASIC) 1 with the tarantula toxin psalmotoxin 1 is state dependent. *J. Gen. Physiol.* **127**: 267-76 [PMID:16505147]
  15. Chen X, Kalbacher H and Gründer S. (2005) The tarantula toxin psalmotoxin 1 inhibits acid-sensing ion channel (ASIC) 1a by increasing its apparent H<sup>+</sup> affinity. *J. Gen. Physiol.* **126**: 71-9 [PMID:15955877]
  16. Chu XP, Close N, Saugstad JA and Xiong ZG. (2006) ASIC1a-specific modulation of acid-sensing ion channels in mouse cortical neurons by redox reagents. *J. Neurosci.* **26**: 5329-39 [PMID:16707785]
  17. Chu XP, Wemmie JA, Wang WZ, Zhu XM, Saugstad JA, Price MP, Simon RP and Xiong ZG. (2004) Subunit-dependent high-affinity zinc inhibition of acid-sensing ion channels. *J. Neurosci.* **24**: 8678-89 [PMID:15470133]
  18. de Weille JR, Bassilana F, Lazdunski M and Waldmann R. (1998) Identification, functional expression and chromosomal localisation of a sustained human proton-gated cation channel. *FEBS Lett.* **433**: 257-60 [PMID:9744806]
  19. Deval E, Noël J, Gasull X, Delaunay A, Alloui A, Friend V, Eschalier A, Lazdunski M and Lingueglia E. (2011) Acid-sensing ion channels in postoperative pain. *J. Neurosci.* **31**: 6059-66 [PMID:21508231]
  20. Deval E, Noël J, Lay N, Alloui A, Diochot S, Friend V, Jodar M, Lazdunski M and Lingueglia E. (2008) ASIC3, a sensor of acidic and primary inflammatory pain. *EMBO J.* **27**: 3047-55 [PMID:18923424]
  21. Diochot S, Baron A, Rash LD, Deval E, Escoubas P, Scarzello S, Salinas M and Lazdunski M. (2004) A new sea anemone peptide, APETx2, inhibits ASIC3, a major acid-sensitive channel in sensory neurons. *EMBO J.* **23**: 1516-25 [PMID:15044953]
  22. Diochot S, Baron A, Salinas M, Douguet D, Scarzello S, Dabert-Gay AS, Debayle D, Friend V, Alloui A and Lazdunski M *et al.*. (2012) Black mamba venom peptides target acid-sensing ion channels to abolish pain. *Nature* **490**: 552-5 [PMID:23034652]
  23. Diochot S, Salinas M, Baron A, Escoubas P and Lazdunski M. (2007) Peptides inhibitors of acid-sensing ion channels. *Toxicon* **49**: 271-84 [PMID:17113616]
  24. Donier E, Rugiero F, Jacob C and Wood JN. (2008) Regulation of ASIC activity by ASIC4--new insights into ASIC channel function revealed by a yeast two-hybrid assay. *Eur. J. Neurosci.* **28**: 74-86 [PMID:18662336]
  25. Du J, Reznikov LR, Price MP, Zha XM, Lu Y, Moninger TO, Wemmie JA and Welsh MJ. (2014) Protons are a neurotransmitter that regulates synaptic plasticity in the lateral amygdala. *Proc. Natl. Acad. Sci. U.S.A.* **111**: 8961-6 [PMID:24889629]
  26. Dubé GR, Lehto SG, Breese NM, Baker SJ, Wang X, Matulenko MA, Honoré P, Stewart AO, Moreland RB and Brioni JD. (2005) Electrophysiological and in vivo characterization of A-317567, a novel blocker of acid sensing ion channels. *Pain* **117**: 88-96 [PMID:16061325]
  27. Er SY, Cristofori-Armstrong B, Escoubas P and Rash LD. (2017) Discovery and molecular interaction studies of a highly stable, tarantula peptide modulator of acid-sensing ion channel 1. *Neuropharmacology* **127**: 185-195 [PMID:28327374]
  28. Escoubas P, De Weille JR, Lecoq A, Diochot S, Waldmann R, Champigny G, Moinier D, Ménez A and Lazdunski M. (2000) Isolation of a tarantula toxin specific for a class of proton-gated Na<sup>+</sup> channels. *J. Biol. Chem.* **275**: 25116-21 [PMID:10829030]
  29. Friese MA, Craner MJ, Ezensperger R, Vergo S, Wemmie JA, Welsh MJ, Vincent A and Fugger L. (2007) Acid-sensing ion channel-1 contributes to axonal degeneration in autoimmune inflammation of the central nervous system. *Nat. Med.* **13**: 1483-9 [PMID:17994101]
  30. García-Añoveros J, Derfler B, Neville-Golden J, Hyman BT and Corey DP. (1997) BNaC1 and BNaC2 constitute a new family of human neuronal sodium channels related to degenerins and epithelial sodium channels. *Proc. Natl. Acad. Sci. U.S.A.* **94**: 1459-64 [PMID:9037075]
  31. Gonzales EB, Kawate T and Gouaux E. (2009) Pore architecture and ion sites in acid-sensing ion

- channels and P2X receptors. *Nature* **460**: 599-604 [PMID:19641589]
32. Gründer S, Geissler HS, Bässler EL and Ruppersberg JP. (2000) A new member of acid-sensing ion channels from pituitary gland. *Neuroreport* **11**: 1607-11 [PMID:10852210]
  33. Gründer S and Pusch M. (2015) Biophysical properties of acid-sensing ion channels (ASICs). *Neuropharmacology* **94**: 9-18 [PMID:25585135]
  34. Jasti J, Furukawa H, Gonzales EB and Gouaux E. (2007) Structure of acid-sensing ion channel 1 at 1.9 Å resolution and low pH. *Nature* **449**: 316-23 [PMID:17882215]
  35. Kellenberger S and Schild L. (2015) International Union of Basic and Clinical Pharmacology. XCI. structure, function, and pharmacology of acid-sensing ion channels and the epithelial Na<sup>+</sup> channel. *Pharmacol. Rev.* **67**: 1-35 [PMID:25287517]
  36. Kreple CJ, Lu Y, Taugher RJ, Schwager-Gutman AL, Du J, Stump M, Wang Y, Ghobbeh A, Fan R and Cosme CV *et al.*. (2014) Acid-sensing ion channels contribute to synaptic transmission and inhibit cocaine-evoked plasticity. *Nat. Neurosci.* **17**: 1083-91 [PMID:24952644]
  37. Kuduk SD, Di Marco CN, Bodmer-Narkevitch V, Cook SP, Cato MJ, Jovanovska A, Urban MO, Leitl M, Sain N and Liang A *et al.*. (2010) Synthesis, structure-activity relationship, and pharmacological profile of analogs of the ASIC-3 inhibitor A-317567. *ACS Chem Neurosci* **1**: 19-24 [PMID:22778804]
  38. Lee JYP, Saez NJ, Cristofori-Armstrong B, Anangi R, King GF, Smith MT and Rash LD. (2018) Inhibition of acid-sensing ion channels by diminazene and APETx2 evoke partial and highly variable antihyperalgesia in a rat model of inflammatory pain. *Br. J. Pharmacol.* **175**: 2204-2218 [PMID:29134638]
  39. Lin SH, Chien YC, Chiang WW, Liu YZ, Lien CC and Chen CC. (2015) Genetic mapping of ASIC4 and contrasting phenotype to ASIC1a in modulating innate fear and anxiety. *Eur. J. Neurosci.* **41**: 1553-68 [PMID:25828470]
  40. Lingueglia E, de Weille JR, Bassilana F, Heurteaux C, Sakai H, Waldmann R and Lazdunski M. (1997) A modulatory subunit of acid sensing ion channels in brain and dorsal root ganglion cells. *J. Biol. Chem.* **272**: 29778-83 [PMID:9368048]
  41. Mamet J, Baron A, Lazdunski M and Voilley N. (2002) Proinflammatory mediators, stimulators of sensory neuron excitability via the expression of acid-sensing ion channels. *J. Neurosci.* **22**: 10662-70 [PMID:12486159]
  42. Marra S, Ferru-Clément R, Breuil V, Delaunay A, Christin M, Friend V, Sebille S, Cognard C, Ferreira T and Roux C *et al.*. (2016) Non-acidic activation of pain-related Acid-Sensing Ion Channel 3 by lipids. *EMBO J.* **35**: 414-28 [PMID:26772186]
  43. Peigneur S, Béress L, Möller C, Marí F, Forssmann WG and Tytgat J. (2012) A natural point mutation changes both target selectivity and mechanism of action of sea anemone toxins. *FASEB J.* **26**: 5141-51 [PMID:22972919]
  44. Pidoplichko VI and Dani JA. (2006) Acid-sensitive ionic channels in midbrain dopamine neurons are sensitive to ammonium, which may contribute to hyperammonemia damage. *Proc. Natl. Acad. Sci. U.S.A.* **103**: 11376-80 [PMID:16847263]
  45. Price MP, Snyder PM and Welsh MJ. (1996) Cloning and expression of a novel human brain Na<sup>+</sup> channel. *J. Biol. Chem.* **271**: 7879-82 [PMID:8626462]
  46. Sakai H, Lingueglia E, Champigny G, Mattei MG and Lazdunski M. (1999) Cloning and functional expression of a novel degenerin-like Na<sup>+</sup> channel gene in mammals. *J. Physiol. (Lond.)* **519 Pt 2**: 323-33 [PMID:10457052]
  47. Schaefer L, Sakai H, Mattei M, Lazdunski M and Lingueglia E. (2000) Molecular cloning, functional expression and chromosomal localization of an amiloride-sensitive Na<sup>(+)</sup> channel from human small intestine. *FEBS Lett.* **471**: 205-10 [PMID:10767424]
  48. Sherwood TW, Lee KG, Gormley MG and Askwith CC. (2011) Heteromeric acid-sensing ion channels (ASICs) composed of ASIC2b and ASIC1a display novel channel properties and contribute to acidosis-induced neuronal death. *J. Neurosci.* **31**: 9723-34 [PMID:21715637]
  49. Smith ES, Cadiou H and McNaughton PA. (2007) Arachidonic acid potentiates acid-sensing ion channels in rat sensory neurons by a direct action. *Neuroscience* **145**: 686-98 [PMID:17258862]

50. Ugawa S, Ueda T, Takahashi E, Hirabayashi Y, Yoneda T, Komai S and Shimada S. (2001) Cloning and functional expression of ASIC-beta2, a splice variant of ASIC-beta. *Neuroreport* **12**: 2865-9 [PMID:11588592]
51. Vick JS and Askwith CC. (2015) ASICs and neuropeptides. *Neuropharmacology* **94**: 36-41 [PMID:25592215]
52. Voilley N, de Weille J, Mamet J and Lazdunski M. (2001) Nonsteroid anti-inflammatory drugs inhibit both the activity and the inflammation-induced expression of acid-sensing ion channels in nociceptors. *J. Neurosci.* **21**: 8026-33 [PMID:11588175]
53. Vukicevic M, Weder G, Boillat A, Boesch A and Kellenberger S. (2006) Trypsin cleaves acid-sensing ion channel 1a in a domain that is critical for channel gating. *J. Biol. Chem.* **281**: 714-22 [PMID:16282326]
54. Waldmann R, Bassilana F, de Weille J, Champigny G, Heurteaux C and Lazdunski M. (1997) Molecular cloning of a non-inactivating proton-gated Na<sup>+</sup> channel specific for sensory neurons. *J. Biol. Chem.* **272**: 20975-8 [PMID:9261094]
55. Waldmann R, Champigny G, Bassilana F, Heurteaux C and Lazdunski M. (1997) A proton-gated cation channel involved in acid-sensing. *Nature* **386**: 173-7 [PMID:9062189]
56. Waldmann R, Champigny G, Voilley N, Lauritzen I and Lazdunski M. (1996) The mammalian degenerin MDEG, an amiloride-sensitive cation channel activated by mutations causing neurodegeneration in *Caenorhabditis elegans*. *J. Biol. Chem.* **271**: 10433-6 [PMID:8631835]
57. Wemmie JA, Taugher RJ and Kreple CJ. (2013) Acid-sensing ion channels in pain and disease. *Nat. Rev. Neurosci.* **14**: 461-71 [PMID:23783197]
58. Wiemuth D, Assmann M and Gründer S. (2014) The bile acid-sensitive ion channel (BASIC), the ignored cousin of ASICs and ENaC. *Channels (Austin)* **8**: 29-34 [PMID:24365967]
59. Xiong ZG, Chu XP and Simon RP. (2007) Acid sensing ion channels--novel therapeutic targets for ischemic brain injury. *Front. Biosci.* **12**: 1376-86 [PMID:17127388]
60. Yang L and Palmer LG. (2014) Ion conduction and selectivity in acid-sensing ion channel 1. *J. Gen. Physiol.* **144**: 245-55 [PMID:25114023]
61. Yu Y, Chen Z, Li WG, Cao H, Feng EG, Yu F, Liu H, Jiang H and Xu TL. (2010) A nonproton ligand sensor in the acid-sensing ion channel. *Neuron* **68**: 61-72 [PMID:20920791]
62. Zha XM, Wang R, Collier DM, Snyder PM, Wemmie JA and Welsh MJ. (2009) Oxidant regulated inter-subunit disulfide bond formation between ASIC1a subunits. *Proc. Natl. Acad. Sci. U.S.A.* **106**: 3573-8 [PMID:19218436]
63. Ziemann AE, Allen JE, Dahdaleh NS, Drebot II, Coryell MW, Wunsch AM, Lynch CM, Faraci FM, Howard 3rd MA and Welsh MJ *et al.*. (2009) The amygdala is a chemosensor that detects carbon dioxide and acidosis to elicit fear behavior. *Cell* **139**: 1012-21 [PMID:19945383]
64. Ziemann AE, Schnizler MK, Albert GW, Severson MA, Howard MA, Welsh MJ and Wemmie JA. (2008) Seizure termination by acidosis depends on ASIC1a. *Nat. Neurosci.* **11**: 816-22 [PMID:18536711]