

Regulators of G protein Signaling (RGS) proteins in GtoPdb v.2025.3

Katelin E. Ahlers-Dannen¹, Mohammed Alqinyah², Christopher Bodle¹, Josephine Bou Dagher², Bandana Chakravarti¹, Shreoshi P. Choudhuri³, Kirk M. Druey⁴, Rory A. Fisher¹, Kyle J. Gerber⁵, John R. Hepler⁵, Shelley B. Hooks², Havish S. Kantheti³, Behirda Karaj⁶, Somayeh Layeghi-Ghalehsoukhteh⁷, Jae-Kyung Lee², Zili Luo¹, Kirill Martemyanov⁸, Luke D. Mascarenhas³, Harrison J. McNabb⁹, Carolina Montañez-Miranda¹⁰, Osita W. Ogujiofor³, Hoa Phan Thi Nhu⁶, David L. Roman¹, Vincent Shaw⁶, Benita Sjögren¹¹, Mackenzie M. Spicer¹, Katherine E. Squires⁵, Laurie Sutton⁸, Menbere Wendimu², Thomas M. Wilkie³, Keqiang Xie⁸, Qian Zhang⁹ and Yalda Zolghadri⁷

1. University of Iowa, USA
2. University of Georgia, USA
3. University of Texas Southwestern Medical Center, USA
4. National Institutes of Health, USA
5. Emory University, USA
6. Michigan State University, USA
7. Shiraz University, Iran
8. Scripps Research Institute, USA
9. Purdue University, USA
10. Emory University School of Medicine, USA
11. University of California, Irvine, USA

Abstract

Regulator of G protein Signaling, or RGS, proteins serve an important regulatory role in signaling mediated by G protein-coupled receptors (GPCRs). They all share a common RGS domain that directly interacts with active, GTP-bound G α subunits of heterotrimeric G proteins. RGS proteins stabilize the transition state for GTP hydrolysis on G α and thus induce a conformational change in the G α subunit that accelerates GTP hydrolysis, thereby effectively turning off signaling cascades mediated by GPCRs. This GTPase accelerating protein (GAP) activity is the canonical mechanism of action for RGS proteins, although many also possess additional functions and domains. RGS proteins are divided into four families, R4, R7, R12 and RZ based on sequence homology, domain structure as well as specificity towards G α subunits. For reviews on RGS proteins and their potential as therapeutic targets, see *e.g.* [226, 530, 579, 584, 585, 744, 755, 445, 11].

Contents

This is a citation summary for Regulators of G protein Signaling (RGS) proteins in the [Guide to Pharmacology](#) database (GtoPdb). It exists purely as an adjunct to the database to facilitate the recognition of citations to and from the database by citation analyzers. Readers will almost certainly want to visit the relevant sections of the database which are given here under database links.

[GtoPdb](#) is an expert-driven guide to pharmacological targets and the substances that act on them. GtoPdb is a reference work which is most usefully represented as an on-line database. As in any publication this work should be appropriately cited, and the papers it cites should also be recognized. This document provides a citation for the relevant parts of the database, and also provides a reference list for the research cited by those parts. For further details see [66].

Please note that the database version for the citations given in GtoPdb are to the most recent preceding version in which the family or its subfamilies and targets were substantially changed. The links below are to the current version. If you need to consult the cited version, rather than the most recent version, please contact the GtoPdb curators.

Database links

Regulators of G protein Signaling (RGS) proteins

<https://www.guidetopharmacology.org/GRAC/FamilyDisplayForward?familyId=891>

RZ family

<https://www.guidetopharmacology.org/GRAC/FamilyDisplayForward?familyId=892>

Targets

RGS17(regulator of G-protein signaling 17)

<https://www.guidetopharmacology.org/GRAC/ObjectDisplayForward?objectId=2801>

RGS19(regulator of G-protein signaling 19)

<https://www.guidetopharmacology.org/GRAC/ObjectDisplayForward?objectId=2802>

RGS20(regulator of G-protein signaling 20)

<https://www.guidetopharmacology.org/GRAC/ObjectDisplayForward?objectId=2803>

R4 family

<https://www.guidetopharmacology.org/GRAC/FamilyDisplayForward?familyId=893>

Targets

RGS1(regulator of G-protein signaling 1)

<https://www.guidetopharmacology.org/GRAC/ObjectDisplayForward?objectId=2804>

RGS2(regulator of G-protein signaling 2)

<https://www.guidetopharmacology.org/GRAC/ObjectDisplayForward?objectId=2808>

RGS3(regulator of G-protein signaling 3)

<https://www.guidetopharmacology.org/GRAC/ObjectDisplayForward?objectId=2810>

RGS4(regulator of G-protein signaling 4)

<https://www.guidetopharmacology.org/GRAC/ObjectDisplayForward?objectId=2811>

RGS5(regulator of G-protein signaling 5)

<https://www.guidetopharmacology.org/GRAC/ObjectDisplayForward?objectId=2812>

RGS8(regulator of G-protein signaling 8)

<https://www.guidetopharmacology.org/GRAC/ObjectDisplayForward?objectId=2813>

RGS13(regulator of G-protein signaling 13)

<https://www.guidetopharmacology.org/GRAC/ObjectDisplayForward?objectId=2805>

RGS16(regulator of G-protein signaling 16)

<https://www.guidetopharmacology.org/GRAC/ObjectDisplayForward?objectId=2806>

RGS18(regulator of G-protein signaling 18)

<https://www.guidetopharmacology.org/GRAC/ObjectDisplayForward?objectId=2807>

RGS21(regulator of G-protein signaling 21)

<https://www.guidetopharmacology.org/GRAC/ObjectDisplayForward?objectId=2809>

R7 family

<https://www.guidetopharmacology.org/GRAC/FamilyDisplayForward?familyId=894>

Targets

RGS6(regulator of G-protein signaling 6)

<https://www.guidetopharmacology.org/GRAC/ObjectDisplayForward?objectId=2815>

RGS7(regulator of G-protein signaling 7)

<https://www.guidetopharmacology.org/GRAC/ObjectDisplayForward?objectId=2816>

RGS9(regulator of G-protein signaling 9)

<https://www.guidetopharmacology.org/GRAC/ObjectDisplayForward?objectId=2817>

RGS11(regulator of G-protein signaling 11)

<https://www.guidetopharmacology.org/GRAC/ObjectDisplayForward?objectId=2814>

R12 family

<https://www.guidetopharmacology.org/GRAC/FamilyDisplayForward?familyId=895>

Targets

RGS10(regulator of G-protein signaling 10)

<https://www.guidetopharmacology.org/GRAC/ObjectDisplayForward?objectId=2818>

RGS12(regulator of G-protein signaling 12)

<https://www.guidetopharmacology.org/GRAC/ObjectDisplayForward?objectId=2819>

RGS14(regulator of G-protein signaling 14)

<https://www.guidetopharmacology.org/GRAC/ObjectDisplayForward?objectId=2820>

References

1. Abe Y, Ogasawara S, Akiba J, Naito Y, Kondo R, Nakamura K, Kusukawa J and Yano H. (2019) Expression and role of regulator of G-protein signaling 5 in squamous cell carcinoma of the tongue. *Clin Exp Dent Res* **5**: 160-169 [PMID:31049219]
2. Abramow-Newerly M, Ming H and Chidiac P. (2006) Modulation of subfamily B/R4 RGS protein function by 14-3-3 proteins. *Cell Signal* **18**: 2209-22 [PMID:16839744]
3. Adams LD, Geary RL, Li J, Rossini A and Schwartz SM. (2006) Expression profiling identifies smooth muscle cell diversity within human intima and plaque fibrous cap: loss of RGS5 distinguishes the cap. *Arterioscler Thromb Vasc Biol* **26**: 319-25 [PMID:16293795]
4. Agogo-Mawuli PS, Sadiya I, Bosch DE, Emmitte KA, Colón-Pérez LM, Kosloff M and Siderovski

- DP. (2025) Developing inhibitors of the guanosine triphosphate hydrolysis accelerating activity of Regulator of G protein Signaling-14. *bioRxiv* [PMID:40667230]
5. Aissani B, Wiener H and Zhang K. (2013) Multiple hits for the association of uterine fibroids on human chromosome 1q43. *PLoS ONE* **8**: e58399 [PMID:23555580]
 6. Ajit SK, Ramineni S, Edris W, Hunt RA, Hum WT, Hepler JR and Young KH. (2007) RGSZ1 interacts with protein kinase C interacting protein PKCI-1 and modulates mu opioid receptor signaling. *Cell Signal* **19**: 723-30 [PMID:17126529]
 7. Ajit SK and Young KH. (2005) Analysis of chimeric RGS proteins in yeast for the functional evaluation of protein domains and their potential use in drug target validation. *Cell Signal* **17**: 817-25 [PMID:15763424]
 8. Allen Brain Atlas. RGS14 http://human.brain-map.org/microarray/search/show?exact_match=false&search_term=RGS14&search_type=gene. Accessed on 21/06/2016.
 9. Almutairi F, Lee JK and Rada B. (2020) Regulator of G protein signaling 10: Structure, expression and functions in cellular physiology and diseases. *Cell Signal* **75**: 109765 [PMID:32882407]
 10. Alqinyah M, Almutairi F, Wendimu MY and Hooks SB. (2018) RGS10 Regulates the Expression of Cyclooxygenase-2 and Tumor Necrosis Factor Alpha through a G Protein-Independent Mechanism. *Mol Pharmacol* **94**: 1103-1113 [PMID:30049816]
 11. Alqinyah M and Hooks SB. (2018) Regulating the regulators: Epigenetic, transcriptional, and post-translational regulation of RGS proteins. *Cell Signal* **42**: 77-87 [PMID:29042285]
 12. Alqinyah M, Maganti N, Ali MW, Yadav R, Gao M, Cacan E, Weng HR, Greer SF and Hooks SB. (2017) Regulator of G Protein Signaling 10 (Rgs10) Expression Is Transcriptionally Silenced in Activated Microglia by Histone Deacetylase Activity. *Mol Pharmacol* **91**: 197-207 [PMID:28031332]
 13. Altman MK, Alshamrani AA, Jia W, Nguyen HT, Fambrough JM, Tran SK, Patel MB, Hoseinzadeh P, Beedle AM and Murph MM. (2015) Suppression of the GTPase-activating protein RGS10 increases Rheb-GTP and mTOR signaling in ovarian cancer cells. *Cancer Lett* **369**: 175-83 [PMID:26319900]
 14. Altman MK, Nguyen DT, Patel SB, Fambrough JM, Beedle AM, Hardman WJ and Murph MM. (2012) Regulator of G-Protein Signaling 5 Reduces HeyA8 Ovarian Cancer Cell Proliferation and Extends Survival in a Murine Tumor Model. *Biochem Res Int* **2012**: 518437 [PMID:22792465]
 15. Amundsen SS, Rundberg J, Adamovic S, Gudjónsdóttir AH, Ascher H, Ek J, Nilsson S, Lie BA, Naluai AT and Sollid LM. (2010) Four novel coeliac disease regions replicated in an association study of a Swedish-Norwegian family cohort. *Genes Immun* **11**: 79-86 [PMID:19693089]
 16. Anderson A, Masuho I, Marron Fernandez de Velasco E, Nakano A, Birnbaumer L, Martemyanov KA and Wickman K. (2020) GPCR-dependent biasing of GIRK channel signaling dynamics by RGS6 in mouse sinoatrial nodal cells. *Proc Natl Acad Sci USA* **117**: 14522-14531 [PMID:32513692]
 17. Anderson GR, Cao Y, Davidson S, Truong HV, Pravetoni M, Thomas MJ, Wickman K, Giesler Jr GJ and Martemyanov KA. (2010) R7BP complexes with RGS9-2 and RGS7 in the striatum differentially control motor learning and locomotor responses to cocaine. *Neuropsychopharmacology* **35**: 1040-50 [PMID:20043004]
 18. Anderson GR, Posokhova E and Martemyanov KA. (2009) The R7 RGS protein family: multi-subunit regulators of neuronal G protein signaling. *Cell Biochem Biophys* **54**: 33-46 [PMID:19521673]
 19. Anger T, El-Chafchak J, Habib A, Stumpf C, Weyand M, Daniel WG, Hombach V, Hoeher M and Garlisch CD. (2008) Statins stimulate RGS-regulated ERK 1/2 activation in human calcified and stenotic aortic valves. *Exp Mol Pathol* **85**: 101-11 [PMID:18671964]
 20. Appleton CT, James CG and Beier F. (2006) Regulator of G-protein signaling (RGS) proteins differentially control chondrocyte differentiation. *J Cell Physiol* **207**: 735-45 [PMID:16489565]
 21. Arnold C, Demirel E, Feldner A, Genové G, Zhang H, Sticht C, Wieland T, Hecker M, Heximer S and Korff T. (2018) Hypertension-evoked RhoA activity in vascular smooth muscle cells requires RGS5. *FASEB J* **32**: 2021-2035 [PMID:29208700]
 22. Arnold C, Feldner A, Pfisterer L, Hödebeck M, Troidl K, Genové G, Wieland T, Hecker M and Korff T. (2014) RGS5 promotes arterial growth during arteriogenesis. *EMBO Mol Med* **6**: 1075-89 [PMID:24972930]
 23. Asli A, Sadiya I, Avital-Shacham M and Kosloff M. (2018) "Disruptor" residues in the regulator of G protein signaling (RGS) R12 subfamily attenuate the inactivation of Gα subunits. *Sci Signal* **11** [PMID:29895615]
 24. Avrampou K, Pryce KD, Ramakrishnan A, Sakloth F, Gaspari S, Serafini RA, Mitsi V, Polizu C, Swartz C and Ligas B *et al.*. (2019) RGS4 Maintains Chronic Pain Symptoms in Rodent Models. *J Neurosci* **39**: 8291-8304 [PMID:31308097]
 25. Balenga N, Koh J, Azimzadeh P, Hogue J, Gabr M, Stains JP and Olson Jr JA. (2019) Parathyroid-Targeted Overexpression of Regulator of G-Protein Signaling 5 (RGS5) Causes Hyperparathyroidism in Transgenic Mice. *J Bone Miner Res* **34**: 955-963 [PMID:30690792]

26. Balenga NA, Jester W, Jiang M, Panettieri Jr RA and Druey KM. (2014) Loss of regulator of G protein signaling 5 promotes airway hyperresponsiveness in the absence of allergic inflammation. *J Allergy Clin Immunol* **134**: 451-9 [PMID:24666695]
27. Bansal G, DiVietro JA, Kuehn HS, Rao S, Nocka KH, Gilfillan AM and Druey KM. (2008) RGS13 controls g protein-coupled receptor-evoked responses of human mast cells. *J Immunol* **181**: 7882-90 [PMID:19017978]
28. Bansal G, Xie Z, Rao S, Nocka KH and Druey KM. (2008) Suppression of immunoglobulin E-mediated allergic responses by regulator of G protein signaling 13. *Nat Immunol* **9**: 73-80 [PMID:18026105]
29. Barker SA, Wang J, Sierra DA and Ross EM. (2001) RGSZ1 and Ret RGS: two of several splice variants from the gene RGS20. *Genomics* **78**: 223-9 [PMID:11735229]
30. Barrett JC, Clayton DG, Concannon P, Akolkar B, Cooper JD, Erlich HA, Julier C, Morahan G, Nerup J and Nierras C *et al.* (2009) Genome-wide association study and meta-analysis find that over 40 loci affect risk of type 1 diabetes. *Nat Genet* **41**: 703-7 [PMID:19430480]
31. Bartel M, Schäfer A, Stevers LM and Ottmann C. (2014) Small molecules, peptides and natural products: getting a grip on 14-3-3 protein-protein modulation. *Future Med Chem* **6**: 903-21 [PMID:24962282]
32. Barzilay E, Yung Y, Shapira L, Haas J, Ophir L, Yerushalmi GM, Maman E and Hourvitz A. (2014) Differential expression of poliovirus receptor, regulator of G-protein signaling 11 and erythrocyte protein band 4.1-like 3 in human granulosa cells during follicular growth and maturation. *Gynecol Endocrinol* **30**: 660-3 [PMID:24828608]
33. Beadling C, Druey KM, Richter G, Kehrl JH and Smith KA. (1999) Regulators of G protein signaling exhibit distinct patterns of gene expression and target G protein specificity in human lymphocytes. *J Immunol* **162**: 2677-82 [PMID:10072511]
34. BellBrook Labs. RGScreen™Service. <http://www.bellbrooklabs.com/partnering-sidemenu-bio/partnering-sidemenu-bio-rgscreen>. Accessed on 25/08/2015.
35. Benians A, Nobles M, Hosny S and Tinker A. (2005) Regulators of G-protein signaling form a quaternary complex with the agonist, receptor, and G-protein. A novel explanation for the acceleration of signaling activation kinetics. *J Biol Chem* **280**: 13383-94 [PMID:15677457]
36. Benians A, Nobles M and Tinker A. (2004) Participation of RGS8 in the ternary complex of agonist, receptor and G-protein. *Biochem Soc Trans* **32**: 1045-7 [PMID:15506959]
37. Benzing T, Köttgen M, Johnson M, Schermer B, Zentgraf H, Walz G and Kim E. (2002) Interaction of 14-3-3 protein with regulator of G protein signaling 7 is dynamically regulated by tumor necrosis factor- α . *J Biol Chem* **277**: 32954-62 [PMID:12077120]
38. Benzing T, Yaffe MB, Arnould T, Sellin L, Schermer B, Schilling B, Schreiber R, Kunzelmann K, Leparac GG and Kim E *et al.* (2000) 14-3-3 interacts with regulator of G protein signaling proteins and modulates their activity. *J Biol Chem* **275**: 28167-72 [PMID:10862767]
39. Berger M, Bergers G, Arnold B, Hämmerling GJ and Ganss R. (2005) Regulator of G-protein signaling-5 induction in pericytes coincides with active vessel remodeling during neovascularization. *Blood* **105**: 1094-101 [PMID:15459006]
40. Berman DM, Kozasa T and Gilman AG. (1996) The GTPase-activating protein RGS4 stabilizes the transition state for nucleotide hydrolysis. *J Biol Chem* **271**: 27209-12 [PMID:8910288]
41. Berman DM, Wang Y, Liu Z, Dong Q, Burke LA, Liotta LA, Fisher R and Wu X. (2004) A functional polymorphism in RGS6 modulates the risk of bladder cancer. *Cancer Res* **64**: 6820-6 [PMID:15375002]
42. Berman DM, Wilkie TM and Gilman AG. (1996) GAIP and RGS4 are GTPase-activating proteins for the Gi subfamily of G protein alpha subunits. *Cell* **86**: 445-52 [PMID:8756726]
43. Bernstein LS, Grillo AA, Loranger SS and Linder ME. (2000) RGS4 binds to membranes through an amphipathic α -helix. *J Biol Chem* **275**: 18520-6 [PMID:10764749]
44. Bernstein LS, Ramineni S, Hague C, Cladman W, Chidiac P, Levey AI and Hepler JR. (2004) RGS2 binds directly and selectively to the M1 muscarinic acetylcholine receptor third intracellular loop to modulate Gq/11 α signaling. *J Biol Chem* **279**: 21248-56 [PMID:14976183]
45. Berthebaud M, Rivière C, Jarrier P, Foudi A, Zhang Y, Compagno D, Galy A, Vainchenker W and Louache F. (2005) RGS16 is a negative regulator of SDF-1-CXCR4 signaling in megakaryocytes. *Blood* **106**: 2962-8 [PMID:15998835]
46. Bifsha P, Yang J, Fisher RA and Drouin J. (2014) Rgs6 is required for adult maintenance of dopaminergic neurons in the ventral substantia nigra. *PLoS Genet* **10**: e1004863 [PMID:25501001]
47. BioGRID^{3,4}. PLSCR1. <http://thebiogrid.org/111373/summary/homo-sapiens/plscr1.html>. Accessed on 14/09/2015.
48. Blazer LL, Roman DL, Chung A, Larsen MJ, Greedy BM, Husbands SM and Neubig RR. (2010) Reversible, allosteric small-molecule inhibitors of regulator of G protein signaling proteins. *Mol Pharmacol* **78**: 524-33 [PMID:20571077]
49. Blazer LL, Roman DL, Muxlow MR and Neubig RR. (2010) Use of flow cytometric methods to

quantify protein-protein interactions. *Curr Protoc Cytom* **Chapter 13**: Unit 13.11.1-15 [PMID:20069525]

50. Blazer LL, Zhang H, Casey EM, Husbands SM and Neubig RR. (2011) A nanomolar-potency small molecule inhibitor of regulator of G-protein signaling proteins. *Biochemistry* **50**: 3181-92 [PMID:21329361]
51. Blundell J, Hoang CV, Potts B, Gold SJ and Powell CM. (2008) Motor coordination deficits in mice lacking RGS9. *Brain Res* **1190**: 78-85 [PMID:18073128]
52. Bodenstein J, Sunahara RK and Neubig RR. (2007) N-terminal residues control proteasomal degradation of RGS2, RGS4, and RGS5 in human embryonic kidney 293 cells. *Mol Pharmacol* **71**: 1040-50 [PMID:17220356]
53. Bodle CR, Mackie DI, Hayes MP, Schamp JH, Miller MR, Henry MD, Doorn JA, Houtman JCD, James MA and Roman DL. (2017) Natural Products Discovered in a High-Throughput Screen Identified as Inhibitors of RGS17 and as Cytostatic and Cytotoxic Agents for Lung and Prostate Cancer Cell Lines. *J Nat Prod* **80**: 1992-2000 [PMID:28621943]
54. Bodle CR, Schamp JH, O'Brien JB, Hayes MP, Wu M, Doorn JA and Roman DL. (2018) Screen Targeting Lung and Prostate Cancer Oncogene Identifies Novel Inhibitors of RGS17 and Problematic Chemical Substructures. *SLAS Discov* **23**: 363-374 [PMID:29351497]
55. Bondjers C, Kalén M, Hellström M, Scheidl SJ, Abramsson A, Renner O, Lindahl P, Cho H, Kehrl J and Betsholtz C. (2003) Transcription profiling of platelet-derived growth factor-B-deficient mouse embryos identifies RGS5 as a novel marker for pericytes and vascular smooth muscle cells. *Am J Pathol* **162**: 721-9 [PMID:12598306]
56. Bonsi P, Ponterio G, Vanni V, Tassone A, Sciamanna G, Migliarini S, Martella G, Meringolo M, Dehay B and Doudnikoff E *et al.*. (2019) RGS9-2 rescues dopamine D2 receptor levels and signaling in *DYT1* dystonia mouse models. *EMBO Mol Med* **11**: e9283 [PMID:30552094]
57. Bosch DE, Zielinski T, Lowery RG and Siderovski DP. (2012) Evaluating modulators of "Regulator of G-protein Signaling" (RGS) proteins. *Curr Protoc Pharmacol* **Chapter 2**: Unit2.8 [PMID:22382998]
58. Bouhamdan M, Yan HD, Yan XH, Bannon MJ and Andrade R. (2006) Brain-specific regulator of G-protein signaling 9-2 selectively interacts with alpha-actinin-2 to regulate calcium-dependent inactivation of NMDA receptors. *J Neurosci* **26**: 2522-30 [PMID:16510730]
59. Bowman EP, Campbell JJ, Druey KM, Scheschonka A, Kehrl JH and Butcher EC. (1998) Regulation of chemotactic and proadhesive responses to chemoattractant receptors by RGS (regulator of G-protein signaling) family members. *J Biol Chem* **273**: 28040-8 [PMID:9774420]
60. Bradfield JP, Qu HQ, Wang K, Zhang H, Sleiman PM, Kim CE, Mentch FD, Qiu H, Glessner JT and Thomas KA *et al.*. (2011) A genome-wide meta-analysis of six type 1 diabetes cohorts identifies multiple associated loci. *PLoS Genet* **7**: e1002293 [PMID:21980299]
61. Branch MR and Hepler JR. (2017) Endogenous RGS14 is a cytoplasmic-nuclear shuttling protein that localizes to juxtanuclear membranes and chromatin-rich regions of the nucleus. *PLoS One* **12**: e0184497 [PMID:28934222]
62. Brown NE, Blumer JB and Hepler JR. (2015) Bioluminescence resonance energy transfer to detect protein-protein interactions in live cells. *Methods Mol Biol* **1278**: 457-65 [PMID:25859969]
63. Brown NE, Goswami D, Branch MR, Ramineni S, Ortlund EA, Griffin PR and Hepler JR. (2015) Integration of G protein α ($G\alpha$) signaling by the regulator of G protein signaling 14 (RGS14). *J Biol Chem* **290**: 9037-49 [PMID:25666614]
64. Brown NE, Lambert NA and Hepler JR. (2016) RGS14 regulates the lifetime of $G\alpha$ -GTP signaling but does not prolong $G\beta\gamma$ signaling following receptor activation in live cells. *Pharmacol Res Perspect* **4**: e00249 [PMID:27713821]
65. Buckbinder L, Velasco-Miguel S, Chen Y, Xu N, Talbott R, Gelbert L, Gao J, Seizinger BR, Gutkind JS and Kley N. (1997) The p53 tumor suppressor targets a novel regulator of G protein signaling. *Proc Natl Acad Sci USA* **94**: 7868-72 [PMID:9223279]
66. Buneman P, Christie G, Davies JA, Dimitrellou R, Harding SD, Pawson AJ, Sharman JL and Wu Y. (2020) Why data citation isn't working, and what to do about it *Database* **2020** [PMID:32367113]
67. Burgon PG, Lee WL, Nixon AB, Peralta EG and Casey PJ. (2001) Phosphorylation and nuclear translocation of a regulator of G protein signaling (RGS10). *J Biol Chem* **276**: 32828-34 [PMID:11443111]
68. Caballero-Franco C and Kissler S. (2016) The autoimmunity-associated gene RGS1 affects the frequency of T follicular helper cells. *Genes Immun* **17**: 228-38 [PMID:27029527]
69. Cabrera JL, de Freitas F, Satpaev DK and Slepak VZ. (1998) Identification of the Gbeta5-RGS7 protein complex in the retina. *Biochem Biophys Res Commun* **249**: 898-902 [PMID:9731233]
70. Cabrera-Vera TM, Hernandez S, Earls LR, Medkova M, Sundgren-Andersson AK, Surmeier DJ and Hamm HE. (2004) RGS9-2 modulates D2 dopamine receptor-mediated Ca^{2+} channel inhibition in rat striatal cholinergic interneurons. *Proc Natl Acad Sci USA* **101**: 16339-44 [PMID:15534226]

71. Cacan E, Ali MW, Boyd NH, Hooks SB and Greer SF. (2014) Inhibition of HDAC1 and DNMT1 modulate RGS10 expression and decrease ovarian cancer chemoresistance. *PLoS ONE* **9**: e87455 [PMID:24475290]
72. Cahir-McFarland ED, Carter K, Rosenwald A, Giltneane JM, Henrickson SE, Staudt LM and Kieff E. (2004) Role of NF-kappa B in cell survival and transcription of latent membrane protein 1-expressing or Epstein-Barr virus latency III-infected cells. *J Virol* **78**: 4108-19 [PMID:15047827]
73. Calò LA, Pagnin E, Davis PA, Sartori M, Ceolotto G, Pessina AC and Semplicini A. (2004) Increased expression of regulator of G protein signaling-2 (RGS-2) in Bartter's/Gitelman's syndrome. A role in the control of vascular tone and implication for hypertension. *J Clin Endocrinol Metab* **89**: 4153-7 [PMID:15292363]
74. Cao Y, Masuho I, Okawa H, Xie K, Asami J, Kammermeier PJ, Maddox DM, Furukawa T, Inoue T and Sampath AP *et al.*. (2009) Retina-specific GTPase accelerator RGS11/G beta 5S/R9AP is a constitutive heterotrimer selectively targeted to mGluR6 in ON-bipolar neurons. *J Neurosci* **29**: 9301-13 [PMID:19625520]
75. Cao Y, Pahlberg J, Sarria I, Kamasawa N, Sampath AP and Martemyanov KA. (2012) Regulators of G protein signaling RGS7 and RGS11 determine the onset of the light response in ON bipolar neurons. *Proc Natl Acad Sci USA* **109**: 7905-10 [PMID:22547806]
76. Carper MB, Denvir J, Boskovic G, Primerano DA and Claudio PP. (2014) RGS16, a novel p53 and pRb cross-talk candidate inhibits migration and invasion of pancreatic cancer cells. *Genes Cancer* **5**: 420-35 [PMID:25568667]
77. Carrasco GA, Barker SA, Zhang Y, Damjanoska KJ, Sullivan NR, Garcia F, D'souza DN, Muma NA and van De Kar LD. (2004) Estrogen treatment increases the levels of regulator of G protein signaling-Z1 in the hypothalamic paraventricular nucleus: possible role in desensitization of 5-hydroxytryptamine1A receptors. *Neuroscience* **127**: 261-7 [PMID:15262317]
78. Celver J, Sharma M and Kovoov A. (2012) D(2)-Dopamine receptors target regulator of G protein signaling 9-2 to detergent-resistant membrane fractions. *J Neurochem* **120**: 56-69 [PMID:22035199]
79. Cervantes-Villagrana RD, Adame-García SR, García-Jiménez I, Color-Aparicio VM, Beltrán-Navarro YM, König GM, Kostenis E, Reyes-Cruz G, Gutkind JS and Vázquez-Prado J. (2019) Gβγ signaling to the chemotactic effector P-REX1 and mammalian cell migration is directly regulated by Gα_q and Gα₁₃ proteins. *J Biol Chem* **294**: 531-546 [PMID:30446620]
80. Chakravarti B, Yang J, Ahlers-Dannen KE, Luo Z, Flaherty HA, Meyerholz DK, Anderson ME and Fisher RA. (2017) Essentiality of Regulator of G Protein Signaling 6 and Oxidized Ca²⁺/Calmodulin-Dependent Protein Kinase II in Notch Signaling and Cardiovascular Development. *J Am Heart Assoc* **6** [PMID:29079565]
81. Chan EC, Ren C, Xie Z, Jude J, Barker T, Koziol-White CA, Ma M, Panettieri Jr RA, Wu D and Rosenberg HF *et al.*. (2018) Regulator of G protein signaling 5 restricts neutrophil chemotaxis and trafficking. *J Biol Chem* **293**: 12690-12702 [PMID:29929985]
82. Charlton JJ, Allen PB, Psifogeorgou K, Chakravarty S, Gomes I, Neve RL, Devi LA, Greengard P, Nestler EJ and Zachariou V. (2008) Multiple actions of spinophilin regulate mu opioid receptor function. *Neuron* **58**: 238-47 [PMID:18439408]
83. Chatterjee TK, Eapen A, Kanis AB and Fisher RA. (1997) Genomic organization, 5'-flanking region, and chromosomal localization of the human RGS3 gene. *Genomics* **45**: 429-33 [PMID:9344672]
84. Chatterjee TK, Eapen AK and Fisher RA. (1997) A truncated form of RGS3 negatively regulates G protein-coupled receptor stimulation of adenylyl cyclase and phosphoinositide phospholipase C. *J Biol Chem* **272**: 15481-7 [PMID:9182581]
85. Chatterjee TK and Fisher RA. (2000) Novel alternative splicing and nuclear localization of human RGS12 gene products. *J Biol Chem* **275**: 29660-71 [PMID:10869340]
86. Chatterjee TK, Liu Z and Fisher RA. (2003) Human RGS6 gene structure, complex alternative splicing, and role of N terminus and G protein gamma-subunit-like (GGL) domain in subcellular localization of RGS6 splice variants. *J Biol Chem* **278**: 30261-71 [PMID:12761221]
87. Chen B, Siderovski DP, Neubig RR, Lawson MA and Trejo J. (2014) Regulation of protease-activated receptor 1 signaling by the adaptor protein complex 2 and R4 subfamily of regulator of G protein signaling proteins. *J Biol Chem* **289**: 1580-91 [PMID:24297163]
88. Chen C, Zheng B, Han J and Lin SC. (1997) Characterization of a novel mammalian RGS protein that binds to Gα_i proteins and inhibits pheromone signaling in yeast. *J Biol Chem* **272**: 8679-85 [PMID:9079700]
89. Chen CK, Burns ME, He W, Wensel TG, Baylor DA and Simon MI. (2000) Slowed recovery of rod photoresponse in mice lacking the GTPase accelerating protein RGS9-1. *Nature* **403**: 557-60 [PMID:10676965]
90. Chen CK, Wieland T and Simon MI. (1996) RGS-r, a retinal specific RGS protein, binds an intermediate conformation of transducin and enhances recycling. *Proc Natl Acad Sci USA* **93**: 12885-9 [PMID:8917514]
91. Chen G. (2017) A Genome-Wise Association Study of A Quantitative Alcoholism Trait Using A

Full Genetic Model Identifies Significant SNP Heritability From Dominance And Epistatic Interactions *European Neuropsychopharmacology* **27**: S363

92. Chen X, Dunham C, Kendler S, Wang X, O'Neill FA, Walsh D and Kendler KS. (2004) Regulator of G-protein signaling 4 (RGS4) gene is associated with schizophrenia in Irish high density families. *Am J Med Genet B Neuropsychiatr Genet* **129B**: 23-6 [PMID:15274033]
93. Chen Z, Wu Y, Meng Q and Xia Z. (2016) Elevated microRNA-25 inhibits cell apoptosis in lung cancer by targeting RGS3. *In Vitro Cell Dev Biol Anim* **52**: 62-7 [PMID:26416661]
94. Cheng JY, Luu CD, Yong VH, Mathur R, Aung T and Vithana EN. (2007) Bradyopsia in an Asian man. *Arch Ophthalmol* **125**: 1138-40 [PMID:17698770]
95. Cheng WL, Wang PX, Wang T, Zhang Y, Du C, Li H and Ji Y. (2015) Regulator of G-protein signalling 5 protects against atherosclerosis in apolipoprotein E-deficient mice. *Br J Pharmacol* **172**: 5676-89 [PMID:25363362]
96. Chi Y, Jin Q, Liu X, Xu L, He X, Shen Y, Zhou Q, Zhang J and Jin M. (2017) miR-203 inhibits cell proliferation, invasion, and migration of non-small-cell lung cancer by downregulating RGS17. *Cancer Sci* **108**: 2366-2372 [PMID:28921827]
97. Cho H, Harrison K, Schwartz O and Kehrl JH. (2003) The aorta and heart differentially express RGS (regulators of G-protein signalling) proteins that selectively regulate sphingosine 1-phosphate, angiotensin II and endothelin-1 signalling. *Biochem J* **371**: 973-80 [PMID:12564955]
98. Cho H, Kim DU and Kehrl JH. (2005) RGS14 is a centrosomal and nuclear cytoplasmic shuttling protein that traffics to promyelocytic leukemia nuclear bodies following heat shock. *J Biol Chem* **280**: 805-14 [PMID:15520006]
99. Cho H, Kozasa T, Bondjers C, Betsholtz C and Kehrl JH. (2003) Pericyte-specific expression of Rgs5: implications for PDGF and EDG receptor signaling during vascular maturation. *FASEB J* **17**: 440-2 [PMID:12514120]
100. Cho H, Kozasa T, Takekoshi K, De Gunzburg J and Kehrl JH. (2000) RGS14, a GTPase-activating protein for G α , attenuates G α - and G13 α -mediated signaling pathways. *Mol Pharmacol* **58**: 569-76 [PMID:10953050]
101. Cho H, Park C, Hwang IY, Han SB, Schimel D, Despres D and Kehrl JH. (2008) Rgs5 targeting leads to chronic low blood pressure and a lean body habitus. *Mol Cell Biol* **28**: 2590-7 [PMID:18268011]
102. Chograni M, Alkuraya FS, Maazoul F, Lariani I and Chaabouni-Bouhamed H. (2015) RGS6: a novel gene associated with congenital cataract, mental retardation, and microcephaly in a Tunisian family. *Invest Ophthalmol Vis Sci* **56**: 1261-6 [PMID:25525169]
103. Chograni M, Alkuraya FS, Ourteni I, Maazoul F, Lariani I and Chaabouni HB. (2015) Autosomal recessive congenital cataract, intellectual disability phenotype linked to STX3 in a consanguineous Tunisian family. *Clin Genet* **88**: 283-7 [PMID:25358429]
104. Chowdari KV, Mirnics K, Semwal P, Wood J, Lawrence E, Bhatia T, Deshpande SN, B K T, Ferrell RE and Middleton FA *et al.*. (2002) Association and linkage analyses of RGS4 polymorphisms in schizophrenia. *Hum Mol Genet* **11**: 1373-80 [PMID:12023979]
105. Chuang HH, Yu M, Jan YN and Jan LY. (1998) Evidence that the nucleotide exchange and hydrolysis cycle of G proteins causes acute desensitization of G-protein gated inward rectifier K⁺ channels. *Proc Natl Acad Sci USA* **95**: 11727-32 [PMID:9751733]
106. Cifelli C, Rose RA, Zhang H, Voigtlaender-Bolz J, Bolz SS, Backx PH and Heximer SP. (2008) RGS4 regulates parasympathetic signaling and heart rate control in the sinoatrial node. *Circ Res* **103**: 527-35 [PMID:18658048]
107. Cohen SP, Buckley BK, Kosloff M, Garland AL, Bosch DE, Cheng Jr G, Radhakrishna H, Brown MD, Willard FS and Arshavsky VY *et al.*. (2012) Regulator of G-protein signaling-21 (RGS21) is an inhibitor of bitter gustatory signaling found in lingual and airway epithelia. *J Biol Chem* **287**: 41706-19 [PMID:23095746]
108. Cowan CW, Fariss RN, Sokal I, Palczewski K and Wensel TG. (1998) High expression levels in cones of RGS9, the predominant GTPase accelerating protein of rods. *Proc Natl Acad Sci USA* **95**: 5351-6 [PMID:9560279]
109. Cowan CW, Wensel TG and Arshavsky VY. (2000) Enzymology of GTPase acceleration in phototransduction. *Meth Enzymol* **315**: 524-38 [PMID:10736724]
110. Creech RD, Li Q, Carrasco GA, Van de Kar LD and Muma NA. (2012) Estradiol induces partial desensitization of serotonin 1A receptor signaling in the paraventricular nucleus of the hypothalamus and alters expression and interaction of RGSZ1 and Gaz. *Neuropharmacology* **62**: 2040-9 [PMID:22251927]
111. Cunningham ML, Waldo GL, Hollinger S, Hepler JR and Harden TK. (2001) Protein kinase C phosphorylates RGS2 and modulates its capacity for negative regulation of G α 11 signaling. *J Biol Chem* **276**: 5438-44 [PMID:11063746]
112. Dai J, Gu J, Lu C, Lin J, Stewart D, Chang D, Roth JA and Wu X. (2011) Genetic variations in the regulator of G-protein signaling genes are associated with survival in late-stage non-small cell lung cancer. *PLoS ONE* **6**: e21120 [PMID:21698121]
113. Dansithong W, Paul S, Figueroa KP, Rinehart MD, Wiest S, Pflieger LT, Scoles DR and Pulst SM.

- (2015) Ataxin-2 regulates RGS8 translation in a new BAC-SCA2 transgenic mouse model. *PLoS Genet* **11**: e1005182 [PMID:25902068]
114. Dantoft W, Martínez-Vicente P, Jafari J, Pérez-Martínez L, Martin K, Kotzamanis K, Craighon M, Auer M, Young NT and Walsh P *et al.*. (2017) Genomic Programming of Human Neonatal Dendritic Cells in Congenital Systemic and *In Vitro* Cytomegalovirus Infection Reveal Plastic and Robust Immune Pathway Biology Responses. *Front Immunol* **8**: 1146 [PMID:28993767]
 115. Davidsson J, Andersson A, Paulsson K, Heidenblad M, Isaksson M, Borg A, Heldrup J, Behrendtz M, Panagopoulos I and Fioretos T *et al.*. (2007) Tiling resolution array comparative genomic hybridization, expression and methylation analyses of dup(1q) in Burkitt lymphomas and pediatric high hyperdiploid acute lymphoblastic leukemias reveal clustered near-centromeric breakpoints and overexpression of genes in 1q22-32.3. *Hum Mol Genet* **16**: 2215-25 [PMID:17613536]
 116. de Alba E, De Vries L, Farquhar MG and Tjandra N. (1999) Solution structure of human GAIP (Galpha interacting protein): a regulator of G protein signaling. *J Mol Biol* **291**: 927-39 [PMID:10452897]
 117. de Souza EE, Hehnly H, Perez AM, Meirelles GV, Smetana JH, Doxsey S and Kobarg J. (2015) Human Nek7-interactor RGS2 is required for mitotic spindle organization. *Cell Cycle* **14**: 656-67 [PMID:25664600]
 118. De Vries L, Mousli M, Wurmser A and Farquhar MG. (1995) GAIP, a protein that specifically interacts with the trimeric G protein G alpha i3, is a member of a protein family with a highly conserved core domain. *Proc Natl Acad Sci U S A* **92**: 11916-20 [PMID:8524874]
 119. DeHelian D, Gupta S, Wu J, Thorsheim C, Estevez B, Cooper M, Litts K, Lee-Sundlov MM, Hoffmeister KM and Poncz M *et al.*. (2020) RGS10 and RGS18 differentially limit platelet activation, promote platelet production, and prolong platelet survival. *Blood* **136**: 1773-1782 [PMID:32542378]
 120. Delesque-Touchard N, Pendaries C, Volle-Challier C, Millet L, Salel V, Hervé C, Pflieger AM, Berthou-Soulie L, Prades C and Sorg T *et al.*. (2014) Regulator of G-protein signaling 18 controls both platelet generation and function. *PLoS ONE* **9**: e113215 [PMID:25405900]
 121. Denecke B, Meyerdieckers A and Böttger EC. (1999) RGS1 is expressed in monocytes and acts as a GTPase-activating protein for G-protein-coupled chemoattractant receptors. *J Biol Chem* **274**: 26860-8 [PMID:10480894]
 122. Derrien A and Druey KM. (2001) RGS16 function is regulated by epidermal growth factor receptor-mediated tyrosine phosphorylation. *J Biol Chem* **276**: 48532-8 [PMID:11602604]
 123. Desai BB, Albright JW and Albright JF. (1987) Cooperative action of complement component C3 and phagocytic effector cells in innate murine resistance to *Trypanosoma lewisi*. *Infect Immun* **55**: 358-63 [PMID:3026965]
 124. Dhingra A, Faurobert E, Dascal N, Sterling P and Vardi N. (2004) A retinal-specific regulator of G-protein signaling interacts with Galpha(o) and accelerates an expressed metabotropic glutamate receptor 6 cascade. *J Neurosci* **24**: 5684-93 [PMID:15215290]
 125. Ding HS, Huang Y, Chen Z, Tang YH, Wang DD, Fan D and Huang CX. (2018) Regulator of G-protein signalling 5 deficiency impairs ventricular remodelling after myocardial infarction by promoting NF- κ B and MAPK signalling in mice. *Biochem Biophys Res Commun* **499**: 143-149 [PMID:29534968]
 126. Ding L and Hegde AN. (2009) Expression of RGS4 splice variants in dorsolateral prefrontal cortex of schizophrenic and bipolar disorder patients. *Biol Psychiatry* **65**: 541-5 [PMID:19041089]
 127. Doi M, Ishida A, Miyake A, Sato M, Komatsu R, Yamazaki F, Kimura I, Tsuchiya S, Kori H and Seo K *et al.*. (2011) Circadian regulation of intracellular G-protein signalling mediates intercellular synchrony and rhythmicity in the suprachiasmatic nucleus. *Nat Commun* **2**: 327 [PMID:21610730]
 128. Dong H, Zhang Y, Wang J, Kim DS, Wu H, Sjögren B, Gao W, Luttrell L and Wang H. (2017) Regulator of G protein signaling 2 is a key regulator of pancreatic β -cell mass and function. *Cell Death Dis* **8**: e2821 [PMID:28542139]
 129. Dong K, Chang S, Xie Q, Zhao P and Zhang H. (2019) RNA Sequencing revealed differentially expressed genes functionally associated with immunity and tumor suppression during latent phase infection of a vv + MDV in chickens. *Sci Rep* **9**: 14182 [PMID:31578366]
 130. Doupnik CA, Xu T and Shinaman JM. (2001) Profile of RGS expression in single rat atrial myocytes. *Biochim Biophys Acta* **1522**: 97-107 [PMID:11750060]
 131. Dowal L, Elliott J, Popov S, Wilkie TM and Scarlata S. (2001) Determination of the contact energies between a regulator of G protein signaling and G protein subunits and phospholipase C beta 1. *Biochemistry* **40**: 414-21 [PMID:11148035]
 132. Doyen PJ, Vergouts M, Pochet A, Desmet N, van Neerven S, Brook G and Hermans E. (2017) Inflammation-associated regulation of RGS in astrocytes and putative implication in neuropathic pain. *J Neuroinflammation* **14**: 209 [PMID:29078779]
 133. Drenan RM, Doupnik CA, Boyle MP, Muglia LJ, Huettner JE, Linder ME and Blumer KJ. (2005)

- Palmitoylation regulates plasma membrane-nuclear shuttling of R7BP, a novel membrane anchor for the RGS7 family. *J Cell Biol* **169**: 623-33 [PMID:15897264]
134. Druey KM, Blumer KJ, Kang VH and Kehrl JH. (1996) Inhibition of G-protein-mediated MAP kinase activation by a new mammalian gene family. *Nature* **379**: 742-6 [PMID:8602223]
 135. Dulin NO, Pratt P, Tiruppathi C, Niu J, Voyno-Yasenetskaya T and Dunn MJ. (2000) Regulator of G protein signaling RGS3T is localized to the nucleus and induces apoptosis. *J Biol Chem* **275**: 21317-23 [PMID:10749886]
 136. Dulin NO, Sorokin A, Reed E, Elliott S, Kehrl JH and Dunn MJ. (1999) RGS3 inhibits G protein-mediated signaling via translocation to the membrane and binding to Galpha11. *Mol Cell Biol* **19**: 714-23 [PMID:9858594]
 137. Dusonchet J, Li H, Guillily M, Liu M, Stafa K, Derada Troletti C, Boon JY, Saha S, Glauser L and Mamais A *et al.*. (2014) A Parkinson's disease gene regulatory network identifies the signaling protein RGS2 as a modulator of LRRK2 activity and neuronal toxicity. *Hum Mol Genet* **23**: 4887-905 [PMID:24794857]
 138. D'Souza MS, Guisinger TC, Norman H, Seeley SL and Chrissobolis S. (2019) Regulator of G-protein signaling 5 protein protects against anxiety- and depression-like behavior. *Behav Pharmacol* **30**: 712-721 [PMID:31625976]
 139. Ehses J, Fernández-Moya SM, Schröger L and Kiebler MA. (2021) Synergistic regulation of *Rgs4* mRNA by HuR and miR-26/RISC in neurons. *RNA Biol* **18**: 988-998 [PMID:32779957]
 140. Elenko E, Fischer T, Niesman I, Harding T, McQuistan T, Von Zastrow M and Farquhar MG. (2003) Spatial regulation of Galphai protein signaling in clathrin-coated membrane microdomains containing GAIP. *Mol Pharmacol* **64**: 11-20 [PMID:12815156]
 141. EMBL-EBI Expression Atlas. RGS14 regulator of G-protein signaling 14 <http://www.ebi.ac.uk/gxa/genes/ENSG00000169220>. Accessed on 21/06/2016.
 142. Emmanuel P and von Schantz M. (2018) Absence of morningness alleles in non-European populations. *Chronobiol Int* **35**: 1758-1761 [PMID:30084654]
 143. Eusemann TN, Willmroth F, Fiebich B, Biber K and van Calker D. (2015) Adenosine Receptors Differentially Regulate the Expression of Regulators of G-Protein Signalling (RGS) 2, 3 and 4 in Astrocyte-Like Cells. *PLoS One* **10**: e0134934 [PMID:26263491]
 144. Evans PR, Gerber KJ, Dammer EB, Duong DM, Goswami D, Lustberg DJ, Zou J, Yang JJ, Dudek SM and Griffin PR *et al.*. (2018) Interactome Analysis Reveals Regulator of G Protein Signaling 14 (RGS14) is a Novel Calcium/Calmodulin (Ca²⁺/CaM) and CaM Kinase II (CaMKII) Binding Partner. *J Proteome Res* **17**: 1700-1711 [PMID:29518331]
 145. Evans PR, Lee SE, Smith Y and Hepler JR. (2014) Postnatal developmental expression of regulator of G protein signaling 14 (RGS14) in the mouse brain. *J Comp Neurol* **522**: 186-203 [PMID:23817783]
 146. Evans PR, Parra-Bueno P, Smirnov MS, Lustberg DJ, Dudek SM, Hepler JR and Yasuda R. (2018) RGS14 Restricts Plasticity in Hippocampal CA2 by Limiting Postsynaptic Calcium Signaling. *eNeuro* **5** [PMID:29911178]
 147. Ewing RM, Chu P, Elisma F, Li H, Taylor P, Climie S, McBroom-Cerajewski L, Robinson MD, O'Connor L and Li M *et al.*. (2007) Large-scale mapping of human protein-protein interactions by mass spectrometry. *Mol Syst Biol* **3**: 89 [PMID:17353931]
 148. Fajardo-Serrano A, Wydeven N, Young D, Watanabe M, Shigemoto R, Martemyanov KA, Wickman K and Luján R. (2013) Association of Rgs7/Gβ5 complexes with Girk channels and GABAB receptors in hippocampal CA1 pyramidal neurons. *Hippocampus* **23**: 1231-45 [PMID:23804514]
 149. Fan H, Zhao G, Ren D, Liu F, Dong G and Hou Y. (2017) Gender differences of B cell signature related to estrogen-induced IFI44L/BAFF in systemic lupus erythematosus. *Immunol Lett* **181**: 71-78 [PMID:27923569]
 150. Fang X, Chung J, Olsen E, Snider I, Earls RH, Jeon J, Park HJ and Lee JK. (2019) Depletion of regulator-of-G-protein signaling-10 in mice exaggerates high-fat diet-induced insulin resistance and inflammation, and this effect is mitigated by dietary green tea extract. *Nutr Res* **70**: 50-59 [PMID:30032988]
 151. Faruque MU, Chen G, Doumatey A, Huang H, Zhou J, Dunston GM, Rotimi CN and Adeyemo AA. (2011) Association of ATP1B1, RGS5 and SELE polymorphisms with hypertension and blood pressure in African-Americans. *J Hypertens* **29**: 1906-12 [PMID:21881522]
 152. Faurobert E and Hurley JB. (1997) The core domain of a new retina specific RGS protein stimulates the GTPase activity of transducin in vitro. *Proc Natl Acad Sci USA* **94**: 2945-50 [PMID:9096326]
 153. Feigin ME and Malbon CC. (2007) RGS19 regulates Wnt-beta-catenin signaling through inactivation of Galpha(o). *J Cell Sci* **120**: 3404-14 [PMID:17855383]
 154. Ferkey DM, Hyde R, Haspel G, Dionne HM, Hess HA, Suzuki H, Schafer WR, Koelle MR and Hart AC. (2007) C. elegans G protein regulator RGS-3 controls sensitivity to sensory stimuli. *Neuron* **53**: 39-52 [PMID:17196529]
 155. Fischer T, De Vries L, Meerloo T and Farquhar MG. (2003) Promotion of G alpha i3 subunit

- down-regulation by GIPN, a putative E3 ubiquitin ligase that interacts with RGS-GAIP. *Proc Natl Acad Sci USA* **100**: 8270-5 [PMID:12826607]
156. Franić S, Groen-Blokhuis MM, Dolan CV, Kattenberg MV, Pool R, Xiao X, Scheet PA, Ehli EA, Davies GE and van der Sluis S *et al.*. (2015) Intelligence: shared genetic basis between Mendelian disorders and a polygenic trait. *Eur J Hum Genet* **23**: 1378-83 [PMID:25712083]
 157. Friedman PA, Mamonova T, Magyar CE, Squires KE, Sneddon WB, Emlet DR and Hepler JR. (2019) Genetic variants disrupt human RGS14 binding to NHERF1 and regulation of NPT2A-mediated phosphate transport *bioRxiv*
 158. Fujii S, Yamazoe G, Itoh M, Kubo Y and Saitoh O. (2008) Spinophilin inhibits the binding of RGS8 to M1-mAChR but enhances the regulatory function of RGS8. *Biochem Biophys Res Commun* **377**: 200-4 [PMID:18834863]
 159. Gagnon AW, Murray DL and Leadley RJ. (2002) Cloning and characterization of a novel regulator of G protein signalling in human platelets. *Cell Signal* **14**: 595-606 [PMID:11955952]
 160. Gao Y, Shen M, Gonzalez JC, Dong Q, Kannan S, Hoang JT, Eisinger BE, Pandey J, Javadi S and Chang Q *et al.*. (2020) RGS6 Mediates Effects of Voluntary Running on Adult Hippocampal Neurogenesis. *Cell Rep* **32**: 107997 [PMID:32755589]
 161. García-Marcos M, Ghosh P, Ear J and Farquhar MG. (2010) A structural determinant that renders G alpha(i) sensitive to activation by GIV/girdin is required to promote cell migration. *J Biol Chem* **285**: 12765-77 [PMID:20157114]
 162. García-Bernal D, Dios-Esponera A, Sotillo-Mallo E, García-Verdugo R, Arellano-Sánchez N and Teixidó J. (2011) RGS10 restricts upregulation by chemokines of T cell adhesion mediated by $\alpha 4\beta 1$ and $\alpha L\beta 2$ integrins. *J Immunol* **187**: 1264-72 [PMID:21705617]
 163. Garzón J, López-Fando A and Sánchez-Blázquez P. (2003) The R7 subfamily of RGS proteins assists tachyphylaxis and acute tolerance at mu-opioid receptors. *Neuropsychopharmacology* **28**: 1983-90 [PMID:12902995]
 164. Garzón J, Rodríguez-Díaz M, López-Fando A and Sánchez-Blázquez P. (2001) RGS9 proteins facilitate acute tolerance to mu-opioid effects. *Eur J Neurosci* **13**: 801-11 [PMID:11207815]
 165. Garzón J, Rodríguez-Muñoz M, de la Torre-Madrid E and Sánchez-Blázquez P. (2005) Effector antagonism by the regulators of G protein signalling (RGS) proteins causes desensitization of mu-opioid receptors in the CNS. *Psychopharmacology (Berl.)* **180**: 1-11 [PMID:15830230]
 166. Garzón J, Rodríguez-Muñoz M, López-Fando A, García-España A and Sánchez-Blázquez P. (2004) RGSZ1 and GAIP regulate mu- but not delta-opioid receptors in mouse CNS: role in tachyphylaxis and acute tolerance. *Neuropsychopharmacology* **29**: 1091-104 [PMID:14997173]
 167. Garzón J, Rodríguez-Muñoz M, López-Fando A and Sánchez-Blázquez P. (2005) The RGSZ2 protein exists in a complex with mu-opioid receptors and regulates the desensitizing capacity of Gz proteins. *Neuropsychopharmacology* **30**: 1632-48 [PMID:15827571]
 168. Garzón J, Rodríguez-Muñoz M, López-Fando A and Sánchez-Blázquez P. (2005) Activation of mu-opioid receptors transfers control of Galpha subunits to the regulator of G-protein signaling RGS9-2: role in receptor desensitization. *J Biol Chem* **280**: 8951-60 [PMID:15632124]
 169. Garzón J, Rodríguez-Muñoz M, Vicente-Sánchez A, Bailón C, Martínez-Murillo R and Sánchez-Blázquez P. (2011) RGSZ2 binds to the neural nitric oxide synthase PDZ domain to regulate mu-opioid receptor-mediated potentiation of the N-methyl-D-aspartate receptor-calmodulin-dependent protein kinase II pathway. *Antioxid Redox Signal* **15**: 873-87 [PMID:21348811]
 170. Garzón J, Rodríguez-Muñoz M, Vicente-Sánchez A, García-López MÁ, Martínez-Murillo R, Fischer T and Sánchez-Blázquez P. (2011) SUMO-SIM interactions regulate the activity of RGSZ2 proteins. *PLoS One* **6**: e28557 [PMID:22163035]
 171. Gaspari S, Papachatzaki MM, Koo JW, Carr FB, Tsimpanouli ME, Stergiou E, Bagot RC, Ferguson D, Mouzon E and Chakravarty S *et al.*. (2014) Nucleus accumbens-specific interventions in RGS9-2 activity modulate responses to morphine. *Neuropsychopharmacology* **39**: 1968-77 [PMID:24561386]
 172. Gaspari S, Purushothaman I, Coglian V, Sakloth F, Neve RL, Howland D, Ring RH, Ross EM, Shen L and Zachariou V. (2018) Suppression of RGSz1 function optimizes the actions of opioid analgesics by mechanisms that involve the Wnt/ β -catenin pathway. *Proc Natl Acad Sci U S A* **115**: E2085-E2094 [PMID:29440403]
 173. Gegenbauer K, Elia G, Blanco-Fernandez A and Smolenski A. (2012) Regulator of G-protein signaling 18 integrates activating and inhibitory signaling in platelets. *Blood* **119**: 3799-807 [PMID:22234696]
 174. Gegenbauer K, Nagy Z and Smolenski A. (2013) Cyclic nucleotide dependent dephosphorylation of regulator of G-protein signaling 18 in human platelets. *PLoS ONE* **8**: e80251 [PMID:24244663]
 175. Geng A, Qiu R, Murai K, Liu J, Wu X, Zhang H, Farhoodi H, Duong N, Jiang M and Yee JK *et al.*. (2018) KIF20A/MKLP2 regulates the division modes of neural progenitor cells during cortical development. *Nat Commun* **9**: 2707 [PMID:30006548]
 176. George T, Bell M, Chakraborty M, Siderovski DP, Giembycz MA and Newton R. (2017) Protective Roles for RGS2 in a Mouse Model of House Dust Mite-Induced Airway Inflammation.

PLoS One **12**: e0170269 [PMID:28107494]

177. Georgoussi Z, Leontiadis L, Mazarakou G, Merkouris M, Hyde K and Hamm H. (2006) Selective interactions between G protein subunits and RGS4 with the C-terminal domains of the mu- and delta-opioid receptors regulate opioid receptor signaling. *Cell Signal* **18**: 771-82 [PMID:16120478]
178. Gerber KJ, Dammer EB, Duong DM, Deng Q, Dudek SM, Seyfried NT and Hepler JR. (2019) Specific Proteomes of Hippocampal Regions CA2 and CA1 Reveal Proteins Linked to the Unique Physiology of Area CA2. *J Proteome Res* **18**: 2571-2584 [PMID:31059263]
179. Gerber KJ, Squires KE and Hepler JR. (2018) 14-3-3 γ binds regulator of G protein signaling 14 (RGS14) at distinct sites to inhibit the RGS14:G α_i -AlF $_4^-$ signaling complex and RGS14 nuclear localization. *J Biol Chem* **293**: 14616-14631 [PMID:30093406]
180. Gerstner JR, Vander Heyden WM, Lavaute TM and Landry CF. (2006) Profiles of novel diurnally regulated genes in mouse hypothalamus: expression analysis of the cysteine and histidine-rich domain-containing, zinc-binding protein 1, the fatty acid-binding protein 7 and the GTPase, ras-like family member 11b. *Neuroscience* **139**: 1435-48 [PMID:16517089]
181. Geurts M, Maloteaux JM and Hermans E. (2003) Altered expression of regulators of G-protein signaling (RGS) mRNAs in the striatum of rats undergoing dopamine depletion. *Biochem Pharmacol* **66**: 1163-70 [PMID:14505795]
182. Ghil S, McCoy KL and Hepler JR. (2014) Regulator of G protein signaling 2 (RGS2) and RGS4 form distinct G protein-dependent complexes with protease activated-receptor 1 (PAR1) in live cells. *PLoS One* **9**: e95355 [PMID:24743392]
183. Gibbons DL, Abeler-Dörner L, Raine T, Hwang IY, Jandke A, Wencker M, Deban L, Rudd CE, Irving PM and Kehrl JH *et al.*. (2011) Cutting Edge: Regulator of G protein signaling-1 selectively regulates gut T cell trafficking and colitic potential. *J Immunol* **187**: 2067-71 [PMID:21795595]
184. Glick JL, Meigs TE, Miron A and Casey PJ. (1998) RGSZ1, a Gz-selective regulator of G protein signaling whose action is sensitive to the phosphorylation state of G α . *J Biol Chem* **273**: 26008-13 [PMID:9748279]
185. Gold SJ, Hoang CV, Potts BW, Porras G, Pioli E, Kim KW, Nadjar A, Qin C, LaHoste GJ and Li Q *et al.*. (2007) RGS9-2 negatively modulates L-3,4-dihydroxyphenylalanine-induced dyskinesia in experimental Parkinson's disease. *J Neurosci* **27**: 14338-48 [PMID:18160641]
186. Gold SJ, Ni YG, Dohlman HG and Nestler EJ. (1997) Regulators of G-protein signaling (RGS) proteins: region-specific expression of nine subtypes in rat brain. *J Neurosci* **17**: 8024-37 [PMID:9315921]
187. González-Castro TB, Martínez-Magaña JJ, Tovilla-Zárate CA, Juárez-Rojop IE, Sarmiento E, Genis-Mendoza AD and Nicolini H. (2019) Gene-level genome-wide association analysis of suicide attempt, a preliminary study in a psychiatric Mexican population. *Mol Genet Genomic Med* **7**: e983 [PMID:31578828]
188. Goto K, Doi M, Wang T, Kunisue S, Murai I and Okamura H. (2017) G-protein-coupled receptor signaling through Gpr176, Gz, and RGS16 tunes time in the center of the circadian clock [Review]. *Endocr J* **64**: 571-579 [PMID:28502923]
189. Grafstein-Dunn E, Young KH, Cockett MI and Khawaja XZ. (2001) Regional distribution of regulators of G-protein signaling (RGS) 1, 2, 13, 14, 16, and GAIP messenger ribonucleic acids by in situ hybridization in rat brain. *Brain Res Mol Brain Res* **88**: 113-23 [PMID:11295237]
190. Grillet N, Pattyn A, Contet C, Kieffer BL, Goridis C and Brunet JF. (2005) Generation and characterization of Rgs4 mutant mice. *Mol Cell Biol* **25**: 4221-8 [PMID:15870291]
191. Gross JD, Kaski SW, Schmidt KT, Cogan ES, Boyt KM, Wix K, Schroer AB, McElligott ZA, Siderovski DP and Setola V. (2019) Role of RGS12 in the differential regulation of kappa opioid receptor-dependent signaling and behavior. *Neuropsychopharmacology* **44**: 1728-1741 [PMID:31141817]
192. Gross JD, Kaski SW, Schroer AB, Wix KA, Siderovski DP and Setola V. (2018) Regulator of G protein signaling-12 modulates the dopamine transporter in ventral striatum and locomotor responses to psychostimulants. *J Psychopharmacol* **32**: 191-203 [PMID:29364035]
193. Gross V, Tank J, Obst M, Plehm R, Blumer KJ, Diedrich A, Jordan J and Luft FC. (2005) Autonomic nervous system and blood pressure regulation in RGS2-deficient mice. *Am J Physiol Regul Integr Comp Physiol* **288**: R1134-42 [PMID:15661972]
194. Grüning W, Arnould T, Jochimsen F, Sellin L, Ananth S, Kim E and Walz G. (1999) Modulation of renal tubular cell function by RGS3. *Am J Physiol* **276**: F535-43 [PMID:10198412]
195. Guda MR, Velpula KK, Asuthkar S, Cain CP and Tsung AJ. (2020) Targeting RGS4 Ablates Glioblastoma Proliferation. *Int J Mol Sci* **21** [PMID:32392739]
196. Guipponi M, Santoni FA, Setola V, Gehrig C, Rotharmel M, Cuenca M, Guillin O, Dikeos D, Georgantopoulos G and Papadimitriou G *et al.*. (2014) Exome sequencing in 53 sporadic cases of schizophrenia identifies 18 putative candidate genes. *PLoS ONE* **9**: e112745 [PMID:25420024]
197. Gunaje JJ, Bahrami AJ, Schwartz SM, Daum G and Mahoney Jr WM. (2011) PDGF-dependent regulation of regulator of G protein signaling-5 expression and vascular smooth muscle cell

- functionality. *Am J Physiol, Cell Physiol* **301**: C478-89 [PMID:21593453]
198. Guo CC, Wang M, Cao FD, Huang WH, Xiao D, Ye XG, Ou ML, Zhang N, Zhang BH and Liu Y *et al.*. (2016) Meta-Analysis on Associations of RGS1 and IL12A Polymorphisms with Celiac Disease Risk. *Int J Mol Sci* **17** [PMID:27043536]
 199. Gurley SB, Griffiths RC, Mendelsohn ME, Karas RH and Coffman TM. (2010) Renal actions of RGS2 control blood pressure. *J Am Soc Nephrol* **21**: 1847-51 [PMID:20847141]
 200. Hague C, Bernstein LS, Ramineni S, Chen Z, Minneman KP and Hepler JR. (2005) Selective inhibition of alpha1A-adrenergic receptor signaling by RGS2 association with the receptor third intracellular loop. *J Biol Chem* **280**: 27289-95 [PMID:15917235]
 201. Hajdu-Cronin YM, Chen WJ, Patikoglou G, Koelle MR and Sternberg PW. (1999) Antagonism between G(o)alpha and G(q)alpha in *Caenorhabditis elegans*: the RGS protein EAT-16 is necessary for G(o)alpha signaling and regulates G(q)alpha activity. *Genes Dev* **13**: 1780-93 [PMID:10421631]
 202. Haller C, Fillatreau S, Hoffmann R and Agenès F. (2002) Structure, chromosomal localization and expression of the mouse regulator of G-protein signaling10 gene (mRGS10). *Gene* **297**: 39-49 [PMID:12384284]
 203. Hamzah J, Jugold M, Kiessling F, Rigby P, Manzur M, Marti HH, Rabie T, Kaden S, Gröne HJ and Hämmerling GJ *et al.*. (2008) Vascular normalization in Rgs5-deficient tumours promotes immune destruction. *Nature* **453**: 410-4 [PMID:18418378]
 204. Han JI, Huang NN, Kim DU and Kehrl JH. (2006) RGS1 and RGS13 mRNA silencing in a human B lymphoma line enhances responsiveness to chemoattractants and impairs desensitization. *J Leukoc Biol* **79**: 1357-68 [PMID:16565322]
 205. Han SB, Moratz C, Huang NN, Kelsall B, Cho H, Shi CS, Schwartz O and Kehrl JH. (2005) Rgs1 and Gna12 regulate the entrance of B lymphocytes into lymph nodes and B cell motility within lymph node follicles. *Immunity* **22**: 343-54 [PMID:15780991]
 206. Hao J, Michalek C, Zhang W, Zhu M, Xu X and Mende U. (2006) Regulation of cardiomyocyte signaling by RGS proteins: differential selectivity towards G proteins and susceptibility to regulation. *J Mol Cell Cardiol* **41**: 51-61 [PMID:16756988]
 207. Hartong DT, Pott JW and Kooijman AC. (2007) Six patients with bradyopsia (slow vision): clinical features and course of the disease. *Ophthalmology* **114**: 2323-31 [PMID:17826834]
 208. Hayasaka N, Aoki K, Kinoshita S, Yamaguchi S, Wakefield JK, Tsuji-Kawahara S, Horikawa K, Ikegami H, Wakana S and Murakami T *et al.*. (2011) Attenuated food anticipatory activity and abnormal circadian locomotor rhythms in Rgs16 knockdown mice. *PLoS ONE* **6**: e17655 [PMID:21408016]
 209. He L, Zhao C, Li Y, Du G, Liu K, Cui D, Tang L, Wu X, Wen S and Chen H. (2018) Antiangiogenic effects of recombinant human endostatin in lung cancers. *Mol Med Rep* **17**: 79-86 [PMID:29115591]
 210. He W, Cowan CW and Wensel TG. (1998) RGS9, a GTPase accelerator for phototransduction. *Neuron* **20**: 95-102 [PMID:9459445]
 211. He Z, Yu L, Luo S, Li Q, Huang S and An Y. (2019) RGS4 Regulates Proliferation And Apoptosis Of NSCLC Cells Via microRNA-16 And Brain-Derived Neurotrophic Factor. *Onco Targets Ther* **12**: 8701-8714 [PMID:31695428]
 212. Hendriks-Balk MC, Hajji N, van Loenen PB, Michel MC, Peters SL and Alewijnse AE. (2009) Sphingosine-1-phosphate regulates RGS2 and RGS16 mRNA expression in vascular smooth muscle cells. *Eur J Pharmacol* **606**: 25-31 [PMID:19374869]
 213. Hendriks-Balk MC, van Loenen PB, Hajji N, Michel MC, Peters SL and Alewijnse AE. (2008) S1P receptor signalling and RGS proteins; expression and function in vascular smooth muscle cells and transfected CHO cells. *Eur J Pharmacol* **600**: 1-9 [PMID:18854184]
 214. Hensch NR, Karim ZA, Druet KM, Tansey MG and Khasawneh FT. (2016) RGS10 Negatively Regulates Platelet Activation and Thrombogenesis. *PLoS One* **11**: e0165984 [PMID:27829061]
 215. Hepler JR. (1999) Emerging roles for RGS proteins in cell signalling. *Trends Pharmacol Sci* **20**: 376-82 [PMID:10462761]
 216. Hepler JR. (2005) R7BP: a surprising new link between G proteins, RGS proteins, and nuclear signaling in the brain. *Sci STKE* **2005**: pe38 [PMID:16046666]
 217. Hepler JR, Berman DM, Gilman AG and Kozasa T. (1997) RGS4 and GAIP are GTPase-activating proteins for Gq alpha and block activation of phospholipase C beta by gamma-thio-GTP-Gq alpha. *Proc Natl Acad Sci U S A* **94**: 428-32 [PMID:9012799]
 218. Hepler JR, Cladman W, Ramineni S, Hollinger S and Chidiac P. (2005) Novel activity of RGS14 on Galpha and Gialpha nucleotide binding and hydrolysis distinct from its RGS domain and GDI activity. *Biochemistry* **44**: 5495-502 [PMID:15807543]
 219. Hercule HC, Tank J, Plehm R, Wellner M, da Costa Goncalves AC, Gollasch M, Diedrich A, Jordan J, Luft FC and Gross V. (2007) Regulator of G protein signalling 2 ameliorates angiotensin II-induced hypertension in mice. *Exp Physiol* **92**: 1014-22 [PMID:17644703]
 220. Heximer SP, Cristillo AD and Forsdyke DR. (1997) Comparison of mRNA expression of two regulators of G-protein signaling, RGS1/BL34/1R20 and RGS2/G0S8, in cultured human blood

- mononuclear cells. *DNA Cell Biol* **16**: 589-98 [PMID:9174164]
221. Heximer SP, Knutsen RH, Sun X, Kaltenbronn KM, Rhee MH, Peng N, Oliveira-dos-Santos A, Penninger JM, Muslin AJ and Steinberg TH *et al.*. (2003) Hypertension and prolonged vasoconstrictor signaling in RGS2-deficient mice. *J Clin Invest* **111**: 445-52 [PMID:12588882]
 222. Heximer SP, Srinivasa SP, Bernstein LS, Bernard JL, Linder ME, Hepler JR and Blumer KJ. (1999) G protein selectivity is a determinant of RGS2 function. *J Biol Chem* **274**: 34253-9 [PMID:10567399]
 223. Heximer SP, Watson N, Linder ME, Blumer KJ and Hepler JR. (1997) RGS2/G0S8 is a selective inhibitor of Gqalpha function. *Proc Natl Acad Sci USA* **94**: 14389-93 [PMID:9405622]
 224. Hishimoto A, Shirakawa O, Nishiguchi N, Aoyama S, Ono H, Hashimoto T and Maeda K. (2004) Novel missense polymorphism in the regulator of G-protein signaling 10 gene: analysis of association with schizophrenia. *Psychiatry Clin Neurosci* **58**: 579-81 [PMID:15482592]
 225. Hohoff C, Weber H, Richter J, Domschke K, Zwanzger PM, Ohrmann P, Bauer J, Suslow T, Kugel H and Baumann C *et al.*. (2015) RGS2 ggenetic variation: association analysis with panic disorder and dimensional as well as intermediate phenotypes of anxiety. *Am J Med Genet B Neuropsychiatr Genet* **168B**: 211-22 [PMID:25740197]
 226. Hollinger S and Hepler JR. (2002) Cellular regulation of RGS proteins: modulators and integrators of G protein signaling. *Pharmacol Rev* **54**: 527-59 [PMID:12223533]
 227. Hollinger S, Ramineni S and Hepler JR. (2003) Phosphorylation of RGS14 by protein kinase A potentiates its activity toward G alpha i. *Biochemistry* **42**: 811-9 [PMID:12534294]
 228. Hollinger S, Taylor JB, Goldman EH and Hepler JR. (2001) RGS14 is a bifunctional regulator of Galphai/o activity that exists in multiple populations in brain. *J Neurochem* **79**: 941-9 [PMID:11739605]
 229. Holobotovskyy V, Chong YS, Burchell J, He B, Phillips M, Leader L, Murphy TV, Sandow SL, McKittrick DJ and Charles AK *et al.*. (2015) Regulator of G protein signaling 5 is a determinant of gestational hypertension and preeclampsia. *Sci Transl Med* **7**: 290ra88 [PMID:26041705]
 230. Holobotovskyy V, Manzur M, Tare M, Burchell J, Bolitho E, Viola H, Hool LC, Arnolda LF, McKittrick DJ and Ganss R. (2013) Regulator of G-protein signaling 5 controls blood pressure homeostasis and vessel wall remodeling. *Circ Res* **112**: 781-91 [PMID:23303165]
 231. Honda K, Satomura K, Hashida M and Sezaki H. (1985) [Topical application of mitomycin C conjugated with dextran (MMC-D): a high molecular weight derivative of mitomycin C]. *Gan To Kagaku Ryoho* **12**: 530-5 [PMID:2408576]
 232. Hong JX, Wilson GL, Fox CH and Kehrl JH. (1993) Isolation and characterization of a novel B cell activation gene. *J Immunol* **150**: 3895-904 [PMID:8473738]
 233. Hong K, Li M, Nourian Z, Meininger GA and Hill MA. (2017) Angiotensin II Type 1 Receptor Mechanoactivation Involves RGS5 (Regulator of G Protein Signaling 5) in Skeletal Muscle Arteries: Impaired Trafficking of RGS5 in Hypertension. *Hypertension* **70**: 1264-1272 [PMID:29061726]
 234. Hong Z, Hong C, Ma B, Wang Q, Zhang X, Li L, Wang C and Chen D. (2019) MicroRNA-126-3p inhibits the proliferation, migration, invasion, and angiogenesis of triple-negative breast cancer cells by targeting RGS3. *Oncol Rep* **42**: 1569-1579 [PMID:31364749]
 235. Hooks SB, Callihan P, Altman MK, Hurst JH, Ali MW and Murph MM. (2010) Regulators of G-Protein signaling RGS10 and RGS17 regulate chemoresistance in ovarian cancer cells. *Mol Cancer* **9**: 289 [PMID:21044322]
 236. Hooks SB and Murph MM. (2015) Cellular deficiency in the RGS10 protein facilitates chemoresistant ovarian cancer. *Future Med Chem* **7**: 1483-9 [PMID:26293348]
 237. Hooks SB, Waldo GL, Corbitt J, Bodor ET, Krumins AM and Harden TK. (2003) RGS6, RGS7, RGS9, and RGS11 stimulate GTPase activity of Gi family G-proteins with differential selectivity and maximal activity. *J Biol Chem* **278**: 10087-93 [PMID:12531899]
 238. Hoshi Y, Endo K, Shirakihara T, Fukagawa A, Miyazawa K and Saitoh M. (2016) The potential role of regulator of G-protein signaling 16 in cell motility mediated by δEF1 family proteins. *FEBS Lett* **590**: 270-8 [PMID:26823172]
 239. Howlett AC, Gray AJ, Hunter JM and Willardson BM. (2009) Role of molecular chaperones in G protein beta5/regulator of G protein signaling dimer assembly and G protein betagamma dimer specificity. *J Biol Chem* **284**: 16386-99 [PMID:19376773]
 240. Hsu HC, Yang P, Wang J, Wu Q, Myers R, Chen J, Yi J, Guentert T, Tousson A and Stanus AL *et al.*. (2008) Interleukin 17-producing T helper cells and interleukin 17 orchestrate autoreactive germinal center development in autoimmune BXD2 mice. *Nat Immunol* **9**: 166-75 [PMID:18157131]
 241. Hsu LC, Hsu LS and Lee TH. (2020) RGS5 rs4657251 polymorphism is associated with small vessel occlusion stroke in Taiwan Han Chinese. *J Chin Med Assoc* **83**: 251-254 [PMID:32080025]
 242. Hu G and Wensel TG. (2002) R9AP, a membrane anchor for the photoreceptor GTPase accelerating protein, RGS9-1. *Proc Natl Acad Sci USA* **99**: 9755-60 [PMID:12119397]
 243. Hu M, Chen X, Zhang J, Wang D, Fang X, Wang X, Wang G, Chen G, Jiang X and Xia H *et al.*. (2013) Over-expression of regulator of G protein signaling 5 promotes tumor metastasis by

- inducing epithelial-mesenchymal transition in hepatocellular carcinoma cells. *J Surg Oncol* **108**: 192-6 [PMID:23868206]
244. Hu X, Tang J, Zeng G, Hu X, Bao P, Wu J, Liang Y, Deng W and Tang Y. (2019) RGS1 silencing inhibits the inflammatory response and angiogenesis in rheumatoid arthritis rats through the inactivation of Toll-like receptor signaling pathway. *J Cell Physiol* **234**: 20432-20442 [PMID:31012109]
 245. Hu Y, Shmygelska A, Tran D, Eriksson N, Tung JY and Hinds DA. (2016) GWAS of 89,283 individuals identifies genetic variants associated with self-reporting of being a morning person. *Nat Commun* **7**: 10448 [PMID:26835600]
 246. Huang G, He X and Wei XL. (2018) lncRNA NEAT1 promotes cell proliferation and invasion by regulating miR-365/RGS20 in oral squamous cell carcinoma. *Oncol Rep* **39**: 1948-1956 [PMID:29484420]
 247. Huang J, Nalli AD, Mahavadi S, Kumar DP and Murthy KS. (2014) Inhibition of Gai activity by Gβγ is mediated by PI 3-kinase-γ- and cSrc-dependent tyrosine phosphorylation of Gai and recruitment of RGS12. *Am J Physiol Gastrointest Liver Physiol* **306**: G802-10 [PMID:24578342]
 248. Huang J, Pashkov V, Kurrasch DM, Yu K, Gold SJ and Wilkie TM. (2006) Feeding and fasting controls liver expression of a regulator of G protein signaling (Rgs16) in periportal hepatocytes. *Comp Hepatol* **5**: 8 [PMID:17123436]
 249. Huang J, Stewart A, Maity B, Hagen J, Fagan RL, Yang J, Quelle DE, Brenner C and Fisher RA. (2014) RGS6 suppresses Ras-induced cellular transformation by facilitating Tip60-mediated Dnmt1 degradation and promoting apoptosis. *Oncogene* **33**: 3604-11 [PMID:23995786]
 250. Huang J, Yang J, Maity B, Mayuzumi D and Fisher RA. (2011) Regulator of G protein signaling 6 mediates doxorubicin-induced ATM and p53 activation by a reactive oxygen species-dependent mechanism. *Cancer Res* **71**: 6310-9 [PMID:21859827]
 251. Huang MW, Lin YJ, Chang CW, Lei FJ, Ho EP, Liu RS, Shyu WC and Hsieh CH. (2018) RGS4 deficit in prefrontal cortex contributes to the behaviors related to schizophrenia via system x_c⁻-mediated glutamatergic dysfunction in mice. *Theranostics* **8**: 4781-4794 [PMID:30279737]
 252. Huang R, Li G, Zhao Z, Zeng F, Zhang K, Liu Y, Wang K and Hu H. (2020) RGS16 promotes glioma progression and serves as a prognostic factor. *CNS Neurosci Ther* **26**: 791-803 [PMID:32319728]
 253. Hunt KA, Zhernakova A, Turner G, Heap GA, Franke L, Bruinenberg M, Romanos J, Dinesen LC, Ryan AW and Panesar D *et al.*. (2008) Newly identified genetic risk variants for celiac disease related to the immune response. *Nat Genet* **40**: 395-402 [PMID:18311140]
 254. Hunt RA, Edris W, Chanda PK, Nieuwenhuijsen B and Young KH. (2003) Snapin interacts with the N-terminus of regulator of G protein signaling 7. *Biochem Biophys Res Commun* **303**: 594-9 [PMID:12659861]
 255. Hunt TW, Fields TA, Casey PJ and Peralta EG. (1996) RGS10 is a selective activator of G alpha i GTPase activity. *Nature* **383**: 175-7 [PMID:8774883]
 256. Hurst JH and Hooks SB. (2009) Regulator of G-protein signaling (RGS) proteins in cancer biology. *Biochem Pharmacol* **78**: 1289-97 [PMID:19559677]
 257. Hurst JH, Mendpara N and Hooks SB. (2009) Regulator of G-protein signalling expression and function in ovarian cancer cell lines. *Cell Mol Biol Lett* **14**: 153-74 [PMID:18979070]
 258. Hwang IY, Hwang KS, Park C, Harrison KA and Kehrl JH. (2013) Rgs13 constrains early B cell responses and limits germinal center sizes. *PLoS ONE* **8**: e60139 [PMID:23533672]
 259. Hwang IY, Park C, Harrison K and Kehrl JH. (2017) Normal Thymocyte Egress, T Cell Trafficking, and CD4⁺ T Cell Homeostasis Require Interactions between RGS Proteins and Gα_{i2}. *J Immunol* **198**: 2721-2734 [PMID:28235863]
 260. Hwang J, Kim HS, Kang BS, Kim DH, Ryoo ZY, Choi SU and Lee S. (2015) RGS19 converts iron deprivation stress into a growth-inhibitory signal. *Biochem Biophys Res Commun* **464**: 168-75 [PMID:26116529]
 261. Häggmark A, Mikus M, Mohsenchian A, Hong MG, Forsström B, Gajewska B, Barańczyk-Kuźma A, Uhlén M, Schwenk JM and Kuźma-Kozakiewicz M *et al.*. (2014) Plasma profiling reveals three proteins associated to amyotrophic lateral sclerosis. *Ann Clin Transl Neurol* **1**: 544-53 [PMID:25356426]
 262. Ikeda M, Hirokawa M, Satani N, Kinoshita T, Watanabe Y, Inoue H, Tone S, Ishikawa T and Minatogawa Y. (2001) Molecular cloning and characterization of a steroid receptor-binding regulator of G-protein signaling protein cDNA. *Gene* **273**: 207-14 [PMID:11595167]
 263. Im EJ, Yayeh T, Park SJ, Kim SH, Goo YK, Hong SB, Son YM, Kim SD and Rhee MH. (2014) Antiatherosclerotic effect of korean red ginseng extract involves regulator of g-protein signaling 5. *Evid Based Complement Alternat Med* **2014**: 985174 [PMID:25610490]
 264. Ingi T, Krumins AM, Chidiac P, Brothers GM, Chung S, Snow BE, Barnes CA, Lanahan AA, Siderovski DP and Ross EM *et al.*. (1998) Dynamic regulation of RGS2 suggests a novel mechanism in G-protein signaling and neuronal plasticity. *J Neurosci* **18**: 7178-88 [PMID:9736641]
 265. International Multiple Sclerosis Genetics Consortium, Wellcome Trust Case Control Consortium

- 2, Sawcer S, Hellenthal G, Pirinen M, Spencer CC, Patsopoulos NA, Moutsianas L, Dilthey A and Su Z *et al.*. (2011) Genetic risk and a primary role for cell-mediated immune mechanisms in multiple sclerosis. *Nature* **476**: 214-9 [PMID:21833088]
266. International Multiple Sclerosis Genetics Consortium (IMSGC). (2010) IL12A, MPHOSPH9/CDK2AP1 and RGS1 are novel multiple sclerosis susceptibility loci. *Genes Immun* **11**: 397-405 [PMID:20555355]
267. Ip AK, Tso PH, Lee MM and Wong YH. (2012) Elevated expression of RGS19 impairs the responsiveness of stress-activated protein kinases to serum. *Mol Cell Biochem* **362**: 159-68 [PMID:22045062]
268. Islam TC, Asplund AC, Lindvall JM, Nygren L, Liden J, Kimby E, Christensson B, Smith CI and Sander B. (2003) High level of cannabinoid receptor 1, absence of regulator of G protein signalling 13 and differential expression of Cyclin D1 in mantle cell lymphoma. *Leukemia* **17**: 1880-90 [PMID:12970790]
269. Israeli R, Asli A, Avital-Shacham M and Kosloff M. (2019) RGS6 and RGS7 Discriminate between the Highly Similar $G\alpha_i$ and $G\alpha_o$ Proteins Using a Two-Tiered Specificity Strategy. *J Mol Biol* **431**: 3302-3311 [PMID:31153905]
270. Itoh M, Nagatomo K, Kubo Y and Saitoh O. (2006) Alternative splicing of RGS8 gene changes the binding property to the M1 muscarinic receptor to confer receptor type-specific Gq regulation. *J Neurochem* **99**: 1505-16 [PMID:17064349]
271. Itoh M, Odagiri M, Abe H and Saitoh O. (2001) RGS8 protein is distributed in dendrites and cell body of cerebellar Purkinje cell. *Biochem Biophys Res Commun* **287**: 223-8 [PMID:11549278]
272. Iwai K, Koike M, Ohshima S, Miyatake K, Uchiyama Y, Saeki Y and Ishii M. (2007) RGS18 acts as a negative regulator of osteoclastogenesis by modulating the acid-sensing OGR1/NFAT signaling pathway. *J Bone Miner Res* **22**: 1612-20 [PMID:17576169]
273. Iwaki S, Lu Y, Xie Z and Druey KM. (2011) p53 negatively regulates RGS13 protein expression in immune cells. *J Biol Chem* **286**: 22219-26 [PMID:21531726]
274. Izzo V, Pinelli M, Tinto N, Esposito MV, Cola A, Sperandeo MP, Tucci F, Coccozza S, Greco L and Sacchetti L. (2011) Improving the estimation of celiac disease sibling risk by non-HLA genes. *PLoS ONE* **6**: e26920 [PMID:22087237]
275. James MA, Lu Y, Liu Y, Vikis HG and You M. (2009) RGS17, an overexpressed gene in human lung and prostate cancer, induces tumor cell proliferation through the cyclic AMP-PKA-CREB pathway. *Cancer Res* **69**: 2108-16 [PMID:19244110]
276. Jayaraman M, Zhou H, Jia L, Cain MD and Blumer KJ. (2009) R9AP and R7BP: traffic cops for the RGS7 family in phototransduction and neuronal GPCR signaling. *Trends Pharmacol Sci* **30**: 17-24 [PMID:19042037]
277. Jaén C and Doupnik CA. (2006) RGS3 and RGS4 differentially associate with G protein-coupled receptor-Kir3 channel signaling complexes revealing two modes of RGS modulation. Precoupling and collision coupling. *J Biol Chem* **281**: 34549-60 [PMID:16973624]
278. Jean-Baptiste G, Li X, Yang Z, Heubach J, Gaudio S, Khoury C, Ravens U and Greenwood MT. (2005) Beta adrenergic receptor-mediated atrial specific up-regulation of RGS5. *Life Sci* **76**: 1533-45 [PMID:15680317]
279. Jeanneteau F, Guillin O, Diaz J, Griffon N and Sokoloff P. (2004) GIPC recruits GAIP (RGS19) to attenuate dopamine D2 receptor signaling. *Mol Biol Cell* **15**: 4926-37 [PMID:15356268]
280. Jeffrey BG, Morgans CW, Puthuserry T, Wensel TG, Burke NS, Brown RL and Duvoisin RM. (2010) R9AP stabilizes RGS11-G beta5 and accelerates the early light response of ON-bipolar cells. *Vis Neurosci* **27**: 9-17 [PMID:20100392]
281. Ji YR, Kim HJ, Park SJ, Bae KB, Park SJ, Jang WY, Kang MC, Jeong J, Sung YH and Choi M *et al.*. (2015) Critical role of Rgs19 in mouse embryonic stem cell proliferation and differentiation. *Differentiation* **89**: 42-50 [PMID:25766428]
282. Ji YR, Kim MO, Kim SH, Yu DH, Shin MJ, Kim HJ, Yuh HS, Bae KB, Kim JY and Park HD *et al.*. (2010) Effects of regulator of G protein signaling 19 (RGS19) on heart development and function. *J Biol Chem* **285**: 28627-34 [PMID:20562099]
283. Jiang H, Xie Y, Abel PW, Wolff DW, Toews ML, Panettieri Jr RA, Casale TB and Tu Y. (2015) Regulator of G-Protein Signaling 2 Repression Exacerbates Airway Hyper-Responsiveness and Remodeling in Asthma. *Am J Respir Cell Mol Biol* **53**: 42-9 [PMID:25368964]
284. Jie L, Owens EA, Plante LA, Fang Z, Rensing DT, Moeller KD and Osei-Owusu P. (2016) RGS2 squelches vascular Gi/o and Gq signaling to modulate myogenic tone and promote uterine blood flow. *Physiol Rep* **4** [PMID:26811058]
285. Jin Y, An X, Ye Z, Cully B, Wu J and Li J. (2009) RGS5, a hypoxia-inducible apoptotic stimulator in endothelial cells. *J Biol Chem* **284**: 23436-43 [PMID:19564336]
286. Jin Y, Zhong H, Omnaas JR, Neubig RR and Mosberg HI. (2004) Structure-based design, synthesis, and pharmacologic evaluation of peptide RGS4 inhibitors. *J Pept Res* **63**: 141-6 [PMID:15009535]
287. Johnson BA, Wang J, Taylor EM, Caillier SJ, Herbert J, Khan OA, Cross AH, De Jager PL, Gourraud PA and Cree BC *et al.*. (2010) Multiple sclerosis susceptibility alleles in African

- Americans. *Genes Immun* **11**: 343-50 [PMID:19865102]
288. Johnson EN and Druey KM. (2002) Functional characterization of the G protein regulator RGS13. *J Biol Chem* **277**: 16768-74 [PMID:11875076]
 289. Johnson EN, Seasholtz TM, Waheed AA, Kreutz B, Suzuki N, Kozasa T, Jones TL, Brown JH and Druey KM. (2003) RGS16 inhibits signalling through the G alpha 13-Rho axis. *Nat Cell Biol* **5**: 1095-103 [PMID:14634662]
 290. Jones SE, Tyrrell J, Wood AR, Beaumont RN, Ruth KS, Tuke MA, Yaghootkar H, Hu Y, Teder-Laving M and Hayward C *et al.*. (2016) Genome-Wide Association Analyses in 128,266 Individuals Identifies New Morningness and Sleep Duration Loci. *PLoS Genet* **12**: e1006125 [PMID:27494321]
 291. Kannarkat GT, Lee JK, Ramsey CP, Chung J, Chang J, Porter I, Oliver D, Shepherd K and Tansey MG. (2015) Age-related changes in regulator of G-protein signaling (RGS)-10 expression in peripheral and central immune cells may influence the risk for age-related degeneration. *Neurobiol Aging* **36**: 1982-93 [PMID:25784210]
 292. Kardestuncer T, Wu H, Lim AL and Neer EJ. (1998) Cardiac myocytes express mRNA for ten RGS proteins: changes in RGS mRNA expression in ventricular myocytes and cultured atria. *FEBS Lett* **438**: 285-8 [PMID:9827562]
 293. Karim ZA, Alshbool FZ, Vemana HP, Conlon C, Druey KM and Khasawneh FT. (2016) CXCL12 regulates platelet activation via the regulator of G-protein signaling 16. *Biochim Biophys Acta* **1863**: 314-21 [PMID:26628381]
 294. Karoussiotis C, Marti-Solano M, Stepniewski TM, Symeonof A, Selent J and Georgoussi Z. (2020) A highly conserved δ -opioid receptor region determines RGS4 interaction. *FEBS J* **287**: 736-748 [PMID:31386272]
 295. Karpinsky-Semper D, Volmar CH, Brothers SP and Slepak VZ.. (2014) Differential effects of the G β 5-RGS7 complex on muscarinic M3 receptor-induced Ca²⁺ influx and release. *Mol Pharmacol* **85**: 758-68 [PMID:24586057]
 296. Kauppila A, Mäkilä UM, Mäkäpäinen L, Puolakka J and Seppälä A. (1986) Tiaprofenic acid in the treatment of primary dysmenorrhoea. *Eur J Obstet Gynecol Reprod Biol* **22**: 359-63 [PMID:3533672]
 297. Kehrl JH, Srikumar D, Harrison K, Wilson GL and Shi CS. (2002) Additional 5' exons in the RGS3 locus generate multiple mRNA transcripts, one of which accounts for the origin of human PDZ-RGS3. *Genomics* **79**: 860-8 [PMID:12036301]
 298. Kern RJ, Zarek CM, Lindholm-Perry AK, Kuehn LA, Snelling WM, Freetly HC, Cunningham HC and Meyer AM. (2017) Ruminal expression of the NQO1, RGS5, and ACAT1 genes may be indicators of feed efficiency in beef steers. *Anim Genet* **48**: 90-92 [PMID:27611366]
 299. Ketsawatsonkron P, Lorca RA, Keen HL, Weatherford ET, Liu X, Pelham CJ, Grobe JL, Faraci FM, England SK and Sigmund CD. (2012) PPAR γ regulates resistance vessel tone through a mechanism involving RGS5-mediated control of protein kinase C and BKCa channel activity. *Circ Res* **111**: 1446-58 [PMID:22962432]
 300. Kim HJ, Min JY and Min KB. (2017) Interaction between the RGS6 gene and psychosocial stress on obesity-related traits. *Endocr J* **64**: 357-362 [PMID:28090039]
 301. Kim J, Lee S, Kang S, Jeon TI, Kang MJ, Lee TH, Kim YS, Kim KS, Im HI and Moon C. (2018) Regulator of G-Protein Signaling 4 (RGS4) Controls Morphine Reward by Glutamate Receptor Activation in the Nucleus Accumbens of Mouse Brain. *Mol Cells* **41**: 454-464 [PMID:29754475]
 302. Kim JH, Lee JY, Lee KT, Lee JK, Lee KH, Jang KT, Heo JS, Choi SH and Rhee JC. (2010) RGS16 and FosB underexpressed in pancreatic cancer with lymph node metastasis promote tumor progression. *Tumour Biol* **31**: 541-8 [PMID:20571966]
 303. Kim K, Lee J and Ghil S. (2018) The regulators of G protein signaling RGS16 and RGS18 inhibit protease-activated receptor 2/Gi/o signaling through distinct interactions with G α in live cells. *FEBS Lett* **592**: 3126-3138 [PMID:30117167]
 304. Kim W, Bennett EJ, Huttlin EL, Guo A, Li J, Possemato A, Sowa ME, Rad R, Rush J and Comb MJ *et al.*. (2011) Systematic and quantitative assessment of the ubiquitin-modified proteome. *Mol Cell* **44**: 325-40 [PMID:21906983]
 305. Kim Y and Ghil S. (2020) Regulators of G-protein signaling, RGS2 and RGS4, inhibit protease-activated receptor 4-mediated signaling by forming a complex with the receptor and G α in live cells. *Cell Commun Signal* **18**: 86 [PMID:32517689]
 306. Kimple AJ, Garland AL, Cohen SP, Setola V, Willard FS, Zielinski T, Lowery RG, Tarran R and Siderovski DP. (2014) RGS21, a regulator of taste and mucociliary clearance? *Laryngoscope* **124**: E56-63 [PMID:23908053]
 307. Kimple AJ, Willard FS, Giguère PM, Johnston CA, Mocanu V and Siderovski DP. (2007) The RGS protein inhibitor CCG-4986 is a covalent modifier of the RGS4 G α -interaction face. *Biochim Biophys Acta* **1774**: 1213-20 [PMID:17660054]
 308. Kimple RJ, De Vries L, Tronchère H, Behe CI, Morris RA, Gist Farquhar M and Siderovski DP. (2001) RGS12 and RGS14 GoLoco motifs are G alpha(i) interaction sites with guanine nucleotide dissociation inhibitor Activity. *J Biol Chem* **276**: 29275-81 [PMID:11387333]

309. Kirsch T, Wellner M, Luft FC, Haller H and Lippoldt A. (2001) Altered gene expression in cerebral capillaries of stroke-prone spontaneously hypertensive rats. *Brain Res* **910**: 106-15 [PMID:11489260]
310. Kittanakom S, Barrios-Rodiles M, Petschnigg J, Arnoldo A, Wong V, Kotlyar M, Heisler LE, Jurisica I, Wrana JL and Nislow C *et al.*. (2014) CHIP-MYTH: a novel interactive proteomics method for the assessment of agonist-dependent interactions of the human β_2 -adrenergic receptor. *Biochem Biophys Res Commun* **445**: 746-56 [PMID:24561123]
311. Klepac K, Yang J, Hildebrand S and Pfeifer A. (2019) RGS2: A multifunctional signaling hub that balances brown adipose tissue function and differentiation. *Mol Metab* **30**: 173-183 [PMID:31767169]
312. Ko WK, Martin-Negrier ML, Bezard E, Crossman AR and Ravenscroft P. (2014) RGS4 is involved in the generation of abnormal involuntary movements in the unilateral 6-OHDA-lesioned rat model of Parkinson's disease. *Neurobiol Dis* **70**: 138-48 [PMID:24969021]
313. Kobayashi Y, Takemoto R, Yamato S, Okada T, Iijima M, Uematsu Y, Chaki S and Saito Y. (2018) Depression-resistant Phenotype in Mice Overexpressing Regulator of G Protein Signaling 8 (RGS8). *Neuroscience* **383**: 160-169 [PMID:29758252]
314. Koch JN, Dahlen SA, Owens EA and Osei-Owusu P. (2019) Regulator of G Protein Signaling 2 Facilitates Uterine Artery Adaptation During Pregnancy in Mice. *J Am Heart Assoc* **8**: e010917 [PMID:31030617]
315. Koelle MR and Horvitz HR. (1996) EGL-10 regulates G protein signaling in the *C. elegans* nervous system and shares a conserved domain with many mammalian proteins. *Cell* **84**: 115-25 [PMID:8548815]
316. Koh J, Dar M, Untch BR, Dixit D, Shi Y, Yang Z, Adam MA, Dressman H, Wang X and Gesty-Palmer D *et al.*. (2011) Regulator of G protein signaling 5 is highly expressed in parathyroid tumors and inhibits signaling by the calcium-sensing receptor. *Mol Endocrinol* **25**: 867-76 [PMID:21393447]
317. Kohara K, Tabara Y, Nakura J, Imai Y, Ohkubo T, Hata A, Soma M, Nakayama T, Umemura S and Hirawa N *et al.*. (2008) Identification of hypertension-susceptibility genes and pathways by a systemic multiple candidate gene approach: the millennium genome project for hypertension. *Hypertens Res* **31**: 203-12 [PMID:18360038]
318. Kondo M, Das G, Imai R, Santana E, Nakashita T, Imaewaka M, Ueda K, Ohtsuka H, Sakai K and Aihara T *et al.*. (2015) A Naturally Occurring Canine Model of Autosomal Recessive Congenital Stationary Night Blindness. *PLoS ONE* **10**: e0137072 [PMID:26368928]
319. Kovoov A, Chen CK, He W, Wensel TG, Simon MI and Lester HA. (2000) Co-expression of Gbeta5 enhances the function of two Ggamma subunit-like domain-containing regulators of G protein signaling proteins. *J Biol Chem* **275**: 3397-402 [PMID:10652332]
320. Kovoov A, Seyffarth P, Ebert J, Barghshoon S, Chen CK, Schwarz S, Axelrod JD, Cheyette BN, Simon MI and Lester HA *et al.*. (2005) D2 dopamine receptors colocalize regulator of G-protein signaling 9-2 (RGS9-2) via the RGS9 DEP domain, and RGS9 knock-out mice develop dyskinesias associated with dopamine pathways. *J Neurosci* **25**: 2157-65 [PMID:15728856]
321. Krispel CM, Chen D, Melling N, Chen YJ, Martemyanov KA, Quillinan N, Arshavsky VY, Wensel TG, Chen CK and Burns ME. (2006) RGS expression rate-limits recovery of rod photoresponses. *Neuron* **51**: 409-16 [PMID:16908407]
322. Krumins AM, Barker SA, Huang C, Sunahara RK, Yu K, Wilkie TM, Gold SJ and Mumby SM. (2004) Differentially regulated expression of endogenous RGS4 and RGS7. *J Biol Chem* **279**: 2593-9 [PMID:14604980]
323. Kulkarni K, Xie X, Marron Fernandez de Velasco E, Anderson A, Martemyanov KA, Wickman K and Tolkacheva EG. (2018) The influences of the M2R-GIRK4-RGS6 dependent parasympathetic pathway on electrophysiological properties of the mouse heart. *PLoS ONE* **13**: e0193798 [PMID:29668674]
324. Kurogi M, Nagatomo K, Kubo Y and Saitoh O. (2009) Effects of spinophilin on the function of RGS8 regulating signals from M2 and M3-mAChRs. *Neuroreport* **20**: 1134-9 [PMID:19609226]
325. Kurrasch DM, Huang J, Wilkie TM and Repa JJ. (2004) Quantitative real-time polymerase chain reaction measurement of regulators of G-protein signaling mRNA levels in mouse tissues. *Meth Enzymol* **389**: 3-15 [PMID:15313556]
326. Kuwata H, Nakao K, Harada T, Matsuda I and Aiba A. (2008) Generation of RGS8 null mutant mice by Cre/loxP system. *Kobe J Med Sci* **53**: 275-81 [PMID:18762722]
327. Kveberg L, Ryan JC, Rolstad B and Inngjerd M. (2005) Expression of regulator of G protein signalling proteins in natural killer cells, and their modulation by Ly49A and Ly49D. *Immunology* **115**: 358-65 [PMID:15946253]
328. Labuda M, Laberge S, Brière J, Bérubé D and Krajinovic M. (2013) RGS5 gene and therapeutic response to short acting bronchodilators in paediatric asthma patients. *Pediatr Pulmonol* **48**: 970-5 [PMID:23193110]
329. Larminie C, Murdock P, Walhin JP, Duckworth M, Blumer KJ, Scheideler MA and Garnier M. (2004) Selective expression of regulators of G-protein signaling (RGS) in the human central

- nervous system. *Brain Res Mol Brain Res* **122**: 24-34 [PMID:14992813]
330. Laroche G, Giguère PM, Roth BL, Trejo J and Siderovski DP. (2010) RNA interference screen for RGS protein specificity at muscarinic and protease-activated receptors reveals bidirectional modulation of signaling. *Am J Physiol, Cell Physiol* **299**: C654-64 [PMID:20573995]
 331. Lee EK, Ye Y, Kamat AM and Wu X. (2013) Genetic variations in regulator of G-protein signaling (RGS) confer risk of bladder cancer. *Cancer* **119**: 1643-51 [PMID:23529717]
 332. Lee J and Ghil S. (2016) Regulator of G protein signaling 8 inhibits protease-activated receptor 1/Gi/o signaling by forming a distinct G protein-dependent complex in live cells. *Cell Signal* **28**: 391-400 [PMID:26829215]
 333. Lee JK, Chung J, Druey KM and Tansey MG. (2012) RGS10 exerts a neuroprotective role through the PKA/c-AMP response-element (CREB) pathway in dopaminergic neuron-like cells. *J Neurochem* **122**: 333-43 [PMID:22564151]
 334. Lee JK, Chung J, Kannarkat GT and Tansey MG. (2013) Critical role of regulator G-protein signaling 10 (RGS10) in modulating macrophage M1/M2 activation. *PLoS ONE* **8**: e81785 [PMID:24278459]
 335. Lee JK, Chung J, McAlpine FE and Tansey MG. (2011) Regulator of G-protein signaling-10 negatively regulates NF-κB in microglia and neuroprotects dopaminergic neurons in hemiparkinsonian rats. *J Neurosci* **31**: 11879-88 [PMID:21849548]
 336. Lee JK, Kannarkat GT, Chung J, Joon Lee H, Graham KL and Tansey MG. (2016) RGS10 deficiency ameliorates the severity of disease in experimental autoimmune encephalomyelitis. *J Neuroinflammation* **13**: 24 [PMID:26831924]
 337. Lee JK, McCoy MK, Harms AS, Ruhn KA, Gold SJ and Tansey MG. (2008) Regulator of G-protein signaling 10 promotes dopaminergic neuron survival via regulation of the microglial inflammatory response. *J Neurosci* **28**: 8517-28 [PMID:18716210]
 338. Lee JK and Tansey MG. (2015) Physiology of RGS10 in Neurons and Immune Cells. *Prog Mol Biol Transl Sci* **133**: 153-67 [PMID:26123306]
 339. Lee SE, Simons SB, Heldt SA, Zhao M, Schroeder JP, Vellano CP, Cowan DP, Ramineni S, Yates CK and Feng Y *et al.*. (2010) RGS14 is a natural suppressor of both synaptic plasticity in CA2 neurons and hippocampal-based learning and memory. *Proc Natl Acad Sci USA* **107**: 16994-8 [PMID:20837545]
 340. Leontiadis LJ, Papakonstantinou MP and Georgoussi Z. (2009) Regulator of G protein signaling 4 confers selectivity to specific G proteins to modulate mu- and delta-opioid receptor signaling. *Cell Signal* **21**: 1218-28 [PMID:19324084]
 341. Lerner TN and Kreitzer AC. (2012) RGS4 is required for dopaminergic control of striatal LTD and susceptibility to parkinsonian motor deficits. *Neuron* **73**: 347-59 [PMID:22284188]
 342. Leygraf A, Hohoff C, Freitag C, Willis-Owen SA, Krakowitzky P, Fritze J, Franke P, Bandelow B, Fimmers R and Flint J *et al.*. (2006) Rgs 2 gene polymorphisms as modulators of anxiety in humans? *J Neural Transm* **113**: 1921-5 [PMID:16736243]
 343. Li G, Wang M, Ren L, Li H, Liu Q, Ouyang Y, He L and Li F. (2019) Regulator of G protein signaling 20 promotes proliferation and migration in bladder cancer via NF-κB signaling. *Biomed Pharmacother* **117**: 109112 [PMID:31212130]
 344. Li H, He C, Feng J, Zhang Y, Tang Q, Bian Z, Bai X, Zhou H, Jiang H and Heximer SP *et al.*. (2010) Regulator of G protein signaling 5 protects against cardiac hypertrophy and fibrosis during biomechanical stress of pressure overload. *Proc Natl Acad Sci USA* **107**: 13818-23 [PMID:20643937]
 345. Li J, Adams LD, Wang X, Pabon L, Schwartz SM, Sane DC and Geary RL. (2004) Regulator of G protein signaling 5 marks peripheral arterial smooth muscle cells and is downregulated in atherosclerotic plaque. *J Vasc Surg* **40**: 519-28 [PMID:15337883]
 346. Li L and Luo HS. (2018) G-Protein Signaling Protein-17 (RGS17) Is Upregulated and Promotes Tumor Growth and Migration in Human Colorectal Carcinoma. *Oncol Res* **26**: 27-35 [PMID:28337960]
 347. Li S, Jin X, Wu H, Wang Y, Li X, Guo Y and Liang S. (2017) HA117 endows HL60 cells with a stem-like signature by inhibiting the degradation of DNMT1 via its ability to down-regulate expression of the GGL domain of RGS6. *PLoS ONE* **12**: e0180142 [PMID:28665981]
 348. Li X, Chen L, Ji C, Liu B, Gu J, Xu J, Zou X, Gu S and Mao Y. (2005) Isolation and expression pattern of RGS21 gene, a novel RGS member. *Acta Biochim Pol* **52**: 943-6 [PMID:16302027]
 349. Li Y, Li L, Lin J, Hu X, Li B, Xue A, Shen Y, Jiang J, Zhang M and Xie J *et al.*. (2015) Dereglulation of RGS17 Expression Promotes Breast Cancer Progression. *J Cancer* **6**: 767-75 [PMID:26185539]
 350. Li Y, Song J, Tong Y, Chung SK and Wong YH. (2017) RGS19 upregulates Nm23-H1/2 metastasis suppressors by transcriptional activation via the cAMP/PKA/CREB pathway. *Oncotarget* **8**: 69945-69960 [PMID:29050254]
 351. Li Y, Tang XH, Li XH, Dai HJ, Miao RJ, Cai JJ, Huang ZJ, Chen AF, Xing XW and Lu Y *et al.*. (2016) Regulator of G protein signalling 14 attenuates cardiac remodelling through the MEK-ERK1/2 signalling pathway. *Basic Res Cardiol* **111**: 47 [PMID:27298141]

352. Li Y, Yan H, Guo J, Han Y, Zhang C, Liu X, Du J and Tian XL. (2021) Down-regulated RGS5 by genetic variants impairs endothelial cell function and contributes to coronary artery disease. *Cardiovasc Res* **117**: 240-255 [PMID:31605122]
353. Li Z, Liu T, Gilmore A, Gómez NM, Fu C, Lim J, Yang S, Mitchell CH, Li YP and Oursler MJ *et al.*. (2019) Regulator of G Protein Signaling Protein 12 (Rgs12) Controls Mouse Osteoblast Differentiation via Calcium Channel/Oscillation and Gai-ERK Signaling. *J Bone Miner Res* **34**: 752-764 [PMID:30489658]
354. Liang G, Bansal G, Xie Z and Druey KM. (2009) RGS16 inhibits breast cancer cell growth by mitigating phosphatidylinositol 3-kinase signaling. *J Biol Chem* **284**: 21719-27 [PMID:19509421]
355. Liang Y, Li C, Guzman VM, Chang WW, Evinger 3rd AJ, Sao D and Woodward DF. (2005) Identification of a novel alternative splicing variant of RGS5 mRNA in human ocular tissues. *FEBS J* **272**: 791-9 [PMID:15670159]
356. Lifschytz T, Broner EC, Zozulinsky P, Slonimsky A, Eitan R, Greenbaum L and Lerer B. (2012) Relationship between Rgs2 gene expression level and anxiety and depression-like behaviour in a mutant mouse model: serotonergic involvement. *Int J Neuropsychopharmacol* **15**: 1307-18 [PMID:22040681]
357. Lin C, Koval A, Tishchenko S, Gabdulkhakov A, Tin U, Solis GP and Katanaev VL. (2014) Double suppression of the Gα protein activity by RGS proteins. *Mol Cell* **53**: 663-71 [PMID:24560274]
358. Linder A, Hagberg Thulin M, Damberg JE and Welén K. (2018) Analysis of regulator of G-protein signalling 2 (RGS2) expression and function during prostate cancer progression. *Sci Rep* **8**: 17259 [PMID:30467386]
359. Linder A, Larsson K, Welén K and Damberg JE. (2020) RGS2 is prognostic for development of castration resistance and cancer-specific survival in castration-resistant prostate cancer. *Prostate* **80**: 799-810 [PMID:32449815]
360. Linder ME and Deschenes RJ. (2007) Palmitoylation: policing protein stability and traffic. *Nat Rev Mol Cell Biol* **8**: 74-84 [PMID:17183362]
361. Lippert E, Yowe DL, Gonzalo JA, Justice JP, Webster JM, Fedyk ER, Hodge M, Miller C, Gutierrez-Ramos JC and Borrego F *et al.*. (2003) Role of regulator of G protein signaling 16 in inflammation-induced T lymphocyte migration and activation. *J Immunol* **171**: 1542-55 [PMID:12874248]
362. Liu C, Hu Q, Jing J, Zhang Y, Jin J, Zhang L, Mu L, Liu Y, Sun B and Zhang T *et al.*. (2017) Regulator of G protein signaling 5 (RGS5) inhibits sonic hedgehog function in mouse cortical neurons. *Mol Cell Neurosci* **83**: 65-73 [PMID:28684360]
363. Liu P, Vikis HG, Lu Y, Wang Y, Schwartz AG, Pinney SM, Yang P, de Andrade M, Gazdar A and Gaba C *et al.*. (2010) Cumulative effect of multiple loci on genetic susceptibility to familial lung cancer. *Cancer Epidemiol Biomarkers Prev* **19**: 517-24 [PMID:20142248]
364. Liu P, Zhang C, Chen J, Zhang R, Ren J, Huang Y, Zhu F, Li Z and Wu G. (2011) Combinational therapy of interferon-α and chemotherapy normalizes tumor vasculature by regulating pericytes including the novel marker RGS5 in melanoma. *J Immunother* **34**: 320-6 [PMID:21389866]
365. Liu S, Jiang X, Lu H, Xing M, Qiao Y, Zhang C and Zhang W. (2020) HuR (Human Antigen R) Regulates the Contraction of Vascular Smooth Muscle and Maintains Blood Pressure. *Arterioscler Thromb Vasc Biol* **40**: 943-957 [PMID:32075416]
366. Liu W, Yuen EY, Allen PB, Feng J, Greengard P and Yan Z. (2006) Adrenergic modulation of NMDA receptors in prefrontal cortex is differentially regulated by RGS proteins and spinophilin. *Proc Natl Acad Sci USA* **103**: 18338-43 [PMID:17101972]
367. Liu Y, Huang H, Zhang Y, Zhu XY, Zhang R, Guan LH, Tang Q, Jiang H and Huang C. (2014) Regulator of G protein signaling 3 protects against cardiac hypertrophy in mice. *J Cell Biochem* **115**: 977-86 [PMID:24375609]
368. Liu Z, Chatterjee TK and Fisher RA. (2002) RGS6 interacts with SCG10 and promotes neuronal differentiation. Role of the G gamma subunit-like (GGL) domain of RGS6. *J Biol Chem* **277**: 37832-9 [PMID:12140291]
369. Liu Z and Fisher RA. (2004) RGS6 interacts with DMAP1 and DNMT1 and inhibits DMAP1 transcriptional repressor activity. *J Biol Chem* **279**: 14120-8 [PMID:14734556]
370. Lou M, Zhang LN, Ji PG, Feng FQ, Liu JH, Yang C, Li BF and Wang L. (2016) Quercetin nanoparticles induced autophagy and apoptosis through AKT/ERK/Caspase-3 signaling pathway in human neuroglioma cells: In vitro and in vivo. *Biomed Pharmacother* **84**: 1-9 [PMID:27621033]
371. Louwette S, Labarque V, Wittevrongel C, Thys C, Metz J, Gijsbers R, Debyser Z, Arnout J, Van Geet C and Freson K. (2012) Regulator of G-protein signaling 18 controls megakaryopoiesis and the cilia-mediated vertebrate mechanosensory system. *FASEB J* **26**: 2125-36 [PMID:22308195]
372. Lovschall H, Mitsiadis TA, Poulsen K, Jensen KH and Kjeldsen AL. (2007) Coexpression of Notch3 and Rgs5 in the pericyte-vascular smooth muscle cell axis in response to pulp injury. *Int J Dev Biol* **51**: 715-21 [PMID:17939118]
373. Lu J, Gossiau A, Liu AY and Chen KY. (2008) PCR differential display-based identification of regulator of G protein signaling 10 as the target gene in human colon cancer cells induced by

- black tea polyphenol theaflavin monogallate. *Eur J Pharmacol* **601**: 66-72 [PMID:18992738]
374. Lu Q, Sun EE and Flanagan JG. (2004) Analysis of PDZ-RGS3 function in ephrin-B reverse signaling. *Meth Enzymol* **390**: 120-8 [PMID:15488174]
 375. Lu S, Zhou J, Sun Y, Li N, Miao M, Jiao B and Chen H. (2017) The noncoding RNA HOXD-AS1 is a critical regulator of the metastasis and apoptosis phenotype in human hepatocellular carcinoma. *Mol Cancer* **16**: 125 [PMID:28724429]
 376. Luck K, Kim DK, Lambourne L, Spirohn K, Begg BE, Bian W, Brignall R, Cafarelli T, Campos-Laborie FJ and Charlotheaux B *et al.*. (2020) A reference map of the human binary protein interactome. *Nature* **580**: 402-408 [PMID:32296183]
 377. Luessen DJ, Hinshaw TP, Sun H, Howlett AC, Marrs G, McCool BA and Chen R. (2016) RGS2 modulates the activity and internalization of dopamine D2 receptors in neuroblastoma N2A cells. *Neuropharmacology* **110**: 297-307 [PMID:27528587]
 378. Luessen DJ, Sun H, McGinnis MM, McCool BA and Chen R. (2017) Chronic intermittent ethanol exposure selectively alters the expression of α subunit isoforms and RGS subtypes in rat prefrontal cortex. *Brain Res* **1672**: 106-112 [PMID:28736108]
 379. Luo Y, Qin SL, Yu MH, Mu YF, Wang ZS and Zhong M. (2015) Prognostic value of regulator of G-protein signaling 6 in colorectal cancer. *Biomed Pharmacother* **76**: 147-52 [PMID:26653562]
 380. Luo Z, Ahlers-Dannen KE, Spicer MM, Yang J, Alberico S, Stevens HE, Narayanan NS and Fisher RA. (2019) Age-dependent nigral dopaminergic neurodegeneration and α -synuclein accumulation in RGS6-deficient mice. *JCI Insight* **5**: e126769 [PMID:31120439]
 381. Lur G, Fariborzi M and Higley MJ. (2019) Ketamine disrupts neuromodulatory control of glutamatergic synaptic transmission. *PLoS One* **14**: e0213721 [PMID:30865708]
 382. Ly A, Liao Y, Pietrzak H, Ioannidis LJ, Sidwell T, Gloury R, Doerflinger M, Triglia T, Qin RZ and Groom JR *et al.*. (2019) Transcription Factor T-bet in B Cells Modulates Germinal Center Polarization and Antibody Affinity Maturation in Response to Malaria. *Cell Rep* **29**: 2257-2269.e6 [PMID:31747599]
 383. Lyu JH, Park DW, Huang B, Kang SH, Lee SJ, Lee C, Bae YS, Lee JG and Baek SH. (2015) RGS2 suppresses breast cancer cell growth via a MCP1P1-dependent pathway. *J Cell Biochem* **116**: 260-7 [PMID:25187114]
 384. Lyubarsky AL, Naarendorp F, Zhang X, Wensel T, Simon MI and Pugh Jr EN. (2001) RGS9-1 is required for normal inactivation of mouse cone phototransduction. *Mol Vis* **7**: 71-8 [PMID:11262419]
 385. López-Aranda MF, Acevedo MJ, Carballo FJ, Gutiérrez A and Khan ZU. (2006) Localization of the GoLoco motif carrier regulator of G-protein signalling 12 and 14 proteins in monkey and rat brain. *Eur J Neurosci* **23**: 2971-82 [PMID:16819986]
 386. López-Aranda MF, López-Téllez JF, Navarro-Lobato I, Masmudi-Martín M, Gutiérrez A and Khan ZU. (2009) Role of layer 6 of V2 visual cortex in object-recognition memory. *Science* **325**: 87-9 [PMID:19574389]
 387. Ma P, Cierniewska A, Signarvic R, Cieslak M, Kong H, Sinnamon AJ, Neubig RR, Newman DK, Stalker TJ and Brass LF. (2012) A newly identified complex of spinophilin and the tyrosine phosphatase, SHP-1, modulates platelet activation by regulating G protein-dependent signaling. *Blood* **119**: 1935-45 [PMID:22210881]
 388. Ma P, Foote DC, Sinnamon AJ and Brass LF. (2015) Dissociation of SHP-1 from spinophilin during platelet activation exposes an inhibitory binding site for protein phosphatase-1 (PP1). *PLoS ONE* **10**: e0119496 [PMID:25785436]
 389. Ma P, Gupta S, Sampietro S, DeHelian D, Tutwiler V, Tang A, Stalker TJ and Brass LF. (2018) RGS10 shapes the hemostatic response to injury through its differential effects on intracellular signaling by platelet agonists. *Blood Adv* **2**: 2145-2155 [PMID:30150297]
 390. Ma P, Ou K, Sinnamon AJ, Jiang H, Siderovski DP and Brass LF. (2015) Modulating platelet reactivity through control of RGS18 availability. *Blood* **126**: 2611-20 [PMID:26407691]
 391. Madigan LA, Wong GS, Gordon EM, Chen WS, Balenga N, Koziol-White CJ, Panettieri Jr RA, Levine SJ and Druey KM. (2018) RGS4 Overexpression in Lung Attenuates Airway Hyperresponsiveness in Mice. *Am J Respir Cell Mol Biol* **58**: 89-98 [PMID:28853915]
 392. Mahoney Jr WM, Gunaje J, Daum G, Dong XR and Majesky MW. (2013) Regulator of G-protein signaling - 5 (RGS5) is a novel repressor of hedgehog signaling. *PLoS ONE* **8**: e61421 [PMID:23637832]
 393. Maity B, Stewart A, O'Malley Y, Askeland RW, Sugg SL and Fisher RA. (2013) Regulator of G protein signaling 6 is a novel suppressor of breast tumor initiation and progression. *Carcinogenesis* **34**: 1747-55 [PMID:23598467]
 394. Maity B, Stewart A, Yang J, Loo L, Sheff D, Shepherd AJ, Mohapatra DP and Fisher RA. (2012) Regulator of G protein signaling 6 (RGS6) protein ensures coordination of motor movement by modulating GABAB receptor signaling. *J Biol Chem* **287**: 4972-81 [PMID:22179605]
 395. Maity B, Yang J, Huang J, Askeland RW, Bera S and Fisher RA. (2011) Regulator of G protein signaling 6 (RGS6) induces apoptosis via a mitochondrial-dependent pathway not involving its GTPase-activating protein activity. *J Biol Chem* **286**: 1409-19 [PMID:21041304]

396. Makino ER, Handy JW, Li T and Arshavsky VY. (1999) The GTPase activating factor for transducin in rod photoreceptors is the complex between RGS9 and type 5 G protein beta subunit. *Proc Natl Acad Sci USA* **96**: 1947-52 [PMID:10051575]
397. Mao H, Zhao Q, Daigle M, Ghahremani MH, Chidiac P and Albert PR. (2004) RGS17/RGS22, a novel regulator of Gi/o, Gz, and Gq signaling. *J Biol Chem* **279**: 26314-22 [PMID:15096504]
398. Mao Y, Lei L, Su J, Yu Y, Liu Z and Huo Y. (2014) Regulators of G protein signaling are up-regulated in aspirin-resistant platelets from patients with metabolic syndrome. *Pharmazie* **69**: 371-3 [PMID:24855830]
399. Mark MD, Wollenweber P, Gesk A, Kösters K, Batzke K, Janoschka C, Maejima T, Han J, Deneris ES and Herlitze S. (2019) RGS2 drives male aggression in mice via the serotonergic system. *Commun Biol* **2**: 373 [PMID:31633064]
400. Martemyanov KA, Yoo PJ, Skiba NP and Arshavsky VY. (2005) R7BP, a novel neuronal protein interacting with RGS proteins of the R7 family. *J Biol Chem* **280**: 5133-6 [PMID:15632198]
401. Martin-McCaffrey L, Hains MD, Pritchard GA, Pajak A, Dagnino L, Siderovski DP and D'Souza SJ. (2005) Differential expression of regulator of G-protein signaling R12 subfamily members during mouse development. *Dev Dyn* **234**: 438-44 [PMID:16145674]
402. Martin-McCaffrey L, Willard FS, Oliveira-dos-Santos AJ, Natale DR, Snow BE, Kimple RJ, Pajak A, Watson AJ, Dagnino L and Penninger JM *et al.*. (2004) RGS14 is a mitotic spindle protein essential from the first division of the mammalian zygote. *Dev Cell* **7**: 763-9 [PMID:15525537]
403. Martín-Montañez E, Acevedo MJ, López-Téllez JF, Duncan RS, Mateos AG, Pavia J, Koulen P and Khan ZU. (2010) Regulator of G-protein signaling 14 protein modulates Ca²⁺ influx through Cav1 channels. *Neuroreport* **21**: 1034-9 [PMID:20842066]
404. Masson N, Keeley TP, Giuntoli B, White MD, Puerta ML, Perata P, Hopkinson RJ, Flashman E, Licausi F and Ratcliffe PJ. (2019) Conserved N-terminal cysteine dioxygenases transduce responses to hypoxia in animals and plants. *Science* **365**: 65-69 [PMID:31273118]
405. Masuho I, Cerver J, Kovoov A and Martemyanov KA. (2010) Membrane anchor R9AP potentiates GTPase-accelerating protein activity of RGS11 x Gbeta5 complex and accelerates inactivation of the mGluR6-G(o) signaling. *J Biol Chem* **285**: 4781-7 [PMID:20007977]
406. Masuho I, Itoh M, Itoh H and Saitoh O. (2004) The mechanism of membrane-translocation of regulator of G-protein signaling (RGS) 8 induced by Galpha expression. *J Neurochem* **88**: 161-8 [PMID:14675160]
407. Masuho I, Xie K and Martemyanov KA. (2013) Macromolecular composition dictates receptor and G protein selectivity of regulator of G protein signaling (RGS) 7 and 9-2 protein complexes in living cells. *J Biol Chem* **288**: 25129-42 [PMID:23857581]
408. Maurice P, Daulat AM, Broussard C, Mozo J, Clary G, Hotellier F, Chafey P, Guillaume JL, Ferry G and Boutin JA *et al.*. (2008) A generic approach for the purification of signaling complexes that specifically interact with the carboxyl-terminal domain of G protein-coupled receptors. *Mol Cell Proteomics* **7**: 1556-69 [PMID:18448421]
409. Maurice P, Daulat AM, Turecek R, Ivankova-Susankova K, Zamponi F, Kamal M, Clement N, Guillaume JL, Bettler B and Galès C *et al.*. (2010) Molecular organization and dynamics of the melatonin MT₁ receptor/RGS20/G(i) protein complex reveal asymmetry of receptor dimers for RGS and G(i) coupling. *EMBO J* **29**: 3646-59 [PMID:20859254]
410. McAllister CE, Creech RD, Kimball PA, Muma NA and Li Q. (2012) GPR30 is necessary for estradiol-induced desensitization of 5-HT_{1A} receptor signaling in the paraventricular nucleus of the rat hypothalamus. *Psychoneuroendocrinology* **37**: 1248-60 [PMID:22265196]
411. McAllister CE, Mi Z, Mure M, Li Q and Muma NA. (2014) GPER1 stimulation alters posttranslational modification of RGSz1 and induces desensitization of 5-HT_{1A} receptor signaling in the rat hypothalamus. *Neuroendocrinology* **100**: 228-39 [PMID:25402859]
412. Melliti K, Meza U, Fisher R and Adams B. (1999) Regulators of G protein signaling attenuate the G protein-mediated inhibition of N-type Ca channels. *J Gen Physiol* **113**: 97-110 [PMID:9874691]
413. Meng X, Sun X, Zhang Y, Shi H, Deng W, Liu Y, Wang G, Fang P and Yang S. (2018) PPAR γ Agonist PGZ Attenuates OVA-Induced Airway Inflammation and Airway Remodeling via RGS4 Signaling in Mouse Model. *Inflammation* **41**: 2079-2089 [PMID:30022363]
414. Meyer G, Varoqueaux F, Neeb A, Oschlies M and Brose N. (2004) The complexity of PDZ domain-mediated interactions at glutamatergic synapses: a case study on neuroligin. *Neuropharmacology* **47**: 724-33 [PMID:15458844]
415. Mhawech P. (2005) 14-3-3 proteins--an update. *Cell Res* **15**: 228-36 [PMID:15857577]
416. Miao R, Lu Y, Xing X, Li Y, Huang Z, Zhong H, Huang Y, Chen AF, Tang X and Li H *et al.*. (2016) Regulator of G-Protein Signaling 10 Negatively Regulates Cardiac Remodeling by Blocking Mitogen-Activated Protein Kinase-Extracellular Signal-Regulated Protein Kinase 1/2 Signaling. *Hypertension* **67**: 86-98 [PMID:26573707]
417. Michaelides M, Li Z, Rana NA, Richardson EC, Hykin PG, Moore AT, Holder GE and Webster AR. (2010) Novel mutations and electrophysiologic findings in RGS9- and R9AP-associated retinal dysfunction (Bradyopsia). *Ophthalmology* **117**: 120-127.e1 [PMID:19818506]
418. Michaelides M, Miller ML, Egervari G, Primeaux SD, Gomez JL, Ellis RJ, Landry JA, Szutorisz H,

- Hoffman AF and Lupica CR *et al.*. (2020) Striatal Rgs4 regulates feeding and susceptibility to diet-induced obesity. *Mol Psychiatry* **25**: 2058-2069 [PMID:29955167]
419. Miles RR, Sluka JP, Santerre RF, Hale LV, Bloem L, Boguslawski G, Thirunavukkarasu K, Hock JM and Onyia JE. (2000) Dynamic regulation of RGS2 in bone: potential new insights into parathyroid hormone signaling mechanisms. *Endocrinology* **141**: 28-36 [PMID:10614620]
 420. Mirnics K, Middleton FA, Stanwood GD, Lewis DA and Levitt P. (2001) Disease-specific changes in regulator of G-protein signaling 4 (RGS4) expression in schizophrenia. *Mol Psychiatry* **6**: 293-301 [PMID:11326297]
 421. Mitchell TS, Bradley J, Robinson GS, Shima DT and Ng YS. (2008) RGS5 expression is a quantitative measure of pericyte coverage of blood vessels. *Angiogenesis* **11**: 141-51 [PMID:18038251]
 422. Mittal V and Linder ME. (2004) The RGS14 GoLoco domain discriminates among Galphai isoforms. *J Biol Chem* **279**: 46772-8 [PMID:15337739]
 423. Mittal V and Linder ME. (2006) Biochemical characterization of RGS14: RGS14 activity towards G-protein alpha subunits is independent of its binding to Rap2A. *Biochem J* **394**: 309-15 [PMID:16246175]
 424. Mittmann C, Chung CH, Höppner G, Michalek C, Nose M, Schüler C, Schuh A, Eschenhagen T, Weil J and Pieske B *et al.*. (2002) Expression of ten RGS proteins in human myocardium: functional characterization of an upregulation of RGS4 in heart failure. *Cardiovasc Res* **55**: 778-86 [PMID:12176127]
 425. Mittmann C, Schüler C, Chung CH, Höppner G, Nose M, Kehrl JH and Wieland T. (2001) Evidence for a short form of RGS3 preferentially expressed in the human heart. *Naunyn Schmiedebergs Arch Pharmacol* **363**: 456-63 [PMID:11330340]
 426. Miyamoto-Matsubara M, Chung S and Saito Y. (2010) Functional interaction of regulator of G protein signaling-2 with melanin-concentrating hormone receptor 1. *Ann N Y Acad Sci* **1200**: 112-9 [PMID:20633139]
 427. Miyamoto-Matsubara M, Saitoh O, Maruyama K, Aizaki Y and Saito Y. (2008) Regulation of melanin-concentrating hormone receptor 1 signaling by RGS8 with the receptor third intracellular loop. *Cell Signal* **20**: 2084-94 [PMID:18760349]
 428. Miyoshi N, Ishii H, Sekimoto M, Doki Y and Mori M. (2009) RGS16 is a marker for prognosis in colorectal cancer. *Ann Surg Oncol* **16**: 3507-14 [PMID:19760045]
 429. Mojumder DK, Qian Y and Wensel TG. (2009) Two R7 regulator of G-protein signaling proteins shape retinal bipolar cell signaling. *J Neurosci* **29**: 7753-65 [PMID:19535587]
 430. Monroy CA, Mackie DI and Roman DL. (2013) A high throughput screen for RGS proteins using steady state monitoring of free phosphate formation. *PLoS ONE* **8**: e62247 [PMID:23626793]
 431. Moratz C, Harrison K and Kehrl JH. (2004) Regulation of chemokine-induced lymphocyte migration by RGS proteins. *Meth Enzymol* **389**: 15-32 [PMID:15313557]
 432. Moratz C, Hayman JR, Gu H and Kehrl JH. (2004) Abnormal B-cell responses to chemokines, disturbed plasma cell localization, and distorted immune tissue architecture in Rgs1-/- mice. *Mol Cell Biol* **24**: 5767-75 [PMID:15199133]
 433. Moratz C, Kang VH, Druey KM, Shi CS, Scheschonka A, Murphy PM, Kozasa T and Kehrl JH. (2000) Regulator of G protein signaling 1 (RGS1) markedly impairs Gi alpha signaling responses of B lymphocytes. *J Immunol* **164**: 1829-38 [PMID:10657631]
 434. Morris DW, Rodgers A, McGhee KA, Schwaiger S, Scully P, Quinn J, Meagher D, Waddington JL, Gill M and Corvin AP. (2004) Confirming RGS4 as a susceptibility gene for schizophrenia. *Am J Med Genet B Neuropsychiatr Genet* **125B**: 50-3 [PMID:14755443]
 435. Mouri K, Hishimoto A, Fukutake M, Nishiguchi N, Shirakawa O and Maeda K. (2010) Association study of RGS2 gene polymorphisms with panic disorder in Japanese. *Kobe J Med Sci* **55**: E116-21 [PMID:20847599]
 436. Mowry EM, Carey RF, Blasco MR, Pelletier J, Duquette P, Villoslada P, Malikova I, Roger E, Kinkel RP and McDonald J *et al.*. (2013) Multiple sclerosis susceptibility genes: associations with relapse severity and recovery. *PLoS ONE* **8**: e75416 [PMID:24130709]
 437. Moy FJ, Chanda PK, Cockett MI, Edris W, Jones PG, Mason K, Semus S and Powers R. (2000) NMR structure of free RGS4 reveals an induced conformational change upon binding Galphai. *Biochemistry* **39**: 7063-73 [PMID:10852703]
 438. Muntean BS, Patil DN, Madoux F, Fossetta J, Scampavia L, Spicer TP and Martemyanov KA. (2018) A High-Throughput Time-Resolved Fluorescence Energy Transfer Assay to Screen for Modulators of RGS7/Gβ5/R7BP Complex. *Assay Drug Dev Technol* **16**: 150-161 [PMID:29658790]
 439. Murphy JJ and Norton JD. (1993) Multiple signaling pathways mediate anti-Ig and IL-4-induced early response gene expression in human tonsillar B cells. *Eur J Immunol* **23**: 2876-81 [PMID:7693480]
 440. Nagahama M, Usui S, Shinohara T, Yamaguchi T, Tani K and Tagaya M. (2002) Inactivation of Galphai(z) causes disassembly of the Golgi apparatus. *J Cell Sci* **115**: 4483-93 [PMID:12414994]
 441. Nagata Y, Oda M, Nakata H, Shozaki Y, Kozasa T and Todokoro K. (2001) A novel regulator of G-

- protein signaling bearing GAP activity for Galphai and Galphaq in megakaryocytes. *Blood* **97**: 3051-60 [PMID:11342430]
442. Nance MR, Kreutz B, Tesmer VM, Sterne-Marr R, Kozasa T and Tesmer JJ. (2013) Structural and functional analysis of the regulator of G protein signaling 2- α q complex. *Structure* **21**: 438-48 [PMID:23434405]
 443. Natochin M, Lipkin VM and Artemyev NO. (1997) Interaction of human retinal RGS with G-protein alpha-subunits. *FEBS Lett* **411**: 179-82 [PMID:9271201]
 444. Neill JD, Duck LW, Sellers JC, Musgrove LC, Scheschonka A, Druey KM and Kehrl JH. (1997) Potential role for a regulator of G protein signaling (RGS3) in gonadotropin-releasing hormone (GnRH) stimulated desensitization. *Endocrinology* **138**: 843-6 [PMID:9003025]
 445. Neubig RR and Siderovski DP. (2002) Regulators of G-protein signalling as new central nervous system drug targets. *Nat Rev Drug Discov* **1**: 187-97 [PMID:12120503]
 446. Neuillé M, Morgans CW, Cao Y, Orhan E, Michiels C, Sahel JA, Audo I, Duvoisin RM, Martemyanov KA and Zeitz C. (2015) LRIT3 is essential to localize TRPM1 to the dendritic tips of depolarizing bipolar cells and may play a role in cone synapse formation. *Eur J Neurosci* **42**: 1966-75 [PMID:25997951]
 447. Newton JS, Deed RW, Mitchell EL, Murphy JJ and Norton JD. (1993) A B cell specific immediate early human gene is located on chromosome band 1q31 and encodes an alpha helical basic phosphoprotein. *Biochim Biophys Acta* **1216**: 314-6 [PMID:8241276]
 448. Newton R and Giembycz MA. (2016) Understanding how long-acting β_2 -adrenoceptor agonists enhance the clinical efficacy of inhaled corticosteroids in asthma - an update. *Br J Pharmacol* **173**: 3405-3430 [PMID:27646470]
 449. Nguyen CH, Ming H, Zhao P, Hugendubler L, Gros R, Kimball SR and Chidiac P. (2009) Translational control by RGS2. *J Cell Biol* **186**: 755-65 [PMID:19736320]
 450. Nie J, Ngokana LD, Kou J, Zhao Y, Tu J, Ji H, Tan P, Zhao T, Cao Y and Wu Z *et al.*. (2020) Low-dose ethanol intake prevents high-fat diet-induced adverse cardiovascular events in mice. *Food Funct* **11**: 3549-3562 [PMID:32270151]
 451. Nini L, Zhang JH, Pandey M, Panicker LM and Simonds WF. (2012) Expression of the G β 5/R7-RGS protein complex in pituitary and pancreatic islet cells. *Endocrine* **42**: 214-7 [PMID:22322946]
 452. Nisancioglu MH, Mahoney Jr WM, Kimmel DD, Schwartz SM, Betsholtz C and Genové G. (2008) Generation and characterization of rgs5 mutant mice. *Mol Cell Biol* **28**: 2324-31 [PMID:18212066]
 453. Nishiguchi KM, Sandberg MA, Kooijman AC, Martemyanov KA, Pott JW, Hagstrom SA, Arshavsky VY, Berson EL and Dryja TP. (2004) Defects in RGS9 or its anchor protein R9AP in patients with slow photoreceptor deactivation. *Nature* **427**: 75-8 [PMID:14702087]
 454. Nishiura H, Nonaka H, Revollo IS, Semba U, Li Y, Ota Y, Irie A, Harada K, Kehrl JH and Yamamoto T. (2009) Pro- and anti-apoptotic dual functions of the C5a receptor: involvement of regulator of G protein signaling 3 and extracellular signal-regulated kinase. *Lab Invest* **89**: 676-94 [PMID:19333232]
 455. Nishiura H, Yamanegi K, Kawabe M, Kato-Kogoe N, Yamada N and Nakasho K. (2015) The roles of ribosomal protein S19 C-terminus in a shortened neutrophil lifespan through delta lactoferrin. *Immunobiology* **220**: 1085-92 [PMID:26003841]
 456. Nixon AB, Grenningloh G and Casey PJ. (2002) The interaction of RGSZ1 with SCG10 attenuates the ability of SCG10 to promote microtubule disassembly. *J Biol Chem* **277**: 18127-33 [PMID:11882662]
 457. Nolte IM, Munoz ML, Tragante V, Amare AT, Jansen R, Vaez A, von der Heyde B, Avery CL, Bis JC and Dierckx B *et al.*. (2017) Genetic loci associated with heart rate variability and their effects on cardiac disease risk. *Nat Commun* **8**: 15805 [PMID:28613276]
 458. Norlin EM and Berghard A. (2001) Spatially restricted expression of regulators of G-protein signaling in primary olfactory neurons. *Mol Cell Neurosci* **17**: 872-82 [PMID:11358484]
 459. Nunn C, Mao H, Chidiac P and Albert PR. (2006) RGS17/RGSZ2 and the RZ/A family of regulators of G-protein signaling. *Semin Cell Dev Biol* **17**: 390-9 [PMID:16765607]
 460. Nunn C, Zou MX, Sobiesiak AJ, Roy AA, Kirshenbaum LA and Chidiac P. (2010) RGS2 inhibits beta-adrenergic receptor-induced cardiomyocyte hypertrophy. *Cell Signal* **22**: 1231-9 [PMID:20362664]
 461. O'Brien M, Morrison JJ and Smith TJ. (2008) Upregulation of PSCDBP, TLR2, TWIST1, FLJ35382, EDNRB, and RGS12 gene expression in human myometrium at labor. *Reprod Sci* **15**: 382-93 [PMID:18497345]
 462. Obsilova V, Kopecka M, Kosek D, Kacirova M, Kylarova S, Rezabkova L and Obsil T. (2014) Mechanisms of the 14-3-3 protein function: regulation of protein function through conformational modulation. *Physiol Res* **63 Suppl 1**: S155-64 [PMID:24564655]
 463. Ocal O, Pashkov V, Kollipara RK, Zolghadri Y, Cruz VH, Hale MA, Heath BR, Artyukhin AB, Christie AL and Tsoulfas P *et al.*. (2015) A rapid in vivo screen for pancreatic ductal adenocarcinoma therapeutics. *Dis Model Mech* **8**: 1201-11 [PMID:26438693]

464. Ogier-Denis E, Petiot A, Bauvy C and Codogno P. (1997) Control of the expression and activity of the Galpha-interacting protein (GAIP) in human intestinal cells. *J Biol Chem* **272**: 24599-603 [PMID:9305927]
465. Ohi K, Shimada T, Nitta Y, Kihara H, Okubo H, Uehara T and Kawasaki Y. (2016) Specific gene expression patterns of 108 schizophrenia-associated loci in cortex. *Schizophr Res* **174**: 35-38 [PMID:27061659]
466. Okonkwo UA, Chen L, Ma D, Haywood VA, Barakat M, Urao N and DiPietro LA. (2020) Compromised angiogenesis and vascular Integrity in impaired diabetic wound healing. *PLoS One* **15**: e0231962 [PMID:32324828]
467. Oliveira-Dos-Santos AJ, Matsumoto G, Snow BE, Bai D, Houston FP, Whishaw IQ, Mariathasan S, Sasaki T, Wakeham A and Ohashi PS *et al.*. (2000) Regulation of T cell activation, anxiety, and male aggression by RGS2. *Proc Natl Acad Sci USA* **97**: 12272-7 [PMID:11027316]
468. Oláh J, Vincze O, Virók D, Simon D, Bozsó Z, Tőkési N, Horváth I, Hlavanda E, Kovács J and Magyar A *et al.*. (2011) Interactions of pathological hallmark proteins: tubulin polymerization promoting protein/p25, beta-amyloid, and alpha-synuclein. *J Biol Chem* **286**: 34088-100 [PMID:21832049]
469. Ooe A, Kato K and Noguchi S. (2007) Possible involvement of CCT5, RGS3, and YKT6 genes up-regulated in p53-mutated tumors in resistance to docetaxel in human breast cancers. *Breast Cancer Res Treat* **101**: 305-15 [PMID:16821082]
470. Opel A, Nobles M, Montaigne D, Finlay M, Anderson N, Breckenridge R and Tinker A. (2015) Absence of the Regulator of G-protein Signaling, RGS4, Predisposes to Atrial Fibrillation and Is Associated with Abnormal Calcium Handling. *J Biol Chem* **290**: 19233-44 [PMID:26088132]
471. Orlandi C, Posokhova E, Masuho I, Ray TA, Hasan N, Gregg RG and Martemyanov KA. (2012) GPR158/179 regulate G protein signaling by controlling localization and activity of the RGS7 complexes. *J Cell Biol* **197**: 711-9 [PMID:22689652]
472. Orlandi C, Sutton LP, Muntean BS, Song C and Martemyanov KA. (2019) Homeostatic cAMP regulation by the RGS7 complex controls depression-related behaviors. *Neuropsychopharmacology* **44**: 642-653 [PMID:30546127]
473. Osei-Owusu P, Sun X, Drenan RM, Steinberg TH and Blumer KJ. (2007) Regulation of RGS2 and second messenger signaling in vascular smooth muscle cells by cGMP-dependent protein kinase. *J Biol Chem* **282**: 31656-65 [PMID:17681944]
474. Ostrovskaya O, Xie K, Masuho I, Fajardo-Serrano A, Lujan R, Wickman K and Martemyanov KA. (2014) RGS7/Gβ5/R7BP complex regulates synaptic plasticity and memory by modulating hippocampal GABABR-GIRK signaling. *Elife* **3**: e02053 [PMID:24755289]
475. Ostrovskaya OI, Orlandi C, Fajardo-Serrano A, Young Jr SM, Lujan R and Martemyanov KA. (2018) Inhibitory Signaling to Ion Channels in Hippocampal Neurons Is Differentially Regulated by Alternative Macromolecular Complexes of RGS7. *J Neurosci* **38**: 10002-10015 [PMID:30315127]
476. Otowa T, Shimada T, Kawamura Y, Sugaya N, Yoshida E, Inoue K, Yasuda S, Liu X, Minato T and Tochigi M *et al.*. (2011) Association of RGS2 variants with panic disorder in a Japanese population. *Am J Med Genet B Neuropsychiatr Genet* **156B**: 430-4 [PMID:21438143]
477. Pak HK, Gil M, Lee Y, Lee H, Lee AN, Roh J and Park CS. (2015) Regulator of G protein signaling 1 suppresses CXCL12-mediated migration and AKT activation in RPMI 8226 human plasmacytoma cells and plasmablasts. *PLoS ONE* **10**: e0124793 [PMID:25897806]
478. Pan L, Yang H, Xu C, Chen S, Meng Z, Li K and Chen H. (2018) ZNF750 inhibited the malignant progression of oral squamous cell carcinoma by regulating tumor vascular microenvironment. *Biomed Pharmacother* **105**: 566-572 [PMID:29890464]
479. Papakonstantinou MP, Karoussiotis C and Georgoussi Z. (2015) RGS2 and RGS4 proteins: New modulators of the κ-opioid receptor signaling. *Cell Signal* **27**: 104-14 [PMID:25289860]
480. Park IK, Klug CA, Li K, Jerabek L, Li L, Nanamori M, Neubig RR, Hood L, Weissman IL and Clarke MF. (2001) Molecular cloning and characterization of a novel regulator of G-protein signaling from mouse hematopoietic stem cells. *J Biol Chem* **276**: 915-23 [PMID:11042171]
481. Park-Windhol C, Zhang P, Zhu M, Su J, Chaves Jr L, Maldonado AE, King ME, Rickey L, Cullen D and Mende U. (2012) Gq/11-mediated signaling and hypertrophy in mice with cardiac-specific transgenic expression of regulator of G-protein signaling 2. *PLoS ONE* **7**: e40048 [PMID:22802950]
482. Pashkov V, Huang J, Parameswara VK, Kedzierski W, Kurrasch DM, Tall GG, Esser V, Gerard RD, Uyeda K and Towle HC *et al.*. (2011) Regulator of G protein signaling (RGS16) inhibits hepatic fatty acid oxidation in a carbohydrate response element-binding protein (ChREBP)-dependent manner. *J Biol Chem* **286**: 15116-25 [PMID:21357625]
483. Patel J, Channon KM and McNeill E. (2013) The downstream regulation of chemokine receptor signalling: implications for atherosclerosis. *Mediators Inflamm* **2013**: 459520 [PMID:23690662]
484. Patel J, Chuaiphichai S, Douglas G, Gorvin CM and Channon KM. (2018) Vascular wall regulator of G-protein signalling-1 (RGS-1) is required for angiotensin II-mediated blood pressure control. *Vascul Pharmacol* **108**: 15-22 [PMID:29654907]

485. Patel J, McNeill E, Douglas G, Hale AB, de Bono J, Lee R, Iqbal AJ, Regan-Komito D, Stylianou E and Greaves DR *et al.*. (2015) RGS1 regulates myeloid cell accumulation in atherosclerosis and aortic aneurysm rupture through altered chemokine signalling. *Nat Commun* **6**: 6614 [PMID:25782711]
486. Patella F and Cutler DF. (2020) RGS4 controls secretion of von Willebrand factor to the subendothelial matrix. *J Cell Sci* **133** [PMID:32576664]
487. Patil DN, Rangarajan ES, Novick SJ, Pascal BD, Kojetin DJ, Griffin PR, Izard T and Martemyanov KA. (2018) Structural organization of a major neuronal G protein regulator, the RGS7-Gβ5-R7BP complex. *Elife* **7**: e42150 [PMID:30540250]
488. Patten M, Krämer E, Bünemann J, Wenck C, Thoenes M, Wieland T and Long C. (2001) Endotoxin and cytokines alter contractile protein expression in cardiac myocytes in vivo. *Pflugers Arch* **442**: 920-7 [PMID:11680626]
489. Patten M, Stübe S, Thoma B and Wieland T. (2003) Interleukin-1β mediates endotoxin- and tumor necrosis factor α-induced RGS16 protein expression in cultured cardiac myocytes. *Naunyn Schmiedebergs Arch Pharmacol* **368**: 360-5 [PMID:14566449]
490. Perschbacher KJ, Deng G, Sandgren JA, Walsh JW, Witcher PC, Sapouckey SA, Owens CE, Zhang SY, Scroggins SM and Pearson NA *et al.*. (2020) Reduced mRNA Expression of RGS2 (Regulator of G Protein Signaling-2) in the Placenta Is Associated With Human Preeclampsia and Sufficient to Cause Features of the Disorder in Mice. *Hypertension* **75**: 569-579 [PMID:31865781]
491. Plaza-Izurieta L, Castellanos-Rubio A, Irastorza I, Fernández-Jimenez N, Gutierrez G, CEGEC and Bilbao JR. (2011) Revisiting genome wide association studies (GWAS) in coeliac disease: replication study in Spanish population and expression analysis of candidate genes. *J Med Genet* **48**: 493-6 [PMID:21490378]
492. Polidarová L, Houdek P and Sumová A. (2017) Chronic disruptions of circadian sleep regulation induce specific proinflammatory responses in the rat colon. *Chronobiol Int* **34**: 1273-1287 [PMID:29039977]
493. Popov SG, Krishna UM, Falck JR and Wilkie TM. (2000) Ca²⁺/Calmodulin reverses phosphatidylinositol 3,4, 5-trisphosphate-dependent inhibition of regulators of G protein-signaling GTPase-activating protein activity. *J Biol Chem* **275**: 18962-8 [PMID:10747990]
494. Posner BA, Gilman AG and Harris BA. (1999) Regulators of G protein signaling 6 and 7. Purification of complexes with gβ5 and assessment of their effects on g protein-mediated signaling pathways. *J Biol Chem* **274**: 31087-93 [PMID:10521509]
495. Posokhova E, Uversky V and Martemyanov KA. (2010) Proteomic identification of Hsc70 as a mediator of RGS9-2 degradation by in vivo interactome analysis. *J Proteome Res* **9**: 1510-21 [PMID:20095651]
496. Posokhova E, Wydeven N, Allen KL, Wickman K and Martemyanov KA. (2010) RGS6/Gβ5 complex accelerates IKACH gating kinetics in atrial myocytes and modulates parasympathetic regulation of heart rate. *Circ Res* **107**: 1350-4 [PMID:20884879]
497. Potocnik U, Glavac D and Ravnik-Glavac M. (2003) Identification of novel genes with somatic frameshift mutations within coding mononucleotide repeats in colorectal tumors with high microsatellite instability. *Genes Chromosomes Cancer* **36**: 48-56 [PMID:12461749]
498. Psifogeorgou K, Papakosta P, Russo SJ, Neve RL, Kardassis D, Gold SJ and Zachariou V. (2007) RGS9-2 is a negative modulator of μ-opioid receptor function. *J Neurochem* **103**: 617-25 [PMID:17725581]
499. Qin M, Huang H, Wang T, Hu H, Liu Y, Cao H, Li H and Huang C. (2012) Absence of Rgs5 prolongs cardiac repolarization and predisposes to ventricular tachyarrhythmia in mice. *J Mol Cell Cardiol* **53**: 880-90 [PMID:23079193]
500. Qin M, Huang H, Wang T, Hu H, Liu Y, Gu Y, Cao H, Li H and Huang C. (2012) Atrial tachyarrhythmia in Rgs5-null mice. *PLoS ONE* **7**: e46856 [PMID:23144791]
501. Qiu R, Murai K and Lu Q. (2020) Spindle Orientation-Independent Control of Cell Fate Determination by RGS3 and KIF20A. *Cereb Cortex Commun* **1**: tgaa003 [PMID:32864611]
502. Qiu R, Wang J, Tsark W and Lu Q. (2010) Essential role of PDZ-RGS3 in the maintenance of neural progenitor cells. *Stem Cells* **28**: 1602-10 [PMID:20629178]
503. Qutob N, Masuho I, Alon M, Emmanuel R, Cohen I, Di Pizio A, Madore J, Elkahouloun A, Ziv T and Levy R *et al.*. (2018) RGS7 is recurrently mutated in melanoma and promotes migration and invasion of human cancer cells. *Sci Rep* **8**: 653 [PMID:29330521]
504. Raab A, Popp S, Lesch KP, Lohse MJ, Fischer M, Deckert J and Hommers L. (2018) Increased fear learning, spatial learning as well as neophobia in Rgs2^{-/-} mice. *Genes Brain Behav* **17**: e12420 [PMID:28846187]
505. Raab RM, Bullen J, Kelleher J, Mantzoros C and Stephanopoulos G. (2005) Regulation of mouse hepatic genes in response to diet induced obesity, insulin resistance and fasting induced weight reduction. *Nutr Metab (Lond.)* **2**: 15 [PMID:15985155]
506. Raedler D, Ballenberger N, Klucker E, Böck A, Otto R, Prazeres da Costa O, Holst O, Illig T, Buch T and von Mutius E *et al.*. (2015) Identification of novel immune phenotypes for allergic and nonallergic childhood asthma. *J Allergy Clin Immunol* **135**: 81-91 [PMID:25226851]

507. Rahman Z, Gold SJ, Potenza MN, Cowan CW, Ni YG, He W, Wensel TG and Nestler EJ. (1999) Cloning and characterization of RGS9-2: a striatal-enriched alternatively spliced product of the RGS9 gene. *J Neurosci* **19**: 2016-26 [PMID:10066255]
508. Rahman Z, Schwarz J, Gold SJ, Zachariou V, Wein MN, Choi KH, Kovoov A, Chen CK, DiLeone RJ and Schwarz SC *et al.*. (2003) RGS9 modulates dopamine signaling in the basal ganglia. *Neuron* **38**: 941-52 [PMID:12818179]
509. Raveh A, Schultz PJ, Aschermann L, Carpenter C, Tamayo-Castillo G, Cao S, Clardy J, Neubig RR, Sherman DH and Sjögren B. (2014) Identification of protein kinase C activation as a novel mechanism for RGS2 protein upregulation through phenotypic screening of natural product extracts. *Mol Pharmacol* **86**: 406-16 [PMID:25086086]
510. Reif K and Cyster JG. (2000) RGS molecule expression in murine B lymphocytes and ability to down-regulate chemotaxis to lymphoid chemokines. *J Immunol* **164**: 4720-9 [PMID:10779778]
511. Rezabkova L, Boura E, Herman P, Vecer J, Bourova L, Sulc M, Svoboda P, Obsilova V and Obsil T. (2010) 14-3-3 protein interacts with and affects the structure of RGS domain of regulator of G protein signaling 3 (RGS3). *J Struct Biol* **170**: 451-61 [PMID:20347994]
512. Richman RW and Diversé-Pierluissi MA. (2004) Mapping of RGS12-Cav2.2 channel interaction. *Meth Enzymol* **390**: 224-39 [PMID:15488181]
513. Richman RW, Strock J, Hains MD, Cabanilla NJ, Lau KK, Siderovski DP and Diversé-Pierluissi M. (2005) RGS12 interacts with the SNARE-binding region of the Cav2.2 calcium channel. *J Biol Chem* **280**: 1521-8 [PMID:15536086]
514. Riddle EL, Rana BK, Murthy KK, Rao F, Eskin E, O'Connor DT and Insel PA. (2006) Polymorphisms and haplotypes of the regulator of G protein signaling-2 gene in normotensives and hypertensives. *Hypertension* **47**: 415-20 [PMID:16432041]
515. Riddle EL, Schwartzman RA, Bond M and Insel PA. (2005) Multi-tasking RGS proteins in the heart: the next therapeutic target? *Circ Res* **96**: 401-11 [PMID:15746448]
516. Riekenberg S, Farhat K, Debarry J, Heine H, Jung G, Wiesmüller KH and Ulmer AJ. (2009) Regulators of G-protein signalling are modulated by bacterial lipopeptides and lipopolysaccharide. *FEBS J* **276**: 649-59 [PMID:19120454]
517. Rodríguez-Muñoz M, de la Torre-Madrid E, Sánchez-Blázquez P, Wang JB and Garzón J. (2008) NMDAR-nNOS generated zinc recruits PKCgamma to the HINT1-RGS17 complex bound to the C terminus of Mu-opioid receptors. *Cell Signal* **20**: 1855-64 [PMID:18652891]
518. Rodríguez-Muñoz M, Sánchez-Blázquez P, Herrero-Labrador R, Martínez-Murillo R, Merlos M, Vela JM and Garzón J. (2015) The $\sigma 1$ receptor engages the redox-regulated HINT1 protein to bring opioid analgesia under NMDA receptor negative control. *Antioxid Redox Signal* **22**: 799-818 [PMID:25557043]
519. Roh J, Shin SJ, Lee AN, Yoon DH, Suh C, Park CJ, Huh J and Park CS. (2017) RGS1 expression is associated with poor prognosis in multiple myeloma. *J Clin Pathol* **70**: 202-207 [PMID:27445341]
520. Rolland T, Taşan M, Charloteaux B, Pevzner SJ, Zhong Q, Sahni N, Yi S, Lemmens I, Fontanillo C and Mosca R *et al.*. (2014) A proteome-scale map of the human interactome network. *Cell* **159**: 1212-26 [PMID:25416956]
521. Roman DL, Blazer LL, Monroy CA and Neubig RR. (2010) Allosteric inhibition of the regulator of G protein signaling-Galpha protein-protein interaction by CCG-4986. *Mol Pharmacol* **78**: 360-5 [PMID:20530129]
522. Roman DL, Talbot JN, Roof RA, Sunahara RK, Traynor JR and Neubig RR. (2007) Identification of small-molecule inhibitors of RGS4 using a high-throughput flow cytometry protein interaction assay. *Mol Pharmacol* **71**: 169-75 [PMID:17012620]
523. Romanos J, Barisani D, Trynka G, Zhernakova A, Bardella MT and Wijmenga C. (2009) Six new coeliac disease loci replicated in an Italian population confirm association with coeliac disease. *J Med Genet* **46**: 60-3 [PMID:18805825]
524. Roof RA, Jin Y, Roman DL, Sunahara RK, Ishii M, Mosberg HI and Neubig RR. (2006) Mechanism of action and structural requirements of constrained peptide inhibitors of RGS proteins. *Chem Biol Drug Des* **67**: 266-74 [PMID:16629824]
525. Roof RA, Roman DL, Clements ST, Sobczyk-Kojiro K, Blazer LL, Ota S, Mosberg HI and Neubig RR. (2009) A covalent peptide inhibitor of RGS4 identified in a focused one-bead, one compound library screen. *BMC Pharmacol* **9**: 9 [PMID:19463173]
526. Rorabaugh BR, Chakravarti B, Mabe NW, Seeley SL, Bui AD, Yang J, Watts SW, Neubig RR and Fisher RA. (2017) Regulator of G Protein Signaling 6 Protects the Heart from Ischemic Injury. *J Pharmacol Exp Ther* **360**: 409-416 [PMID:28035008]
527. Rorabaugh BR, Rose MJ, Stoops TS, Stevens AA, Seeley SL and D'Souza MS. (2018) Regulators of G-protein signaling 2 and 4 differentially regulate cocaine-induced rewarding effects. *Physiol Behav* **195**: 9-19 [PMID:30036561]
528. Rorabaugh BR, Sprague L, Norman H, Seeley SL and D'Souza MS. (2018) Regulator of G protein signaling 2 differentially regulates nicotine-induced anxiolytic- and antidepressant-like effects in mice. *Eur J Neurosci* **48**: 2110-2117 [PMID:30103281]

529. Rose JJ, Taylor JB, Shi J, Cockett MI, Jones PG and Hepler JR. (2000) RGS7 is palmitoylated and exists as biochemically distinct forms. *J Neurochem* **75**: 2103-12 [PMID:11032900]
530. Ross EM and Wilkie TM. (2000) GTPase-activating proteins for heterotrimeric G proteins: regulators of G protein signaling (RGS) and RGS-like proteins. *Annu Rev Biochem* **69**: 795-827 [PMID:10966476]
531. Roth M, Gaceb A, Enström A, Padel T, Genové G, Özen I and Paul G. (2019) Regulator of G-protein signaling 5 regulates the shift from perivascular to parenchymal pericytes in the chronic phase after stroke. *FASEB J* **33**: 8990-8998 [PMID:31039042]
532. Roy AA, Baragli A, Bernstein LS, Hepler JR, Hébert TE and Chidiac P. (2006) RGS2 interacts with Gs and adenylyl cyclase in living cells. *Cell Signal* **18**: 336-48 [PMID:16095880]
533. Roy AA, Nunn C, Ming H, Zou MX, Penninger J, Kirshenbaum LA, Dixon SJ and Chidiac P. (2006) Up-regulation of endogenous RGS2 mediates cross-desensitization between Gs and Gq signaling in osteoblasts. *J Biol Chem* **281**: 32684-93 [PMID:16950788]
534. Ruiz de Azua I, Scarselli M, Rosemond E, Gautam D, Jou W, Gavrilova O, Ebert PJ, Levitt P and Wess J. (2010) RGS4 is a negative regulator of insulin release from pancreatic beta-cells in vitro and in vivo. *Proc Natl Acad Sci USA* **107**: 7999-8004 [PMID:20385802]
535. Sae-Lee C, Moolsuwan K, Chan L and Pongvarin N. (2016) ChREBP Regulates Itself and Metabolic Genes Implicated in Lipid Accumulation in β -Cell Line. *PLoS One* **11**: e0147411 [PMID:26808438]
536. Saitoh O, Kubo Y, Miyatani Y, Asano T and Nakata H. (1997) RGS8 accelerates G-protein-mediated modulation of K⁺ currents. *Nature* **390**: 525-9 [PMID:9394004]
537. Saitoh O, Kubo Y, Odagiri M, Ichikawa M, Yamagata K and Sekine T. (1999) RGS7 and RGS8 differentially accelerate G protein-mediated modulation of K⁺ currents. *J Biol Chem* **274**: 9899-904 [PMID:10092682]
538. Saitoh O, Masuho I, Itoh M, Abe H, Komori K and Odagiri M. (2003) Distribution of regulator of G protein signaling 8 (RGS8) protein in the cerebellum. *Cerebellum* **2**: 154-60 [PMID:12880183]
539. Saitoh O, Masuho I, Terakawa I, Nomoto S, Asano T and Kubo Y. (2001) Regulator of G protein signaling 8 (RGS8) requires its NH2 terminus for subcellular localization and acute desensitization of G protein-gated K⁺ channels. *J Biol Chem* **276**: 5052-8 [PMID:11087736]
540. Saitoh O, Murata Y, Odagiri M, Itoh M, Itoh H, Misaka T and Kubo Y. (2002) Alternative splicing of RGS8 gene determines inhibitory function of receptor type-specific Gq signaling. *Proc Natl Acad Sci USA* **99**: 10138-43 [PMID:12110731]
541. Saitoh O and Odagiri M. (2003) RGS8 expression in developing cerebellar Purkinje cells. *Biochem Biophys Res Commun* **309**: 836-42 [PMID:13679049]
542. Saitoh O and Yoshihiro K. (2004) Biochemical and electrophysiological analyses of RGS8 function. *Meth Enzymol* **390**: 129-48 [PMID:15488175]
543. Sakaguchi T, Yoshino H, Sugita S, Miyamoto K, Yonemori M, Osako Y, Meguro-Horike M, Horike SI, Nakagawa M and Enokida H. (2018) Bromodomain protein BRD4 inhibitor JQ1 regulates potential prognostic molecules in advanced renal cell carcinoma. *Oncotarget* **9**: 23003-23017 [PMID:29796168]
544. Saleem Y and Kim KS. (2009) RGS11 interacts preferentially with R7BP over Galpha(oa)--characterization of Gbeta5-free RGS11. *Biochem Biophys Res Commun* **386**: 65-70 [PMID:19497306]
545. Salem-Mansour D, Asli A, Avital-Shacham M and Kosloff M. (2018) Structural motifs in the RGS RZ subfamily combine to attenuate interactions with G α subunits. *Biochem Biophys Res Commun* **503**: 2736-2741 [PMID:30111488]
546. Salim S, Sinnarajah S, Kehrl JH and Dessauer CW. (2003) Identification of RGS2 and type V adenylyl cyclase interaction sites. *J Biol Chem* **278**: 15842-9 [PMID:12604604]
547. Sambhi BS, Hains MD, Waters CM, Connell MC, Willard FS, Kimple AJ, Pyne S, Siderovski DP and Pyne NJ. (2006) The effect of RGS12 on PDGFbeta receptor signalling to p42/p44 mitogen activated protein kinase in mammalian cells. *Cell Signal* **18**: 971-81 [PMID:16214305]
548. Sandiford SL and Slepak VZ. (2009) The Gbeta5-RGS7 complex selectively inhibits muscarinic M3 receptor signaling via the interaction between the third intracellular loop of the receptor and the DEP domain of RGS7. *Biochemistry* **48**: 2282-9 [PMID:19182865]
549. Sangphech N, Osborne BA and Palaga T. (2014) Notch signaling regulates the phosphorylation of Akt and survival of lipopolysaccharide-activated macrophages via regulator of G protein signaling 19 (RGS19). *Immunobiology* **219**: 653-60 [PMID:24775271]
550. Sarria I, Orlandi C, McCall MA, Gregg RG and Martemyanov KA. (2016) Intermolecular Interaction between Anchoring Subunits Specify Subcellular Targeting and Function of RGS Proteins in Retina ON-Bipolar Neurons. *J Neurosci* **36**: 2915-25 [PMID:26961947]
551. Sato J, Kimura T, Saito T, Anazawa T, Kenjo A, Sato Y, Tsuchiya T and Gotoh M. (2011) Gene expression analysis for predicting gemcitabine resistance in human cholangiocarcinoma. *J Hepatobiliary Pancreat Sci* **18**: 700-11 [PMID:21451941]
552. Scacheri PC, Crabtree JS, Novotny EA, Garrett-Beal L, Chen A, Edgemon KA, Marx SJ, Spiegel AM, Chandrasekharappa SC and Collins FS. (2001) Bidirectional transcriptional activity of PGK-

- neomycin and unexpected embryonic lethality in heterozygote chimeric knockout mice. *Genesis* **30**: 259-63 [PMID:11536432]
553. Scheschonka A, Dessauer CW, Sinnarajah S, Chidiac P, Shi CS and Kehrl JH. (2000) RGS3 is a GTPase-activating protein for g(ialpha) and g(qalpha) and a potent inhibitor of signaling by GTPase-deficient forms of g(qalpha) and g(11alpha). *Mol Pharmacol* **58**: 719-28 [PMID:10999941]
 554. Schiff ML, Siderovski DP, Jordan JD, Brothers G, Snow B, De Vries L, Ortiz DF and Diversé-Pierluissi M. (2000) Tyrosine-kinase-dependent recruitment of RGS12 to the N-type calcium channel. *Nature* **408**: 723-7 [PMID:11130074]
 555. Schoeber JP, Topala CN, Wang X, Diepens RJ, Lambers TT, Hoenderop JG and Bindels RJ. (2006) RGS2 inhibits the epithelial Ca²⁺ channel TRPV6. *J Biol Chem* **281**: 29669-74 [PMID:16895908]
 556. Schroer AB, Gross JD, Kaski SW, Wix K, Siderovski DP, Vandenbeuch A and Setola V. (2018) Development of Full Sweet, Umami, and Bitter Taste Responsiveness Requires Regulator of G protein Signaling-21 (RGS21). *Chem Senses* **43**: 367-378 [PMID:29701767]
 557. Schroer AB, Mohamed JS, Willard MD, Setola V, Oestreich E and Siderovski DP. (2019) A role for Regulator of G protein Signaling-12 (RGS12) in the balance between myoblast proliferation and differentiation. *PLoS One* **14**: e0216167 [PMID:31408461]
 558. Segers I, Adriaenssens T and Smits J. (2012) Expression patterns of poliovirus receptor, erythrocyte protein band 4.1-like 3, regulator of g-protein signaling 11, and oxytocin receptor in mouse ovarian cells during follicle growth and early luteinization in vitro and in vivo. *Biol Reprod* **86**: 1-11 [PMID:21957189]
 559. Seki N, Hattori A, Hayashi A, Kozuma S, Hori T and Saito T. (1999) The human regulator of G-protein signaling protein 6 gene (RGS6) maps between markers WI-5202 and D14S277 on chromosome 14q24.3. *J Hum Genet* **44**: 138-40 [PMID:10083744]
 560. Seki N, Sugano S, Suzuki Y, Nakagawara A, Ohira M, Muramatsu M, Saito T and Hori T. (1998) Isolation, tissue expression, and chromosomal assignment of human RGS5, a novel G-protein signaling regulator gene. *J Hum Genet* **43**: 202-5 [PMID:9747037]
 561. Semplicini A, Lenzini L, Sartori M, Papparella I, Calò LA, Pagnin E, Strapazzon G, Benna C, Costa R and Avogaro A *et al.*. (2006) Reduced expression of regulator of G-protein signaling 2 (RGS2) in hypertensive patients increases calcium mobilization and ERK1/2 phosphorylation induced by angiotensin II. *J Hypertens* **24**: 1115-24 [PMID:16685212]
 562. Sengupta A, Upadhyay G, Sen S and Saleque S. (2016) Reciprocal regulation of alternative lineages by Rgs18 and its transcriptional repressor Gfi1b. *J Cell Sci* **129**: 145-54 [PMID:26567214]
 563. Sengupta M, Wang BD, Lee NH, Marx A, Kusner LL and Kaminski HJ. (2018) MicroRNA and mRNA expression associated with ectopic germinal centers in thymus of myasthenia gravis. *PLoS One* **13**: e0205464 [PMID:30308012]
 564. Seno K, Kishigami A, Ihara S, Maeda T, Bondarenko VA, Nishizawa Y, Usukura J, Yamazaki A and Hayashi F. (1998) A possible role of RGS9 in phototransduction. A bridge between the cGMP-phosphodiesterase system and the guanylyl cyclase system. *J Biol Chem* **273**: 22169-72 [PMID:9712827]
 565. Sethakorn N and Dulin NO. (2013) RGS expression in cancer: oncoming the cancer microarray data. *J Recept Signal Transduct Res* **33**: 166-71 [PMID:23464602]
 566. Sharma A, Liu X, Hadley D, Hagopian W, Liu E, Chen WM, Onengut-Gumuscu S, Simell V, Rewers M and Ziegler AG *et al.*. (2016) Identification of Non-HLA Genes Associated with Celiac Disease and Country-Specific Differences in a Large, International Pediatric Cohort. *PLoS One* **11**: e0152476 [PMID:27015091]
 567. Shaw VS, Mohammadi M, Quinn JA, Vashisth H and Neubig RR. (2019) An Interhelical Salt Bridge Controls Flexibility and Inhibitor Potency for Regulators of G-protein Signaling Proteins 4, 8, and 19. *Mol Pharmacol* **96**: 683-691 [PMID:31543506]
 568. Shaw VS, Mohammadiarani H, Vashisth H and Neubig RR. (2018) Differential Protein Dynamics of Regulators of G-Protein Signaling: Role in Specificity of Small-Molecule Inhibitors. *J Am Chem Soc* **140**: 3454-3460 [PMID:29460621]
 569. Shen M, Sun H, Qu L, Ma M, Dou T, Lu J, Guo J, Hu Y, Wang X and Li Y *et al.*. (2017) Genetic Architecture and Candidate Genes Identified for Follicle Number in Chicken. *Sci Rep* **7**: 16412 [PMID:29180824]
 570. Shendre A, Wiener HW, Irvin MR, Aouizerat BE, Overton ET, Lazar J, Liu C, Hodis HN, Limdi NA and Weber KM *et al.*. (2017) Genome-wide admixture and association study of subclinical atherosclerosis in the Women's Interagency HIV Study (WIHS). *PLoS One* **12**: e0188725 [PMID:29206233]
 571. Shi CS, Huang NN and Kehrl JH. (2012) Regulator of G-protein signaling 3 isoform 1 (PDZ-RGS3) enhances canonical Wnt signaling and promotes epithelial mesenchymal transition. *J Biol Chem* **287**: 33480-7 [PMID:22859293]
 572. Shi GX, Harrison K, Han SB, Moratz C and Kehrl JH. (2004) Toll-like receptor signaling alters the expression of regulator of G protein signaling proteins in dendritic cells: implications for G

- protein-coupled receptor signaling. *J Immunol* **172**: 5175-84 [PMID:15100254]
573. Shi GX, Harrison K, Wilson GL, Moratz C and Kehrl JH. (2002) RGS13 regulates germinal center B lymphocytes responsiveness to CXC chemokine ligand (CXCL)12 and CXCL13. *J Immunol* **169**: 2507-15 [PMID:12193720]
 574. Shim H, Wang CT, Chen YL, Chau VQ, Fu KG, Yang J, McQuiston AR, Fisher RA and Chen CK. (2012) Defective retinal depolarizing bipolar cells in regulators of G protein signaling (RGS) 7 and 11 double null mice. *J Biol Chem* **287**: 14873-9 [PMID:22371490]
 575. Shioga T, Kondo R, Ogasawara S, Akiba J, Mizuochi S, Kusano H, Mihara Y, Tanigawa M, Kinjyo Y and Naito Y *et al.*. (2020) Usefulness of Tumor Tissue Biopsy for Predicting the Biological Behavior of Hepatocellular Carcinoma. *Anticancer Res* **40**: 4105-4113 [PMID:32620659]
 576. Shu FJ, Ramineni S, Amyot W and Hepler JR. (2007) Selective interactions between Gi alpha1 and Gi alpha3 and the GoLoco/GPR domain of RGS14 influence its dynamic subcellular localization. *Cell Signal* **19**: 163-76 [PMID:16870394]
 577. Shu FJ, Ramineni S and Hepler JR. (2010) RGS14 is a multifunctional scaffold that integrates G protein and Ras/Raf MAPkinase signalling pathways. *Cell Signal* **22**: 366-76 [PMID:19878719]
 578. Sibbel SP, Talbert ME, Bowden DW, Haffner SM, Taylor KD, Chen YD, Wagenknecht LE, Langefeld CD and Norris JM. (2011) RGS6 variants are associated with dietary fat intake in Hispanics: the IRAS Family Study. *Obesity (Silver Spring)* **19**: 1433-8 [PMID:21233807]
 579. Siderovski DP and Willard FS. (2005) The GAPs, GEFs, and GDIs of heterotrimeric G-protein alpha subunits. *Int J Biol Sci* **1**: 51-66 [PMID:15951850]
 580. Siedlecki A, Anderson JR, Jin X, Garbow JR, Lupu TS and Muslin AJ. (2010) RGS4 controls renal blood flow and inhibits cyclosporine-mediated nephrotoxicity. *Am J Transplant* **10**: 231-41 [PMID:19958325]
 581. Sieng M, Hayes MP, O'Brien JB, Andrew Fowler C, Houtman JC, Roman DL and Lyon AM. (2019) High-resolution structure of RGS17 suggests a role for Ca²⁺ in promoting the GTPase-activating protein activity by RZ subfamily members. *J Biol Chem* **294**: 8148-8160 [PMID:30940727]
 582. Sierra DA, Gilbert DJ, Householder D, Grishin NV, Yu K, Ukidwe P, Barker SA, He W, Wensel TG and Otero G *et al.*. (2002) Evolution of the regulators of G-protein signaling multigene family in mouse and human. *Genomics* **79**: 177-85 [PMID:11829488]
 583. Silini A, Ghilardi C, Figini S, Sangalli F, Fruscio R, Dahse R, Pedley RB, Giavazzi R and Bani M. (2012) Regulator of G-protein signaling 5 (RGS5) protein: a novel marker of cancer vasculature elicited and sustained by the tumor's proangiogenic microenvironment. *Cell Mol Life Sci* **69**: 1167-78 [PMID:22130514]
 584. Sjögren B. (2011) Regulator of G protein signaling proteins as drug targets: current state and future possibilities. *Adv Pharmacol* **62**: 315-47 [PMID:21907914]
 585. Sjögren B, Blazer LL and Neubig RR. (2010) Regulators of G protein signaling proteins as targets for drug discovery. *Prog Mol Biol Transl Sci* **91**: 81-119 [PMID:20691960]
 586. Sjögren B, Parra S, Atkins KB, Karaj B and Neubig RR. (2016) Digoxin-Mediated Upregulation of RGS2 Protein Protects against Cardiac Injury. *J Pharmacol Exp Ther* **357**: 311-9 [PMID:26941169]
 587. Sjögren B, Parra S, Heath LJ, Atkins KB, Xie ZJ and Neubig RR. (2012) Cardiotonic steroids stabilize regulator of G protein signaling 2 protein levels. *Mol Pharmacol* **82**: 500-9 [PMID:22695717]
 588. Sjögren B, Swaney S and Neubig RR. (2015) FBXO44-Mediated Degradation of RGS2 Protein Uniquely Depends on a Cullin 4B/DDB1 Complex. *PLoS One* **10**: e0123581 [PMID:25970626]
 589. Skarnes WC, Rosen B, West AP, Koutsourakis M, Bushell W, Iyer V, Mujica AO, Thomas M, Harrow J and Cox T *et al.*. (2011) A conditional knockout resource for the genome-wide study of mouse gene function. *Nature* **474**: 337-42 [PMID:21677750]
 590. Sladojevic N, Yu B and Liao JK. (2020) Regulator of G-Protein Signaling 5 Maintains Brain Endothelial Cell Function in Focal Cerebral Ischemia. *J Am Heart Assoc* **9**: e017533 [PMID:32875943]
 591. Slep KC, Kercher MA, Wieland T, Chen CK, Simon MI and Sigler PB. (2008) Molecular architecture of Galphao and the structural basis for RGS16-mediated deactivation. *Proc Natl Acad Sci USA* **105**: 6243-8 [PMID:18434540]
 592. Slepak VZ. (2009) Structure, function, and localization of Gβ5-RGS complexes. *Prog Mol Biol Transl Sci* **86**: 157-203 [PMID:20374716]
 593. Smoller JW, Paulus MP, Fagerness JA, Purcell S, Yamaki LH, Hirshfeld-Becker D, Biederman J, Rosenbaum JF, Gelernter J and Stein MB. (2008) Influence of RGS2 on anxiety-related temperament, personality, and brain function. *Arch Gen Psychiatry* **65**: 298-308 [PMID:18316676]
 594. Smyth DJ, Plagnol V, Walker NM, Cooper JD, Downes K, Yang JH, Howson JM, Stevens H, McManus R and Wijmenga C *et al.*. (2008) Shared and distinct genetic variants in type 1 diabetes and celiac disease. *N Engl J Med* **359**: 2767-77 [PMID:19073967]
 595. Snow BE, Antonio L, Suggs S, Gutstein HB and Siderovski DP. (1997) Molecular cloning and expression analysis of rat Rgs12 and Rgs14. *Biochem Biophys Res Commun* **233**: 770-7

[PMID:9168931]

596. Snow BE, Antonio L, Suggs S and Siderovski DP. (1998) Cloning of a retinally abundant regulator of G-protein signaling (RGS-r/RGS16): genomic structure and chromosomal localization of the human gene. *Gene* **206**: 247-53 [PMID:9469939]
597. Snow BE, Brothers GM and Siderovski DP. (2002) Molecular cloning of regulators of G-protein signaling family members and characterization of binding specificity of RGS12 PDZ domain. *Meth Enzymol* **344**: 740-61 [PMID:11771424]
598. Snow BE, Hall RA, Krumins AM, Brothers GM, Bouchard D, Brothers CA, Chung S, Mangion J, Gilman AG and Lefkowitz RJ *et al.*. (1998) GTPase activating specificity of RGS12 and binding specificity of an alternatively spliced PDZ (PSD-95/Dlg/ZO-1) domain. *J Biol Chem* **273**: 17749-55 [PMID:9651375]
599. Snow BE, Krumins AM, Brothers GM, Lee SF, Wall MA, Chung S, Mangion J, Arya S, Gilman AG and Siderovski DP. (1998) A G protein gamma subunit-like domain shared between RGS11 and other RGS proteins specifies binding to Gbeta5 subunits. *Proc Natl Acad Sci USA* **95**: 13307-12 [PMID:9789084]
600. Sohn WJ, Ji YR, Kim HS, Gwon GJ, Chae YM, An CH, Park HD, Jung HS, Ryoo ZY and Lee S *et al.*. (2012) Rgs19 regulates mouse palatal fusion by modulating cell proliferation and apoptosis in the MEE. *Mech Dev* **129**: 244-54 [PMID:22841956]
601. Sokolov E, Iannitti DA, Schrum LW and McKillop IH. (2011) Altered expression and function of regulator of G-protein signaling-17 (RGS17) in hepatocellular carcinoma. *Cell Signal* **23**: 1603-10 [PMID:21620966]
602. Song C, Anderson GR, Sutton LP, Dao M and Martemyanov KA. (2018) Selective Role of RGS9-2 in Regulating Retrograde Synaptic Signaling of Indirect Pathway Medium Spiny Neurons in Dorsal Striatum. *J Neurosci* **38**: 7120-7131 [PMID:30006367]
603. Song C, Orlandi C, Sutton LP and Martemyanov KA. (2019) The signaling proteins GPR158 and RGS7 modulate excitability of L2/3 pyramidal neurons and control A-type potassium channel in the prelimbic cortex. *J Biol Chem* **294**: 13145-13157 [PMID:31311860]
604. Song D, Nishiyama M and Kimura S. (2016) Potent inhibition of angiotensin AT1 receptor signaling by RGS8: importance of the C-terminal third exon part of its RGS domain. *J Recept Signal Transduct Res* **36**: 478-87 [PMID:26754208]
605. Song JH, Song H, Wensel TG, Sokolov M and Martemyanov KA. (2007) Localization and differential interaction of R7 RGS proteins with their membrane anchors R7BP and R9AP in neurons of vertebrate retina. *Mol Cell Neurosci* **35**: 311-9 [PMID:17442586]
606. Song KS, Choi YH, Kim JM, Lee H, Lee TJ and Yoon JH. (2009) Suppression of prostaglandin E2-induced MUC5AC overproduction by RGS4 in the airway. *Am J Physiol Lung Cell Mol Physiol* **296**: L684-92 [PMID:19201815]
607. Sood R, Bonner TI, Makalowska I, Stephan DA, Robbins CM, Connors TD, Morgenbesser SD, Su K, Faruque MU and Pinkett H *et al.*. (2001) Cloning and characterization of 13 novel transcripts and the human RGS8 gene from the 1q25 region encompassing the hereditary prostate cancer (HPC1) locus. *Genomics* **73**: 211-22 [PMID:11318611]
608. Soundararajan M, Willard FS, Kimple AJ, Turnbull AP, Ball LJ, Schoch GA, Gileadi C, Fedorov OY, Dowler EF and Higman VA *et al.*. (2008) Structural diversity in the RGS domain and its interaction with heterotrimeric G protein alpha-subunits. *Proc Natl Acad Sci USA* **105**: 6457-62 [PMID:18434541]
609. Squires KE, Gerber KJ, Pare JF, Branch MR, Smith Y and Hepler JR. (2018) Regulator of G protein signaling 14 (RGS14) is expressed pre- and postsynaptically in neurons of hippocampus, basal ganglia, and amygdala of monkey and human brain. *Brain Struct Funct* **223**: 233-253 [PMID:28776200]
610. Squires KE, Gerber KJ, Tillman MC, Lustberg DJ, Montañez-Miranda C, Zhao M, Ramineni S, Scharer CD, Shu F-j and Schroeder JP *et al.*. (2020) Human genetic variants disrupt RGS14 nuclear shuttling and regulation of LTP in hippocampal neurons *bioRxiv*
611. Stes E, Laga M, Walton A, Samyn N, Timmerman E, De Smet I, Goormachtig S and Gevaert K. (2014) A COFRADIC protocol to study protein ubiquitination. *J Proteome Res* **13**: 3107-13 [PMID:24816145]
612. Stewart A, Maity B, Anderegge SP, Allamargot C, Yang J and Fisher RA. (2015) Regulator of G protein signaling 6 is a critical mediator of both reward-related behavioral and pathological responses to alcohol. *Proc Natl Acad Sci USA* **112**: E786-95 [PMID:25646431]
613. Stewart A, Maity B, Wunsch AM, Meng F, Wu Q, Wemmie JA and Fisher RA. (2014) Regulator of G-protein signaling 6 (RGS6) promotes anxiety and depression by attenuating serotonin-mediated activation of the 5-HT(1A) receptor-adenylyl cyclase axis. *FASEB J* **28**: 1735-44 [PMID:24421401]
614. Stiles JM, Rowntree RK, Amaya C, Diaz D, Kokta V, Mitchell DC and Bryan BA. (2013) Gene expression analysis reveals marked differences in the transcriptome of infantile hemangioma endothelial cells compared to normal dermal microvascular endothelial cells. *Vasc Cell* **5**: 6 [PMID:23531100]
615. Storaska AJ, Mei JP, Wu M, Li M, Wade SM, Blazer LL, Sjögren B, Hopkins CR, Lindsley CW and

- Lin Z *et al.* (2013) Reversible inhibitors of regulators of G-protein signaling identified in a high-throughput cell-based calcium signaling assay. *Cell Signal* **25**: 2848-55 [PMID:24041654]
616. Strausberg RL, Feingold EA, Grouse LH, Derge JG, Klausner RD, Collins FS, Wagner L, Shenmen CM, Schuler GD and Altschul SF *et al.* (2002) Generation and initial analysis of more than 15,000 full-length human and mouse cDNA sequences. *Proc Natl Acad Sci USA* **99**: 16899-903 [PMID:12477932]
 617. Stuebe S, Wieland T, Kraemer E, Stritzky Av, Schroeder D, Seekamp S, Vogt A, Chen CK and Patten M. (2008) Sphingosine-1-phosphate and endothelin-1 induce the expression of rgs16 protein in cardiac myocytes by transcriptional activation of the rgs16 gene. *Naunyn Schmiedebergs Arch Pharmacol* **376**: 363-73 [PMID:18046543]
 618. Su S and Shahriyari L. (2020) RGS5 plays a significant role in renal cell carcinoma. *R Soc Open Sci* **7**: 191422 [PMID:32431860]
 619. Su Z, Xu P and Ni F. (2004) Single phosphorylation of Tyr304 in the cytoplasmic tail of ephrin B2 confers high-affinity and bifunctional binding to both the SH2 domain of Grb4 and the PDZ domain of the PDZ-RGS3 protein. *Eur J Biochem* **271**: 1725-36 [PMID:15096211]
 620. Sullivan BM, Harrison-Lavoie KJ, Marshansky V, Lin HY, Kehrl JH, Ausiello DA, Brown D and Druey KM. (2000) RGS4 and RGS2 bind coatmer and inhibit COPI association with Golgi membranes and intracellular transport. *Mol Biol Cell* **11**: 3155-68 [PMID:10982407]
 621. Sun H, Calipari ES, Beveridge TJ, Jones SR and Chen R. (2015) The brain gene expression profile of dopamine D2/D3 receptors and associated signaling proteins following amphetamine self-administration. *Neuroscience* **307**: 253-61 [PMID:26321241]
 622. Sun MY, Wang Y, Zhu J, Lv C, Wu K, Wang XW and Xue CY. (2018) Critical role for non-GAP function of Gas in RGS1-mediated promotion of melanoma progression through AKT and ERK phosphorylation. *Oncol Rep* **39**: 2673-2680 [PMID:29620236]
 623. Sun X, Hou T, Cheung E, Iu TN, Tam VW, Chu IM, Tsang MS, Chan PK, Lam CW and Wong CK. (2020) Anti-inflammatory mechanisms of the novel cytokine interleukin-38 in allergic asthma. *Cell Mol Immunol* **17**: 631-646 [PMID:31645649]
 624. Sun Y, Fang R, Li C, Li L, Li F, Ye X and Chen H. (2010) Hsa-mir-182 suppresses lung tumorigenesis through down regulation of RGS17 expression in vitro. *Biochem Biophys Res Commun* **396**: 501-7 [PMID:20420807]
 625. Suurväli J, Pahtma M, Saar R, Paalme V, Nutt A, Tiivel T, Saaremäe M, Fitting C, Cavaillon JM and Rüütel Boudinot S. (2015) RGS16 restricts the pro-inflammatory response of monocytes. *Scand J Immunol* **81**: 23-30 [PMID:25366993]
 626. Sánchez-Blázquez P, Rodríguez-Muñoz M, Bailón C and Garzón J. (2012) GPCRs promote the release of zinc ions mediated by nNOS/NO and the redox transducer RGSZ2 protein. *Antioxid Redox Signal* **17**: 1163-77 [PMID:22563771]
 627. Takeishi Y, Jalili T, Hoit BD, Kirkpatrick DL, Wagoner LE, Abraham WT and Walsh RA. (2000) Alterations in Ca²⁺ cycling proteins and G alpha q signaling after left ventricular assist device support in failing human hearts. *Cardiovasc Res* **45**: 883-8 [PMID:10728414]
 628. Takeuchi T, Inoue S and Yokosawa H. (2006) Identification and Herc5-mediated ISGylation of novel target proteins. *Biochem Biophys Res Commun* **348**: 473-7 [PMID:16884686]
 629. Talele S, Gonzalez S, Trudeau J, Junaid A, Loy CA, Altman RA and Sjögren B. (2024) A Phenotypic High-Throughput Screen Identifies Small Molecule Modulators of Endogenous RGS10 in BV-2 Cells. *J Med Chem* **67**: 20343-20352 [PMID:39547663]
 630. Tamirisa P, Blumer KJ and Muslin AJ. (1999) RGS4 inhibits G-protein signaling in cardiomyocytes. *Circulation* **99**: 441-7 [PMID:9918533]
 631. Tang KM, Wang GR, Lu P, Karas RH, Aronovitz M, Heximer SP, Kaltenbronn KM, Blumer KJ, Siderovski DP and Zhu Y *et al.* (2003) Regulator of G-protein signaling-2 mediates vascular smooth muscle relaxation and blood pressure. *Nat Med* **9**: 1506-12 [PMID:14608379]
 632. Taylor VG, Bommarito PA and Tesmer JJ. (2016) Structure of the Regulator of G Protein Signaling 8 (RGS8)-Gαq Complex: MOLECULAR BASIS FOR Gα SELECTIVITY. *J Biol Chem* **291**: 5138-45 [PMID:26755720]
 633. Terzi D, Gaspari S, Manouras L, Descalzi G, Mitsi V and Zachariou V. (2014) RGS9-2 modulates sensory and mood related symptoms of neuropathic pain. *Neurobiol Learn Mem* **115**: 43-8 [PMID:25150149]
 634. Thomas EA, Danielson PE and Sutcliffe JG. (1998) RGS9: a regulator of G-protein signalling with specific expression in rat and mouse striatum. *J Neurosci Res* **52**: 118-24 [PMID:9556034]
 635. Tran T, Paz P, Velichko S, Cifrese J, Belur P, Yamaguchi KD, Ku K, Mirshahpanah P, Reder AT and Croze E. (2010) Interferon-β-1b Induces the Expression of RGS1 a Negative Regulator of G-Protein Signaling. *Int J Cell Biol* **2010**: 529376 [PMID:21274427]
 636. Traver S, Bidot C, Spassky N, Baltauss T, De Tand MF, Thomas JL, Zalc B, Janoueix-Lerosey I and Gunzburg JD. (2000) RGS14 is a novel Rap effector that preferentially regulates the GTPase activity of galphao. *Biochem J* **350 Pt 1**: 19-29 [PMID:10926822]
 637. Traver S, Splingard A, Gaudriault G and De Gunzburg J. (2004) The RGS (regulator of G-protein signalling) and GoLoco domains of RGS14 co-operate to regulate Gi-mediated signalling.

- Biochem J* **379**: 627-32 [PMID:15112653]
638. Tso PH, Wang Y, Wong SY, Poon LS, Chan AS and Wong YH. (2010) RGS19 enhances cell proliferation through its C-terminal PDZ motif. *Cell Signal* **22**: 1700-7 [PMID:20599498]
 639. Tso PH, Wang Y, Yung LY, Tong Y, Lee MM and Wong YH. (2013) RGS19 inhibits Ras signaling through Nm23H1/2-mediated phosphorylation of the kinase suppressor of Ras. *Cell Signal* **25**: 1064-74 [PMID:23416464]
 640. Tso PH, Yung LY, Wang Y and Wong YH. (2011) RGS19 stimulates cell proliferation by deregulating cell cycle control and enhancing Akt signaling. *Cancer Lett* **309**: 199-208 [PMID:21705135]
 641. Tu Y, Popov S, Slaughter C and Ross EM. (1999) Palmitoylation of a conserved cysteine in the regulator of G protein signaling (RGS) domain modulates the GTPase-activating activity of RGS4 and RGS10. *J Biol Chem* **274**: 38260-7 [PMID:10608901]
 642. Tuggle K, Ali MW, Salazar H and Hooks SB. (2014) Regulator of G protein signaling transcript expression in human neural progenitor differentiation: R7 subfamily regulation by DNA methylation. *Neurosignals* **22**: 43-51 [PMID:24903911]
 643. Tuomi JM, Chidiac P and Jones DL. (2010) Evidence for enhanced M3 muscarinic receptor function and sensitivity to atrial arrhythmia in the RGS2-deficient mouse. *Am J Physiol Heart Circ Physiol* **298**: H554-61 [PMID:19966055]
 644. Turner EM, Blazer LL, Neubig RR and Husbands SM. (2012) Small Molecule Inhibitors of Regulator of G Protein Signalling (RGS) Proteins. *ACS Med Chem Lett* **3**: 146-150 [PMID:22368763]
 645. Ueda HR, Chen W, Adachi A, Wakamatsu H, Hayashi S, Takasugi T, Nagano M, Nakahama K, Suzuki Y and Sugano S *et al.*. (2002) A transcription factor response element for gene expression during circadian night. *Nature* **418**: 534-9 [PMID:12152080]
 646. Umeno Y, Ogasawara S, Akiba J, Hattori S, Kusano H, Nakashima O, Koga H, Torimura T, Yamakawa R and Yano H. (2018) Regulator of G-protein signaling 5 enhances portal vein invasion in hepatocellular carcinoma. *Oncol Lett* **15**: 1763-1770 [PMID:29434872]
 647. Vasilatos SN, Katz TA, Oesterreich S, Wan Y, Davidson NE and Huang Y. (2013) Crosstalk between lysine-specific demethylase 1 (LSD1) and histone deacetylases mediates antineoplastic efficacy of HDAC inhibitors in human breast cancer cells. *Carcinogenesis* **34**: 1196-207 [PMID:23354309]
 648. Vatner DE, Zhang J, Oydanich M, Guers J, Katsyuba E, Yan L, Sinclair D, Auwerx J and Vatner SF. (2018) Enhanced longevity and metabolism by brown adipose tissue with disruption of the regulator of G protein signaling 14. *Aging Cell* **17**: e12751 [PMID:29654651]
 649. Vellano CP, Brown NE, Blumer JB and Hepler JR. (2013) Assembly and function of the regulator of G protein signaling 14 (RGS14)-H-Ras signaling complex in live cells are regulated by Gαi1 and Gαi-linked G protein-coupled receptors. *J Biol Chem* **288**: 3620-31 [PMID:23250758]
 650. Vellano CP, Maher EM, Hepler JR and Blumer JB. (2011) G protein-coupled receptors and resistance to inhibitors of cholinesterase-8A (Ric-8A) both regulate the regulator of g protein signaling 14 RGS14-Gαi1 complex in live cells. *J Biol Chem* **286**: 38659-69 [PMID:21880739]
 651. Vellano CP, Shu FJ, Ramineni S, Yates CK, Tall GG and Hepler JR. (2011) Activation of the regulator of G protein signaling 14-Gαi1-GDP signaling complex is regulated by resistance to inhibitors of cholinesterase-8A. *Biochemistry* **50**: 752-62 [PMID:21158412]
 652. Verstockt B, Verstockt S, Veny M, Dehairs J, Arnauts K, Van Assche G, De Hertogh G, Vermeire S, Salas A and Ferrante M. (2020) Expression Levels of 4 Genes in Colon Tissue Might Be Used to Predict Which Patients Will Enter Endoscopic Remission After Vedolizumab Therapy for Inflammatory Bowel Diseases. *Clin Gastroenterol Hepatol* **18**: 1142-1151.e10 [PMID:31446181]
 653. Villasenor A, Wang ZV, Rivera LB, Ocal O, Asterholm IW, Scherer PE, Brekken RA, Cleaver O and Wilkie TM. (2010) Rgs16 and Rgs8 in embryonic endocrine pancreas and mouse models of diabetes. *Dis Model Mech* **3**: 567-80 [PMID:20616094]
 654. Vivot K, Moullé VS, Zarrouki B, Tremblay C, Mancini AD, Maachi H, Ghislain J and Poitout V. (2016) The regulator of G-protein signaling RGS16 promotes insulin secretion and β-cell proliferation in rodent and human islets. *Mol Metab* **5**: 988-996 [PMID:27689011]
 655. von Buchholtz L, Elischer A, Tareilus E, Gouka R, Kaiser C, Breer H and Conzelmann S. (2004) RGS21 is a novel regulator of G protein signalling selectively expressed in subpopulations of taste bud cells. *Eur J Neurosci* **19**: 1535-44 [PMID:15066150]
 656. Wagner SA, Beli P, Weinert BT, Nielsen ML, Cox J, Mann M and Choudhary C. (2011) A proteome-wide, quantitative survey of in vivo ubiquitylation sites reveals widespread regulatory roles. *Mol Cell Proteomics* **10**: M111.013284 [PMID:21890473]
 657. Wang C, Ye Q, Cao Y, Tan J, Wang F, Jiang J and Cao Y. (2018) Downregulation of regulator of G protein signaling 2 expression in breast invasive carcinoma of no special type: Clinicopathological associations and prognostic relevance. *Oncol Lett* **15**: 213-220 [PMID:29391880]
 658. Wang CJ and Chidiac P. (2019) RGS2 promotes the translation of stress-associated proteins ATF4 and CHOP via its eIF2B-inhibitory domain. *Cell Signal* **59**: 163-170 [PMID:30826455]

659. Wang D, Xu Y, Feng L, Yin P, Song SS, Wu F, Yan P and Liang Z. (2019) RGS5 decreases the proliferation of human ovarian carcinoma-derived primary endothelial cells through the MAPK/ERK signaling pathway in hypoxia. *Oncol Rep* **41**: 165-177 [PMID:30365142]
660. Wang HY, MacDonald ML, Borgmann-Winter KE, Banerjee A, Sleiman P, Tom A, Khan A, Lee KC, Roussos P and Siegel SJ *et al.*. (2020) mGluR5 hypofunction is integral to glutamatergic dysregulation in schizophrenia. *Mol Psychiatry* **25**: 750-760 [PMID:30214040]
661. Wang J, Ducret A, Tu Y, Kozasa T, Aebersold R and Ross EM. (1998) RGSZ1, a Gz-selective RGS protein in brain. Structure, membrane association, regulation by G α phosphorylation, and relationship to a Gz gtpase-activating protein subfamily. *J Biol Chem* **273**: 26014-25 [PMID:9748280]
662. Wang J, Lippman SM, Lee JJ, Yang H, Khuri FR, Kim E, Lin J, Chang DW, Lotan R and Hong WK *et al.*. (2010) Genetic variations in regulator of G-protein signaling genes as susceptibility loci for second primary tumor/recurrence in head and neck squamous cell carcinoma. *Carcinogenesis* **31**: 1755-61 [PMID:20627871]
663. Wang J, Ma J, Nie H, Zhang XJ, Zhang P, She ZG, Li H, Ji YX and Cai J. (2021) Hepatic Regulator of G Protein Signaling 5 Ameliorates Nonalcoholic Fatty Liver Disease by Suppressing Transforming Growth Factor Beta-Activated Kinase 1-c-Jun-N-Terminal Kinase/p38 Signaling. *Hepatology* **73**: 104-125 [PMID:32191345]
664. Wang J, Zhou Y, Fei X, Chen X and Zhu Z. (2017) Regulator of G-protein signaling 3 targeted by miR-126 correlates with poor prognosis in gastric cancer patients. *Anticancer Drugs* **28**: 161-169 [PMID:27754994]
665. Wang JH, New JS, Xie S, Yang P, Wu Q, Li J, Luo B, Ding Y, Druey KM and Hsu HC *et al.*. (2013) Extension of the germinal center stage of B cell development promotes autoantibodies in BXD2 mice. *Arthritis Rheum* **65**: 2703-12 [PMID:23818250]
666. Wang Q, Liu M, Mullah B, Siderovski DP and Neubig RR. (2002) Receptor-selective effects of endogenous RGS3 and RGS5 to regulate mitogen-activated protein kinase activation in rat vascular smooth muscle cells. *J Biol Chem* **277**: 24949-58 [PMID:12006602]
667. Wang Q, Terauchi A, Yee CH, Umemori H and Traynor JR. (2014) 5-HT_{1A} receptor-mediated phosphorylation of extracellular signal-regulated kinases (ERK1/2) is modulated by regulator of G protein signaling protein 19. *Cell Signal* **26**: 1846-52 [PMID:24793302]
668. Wang Q and Traynor JR. (2013) Modulation of μ -opioid receptor signaling by RGS19 in SH-SY5Y cells. *Mol Pharmacol* **83**: 512-20 [PMID:23197645]
669. Wang X, Zeng W, Kim MS, Allen PB, Greengard P and Muallem S. (2007) Spinophilin/neurabin reciprocally regulate signaling intensity by G protein-coupled receptors. *EMBO J* **26**: 2768-76 [PMID:17464283]
670. Wang X, Zeng W, Soyombo AA, Tang W, Ross EM, Barnes AP, Milgram SL, Penninger JM, Allen PB and Greengard P *et al.*. (2005) Spinophilin regulates Ca²⁺ signalling by binding the N-terminal domain of RGS2 and the third intracellular loop of G-protein-coupled receptors. *Nat Cell Biol* **7**: 405-11 [PMID:15793568]
671. Wang Y, Davis I, Chan Y, Naik SG, Griffith WP and Liu A. (2020) Characterization of the nonheme iron center of cysteamine dioxygenase and its interaction with substrates. *J Biol Chem* **295**: 11789-11802 [PMID:32601061]
672. Wang Y, Ho G, Zhang JJ, Nieuwenhuijsen B, Edris W, Chanda PK and Young KH. (2002) Regulator of G protein signaling Z1 (RGSZ1) interacts with G α i subunits and regulates G α i-mediated cell signaling. *J Biol Chem* **277**: 48325-32 [PMID:12379657]
673. Wang Y, Tong Y, Tso PH and Wong YH. (2013) Regulator of G protein signaling 19 suppresses Ras-induced neoplastic transformation and tumorigenesis. *Cancer Lett* **339**: 33-41 [PMID:23911936]
674. Wang Y, Wang J, Zhang L, Karatas OF, Shao L, Zhang Y, Castro P, Creighton CJ and Ittmann M. (2017) RGS12 Is a Novel Tumor-Suppressor Gene in African American Prostate Cancer That Represses AKT and MNX1 Expression. *Cancer Res* **77**: 4247-4257 [PMID:28611045]
675. Waugh JL, Lou AC, Eisch AJ, Monteggia LM, Muly EC and Gold SJ. (2005) Regional, cellular, and subcellular localization of RGS10 in rodent brain. *J Comp Neurol* **481**: 299-313 [PMID:15593368]
676. Weinberger MH, Miller JZ, Grim CE, Luft FC, Christian JC and Fineberg NS. (1989) Genetic and environmental approaches to the prevention of hypertension. *J Hypertens Suppl* **7**: S7-8 [PMID:2709189]
677. White AN, Gross JD, Kaski SW, Trexler KR, Wix KA, Wetsel WC, Kinsey SG, Siderovski DP and Setola V. (2020) Genetic deletion of *Rgs12* in mice affects serotonin transporter expression and function *in vivo* and *ex vivo*. *J Psychopharmacol* **34**: 1393-1407 [PMID:32842837]
678. Wiechec E, Overgaard J and Hansen LL. (2008) A fragile site within the HPC1 region at 1q25.3 affecting RGS16, RGSL1, and RGSL2 in human breast carcinomas. *Genes Chromosomes Cancer* **47**: 766-80 [PMID:18521847]
679. Wijesinghe P, Johansen NJ, Curatolo A, Sampson DD, Ganss R and Kennedy BF. (2017) Ultrahigh-Resolution Optical Coherence Elastography Images Cellular-Scale Stiffness of Mouse

- Aorta. *Biophys J* **113**: 2540-2551 [PMID:29212007]
680. Willard FS, Kimple AJ, Johnston CA and Siderovski DP. (2005) A direct fluorescence-based assay for RGS domain GTPase accelerating activity. *Anal Biochem* **340**: 341-51 [PMID:15840508]
 681. Willard FS, Willard MD, Kimple AJ, Soundararajan M, Oestreich EA, Li X, Sowa NA, Kimple RJ, Doyle DA and Der CJ *et al.*. (2009) Regulator of G-protein signaling 14 (RGS14) is a selective H-Ras effector. *PLoS ONE* **4**: e4884 [PMID:19319189]
 682. Willard MD, Willard FS, Li X, Cappell SD, Snider WD and Siderovski DP. (2007) Selective role for RGS12 as a Ras/Raf/MEK scaffold in nerve growth factor-mediated differentiation. *EMBO J* **26**: 2029-40 [PMID:17380122]
 683. Willars GB. (2006) Mammalian RGS proteins: multifunctional regulators of cellular signalling. *Semin Cell Dev Biol* **17**: 363-76 [PMID:16687250]
 684. Williams DS, Bird MJ, Jorissen RN, Yu YL, Walker F, Walker F, Zhang HH, Nice EC and Burgess AW. (2010) Nonsense mediated decay resistant mutations are a source of expressed mutant proteins in colon cancer cell lines with microsatellite instability. *PLoS ONE* **5**: e16012 [PMID:21209843]
 685. Williams JW, Yau D, Sethakorn N, Kach J, Reed EB, Moore TV, Cannon J, Jin X, Xing H and Muslin AJ *et al.*. (2013) RGS3 controls T lymphocyte migration in a model of Th2-mediated airway inflammation. *Am J Physiol Lung Cell Mol Physiol* **305**: L693-701 [PMID:24077945]
 686. Witherow DS, Wang Q, Levay K, Cabrera JL, Chen J, Willars GB and Slepak VZ. (2000) Complexes of the G protein subunit gbeta 5 with the regulators of G protein signaling RGS7 and RGS9. Characterization in native tissues and in transfected cells. *J Biol Chem* **275**: 24872-80 [PMID:10840031]
 687. Wong GS, Redes JL, Balenga N, McCullough M, Fuentes N, Gokhale A, Koziol-White C, Jude JA, Madigan LA and Chan EC *et al.*. (2020) RGS4 promotes allergen- and aspirin-associated airway hyperresponsiveness by inhibiting PGE2 biosynthesis. *J Allergy Clin Immunol* **146**: 1152-1164.e13 [PMID:32199913]
 688. Wong YH, Conklin BR and Bourne HR. (1992) Gz-mediated hormonal inhibition of cyclic AMP accumulation. *Science* **255**: 339-42 [PMID:1347957]
 689. Woulfe DS and Stadel JM. (1999) Structural basis for the selectivity of the RGS protein, GAIP, for Galphai family members. Identification of a single amino acid determinant for selective interaction of Galphai subunits with GAIP. *J Biol Chem* **274**: 17718-24 [PMID:10364213]
 690. Wu QW and Kapfhammer JP. (2020) Modulation of Increased mGluR1 Signaling by RGS8 Protects Purkinje Cells From Dendritic Reduction and Could Be a Common Mechanism in Diverse Forms of Spinocerebellar Ataxia. *Front Cell Dev Biol* **8**: 569889 [PMID:33553137]
 691. Wu T, Li Y, Huang D, Han F, Zhang YY, Zhang DW and Han J. (2014) Regulator of G-protein signaling 19 (RGS19) and its partner Gα-inhibiting activity polypeptide 3 (GNAI3) are required for zVAD-induced autophagy and cell death in L929 cells. *PLoS One* **9**: e94634 [PMID:24751948]
 692. Wylie FG, Lock JG, Jamriska L, Khromykh T, Brown DL and Stow JL. (2003) GAIP participates in budding of membrane carriers at the trans-Golgi network. *Traffic* **4**: 175-89 [PMID:12656990]
 693. Xiao K, McClatchy DB, Shukla AK, Zhao Y, Chen M, Shenoy SK, Yates 3rd JR and Lefkowitz RJ. (2007) Functional specialization of beta-arrestin interactions revealed by proteomic analysis. *Proc Natl Acad Sci USA* **104**: 12011-6 [PMID:17620599]
 694. Xie GX, Han X, Ito E, Yanagisawa Y, Maruyama K, Sugano S, Suzuki Y, Wang Y, Gabriel A and Stevens SK *et al.*. (2003) Gene structure, dual-promoters and mRNA alternative splicing of the human and mouse regulator of G protein signaling GAIP/RGS19. *J Mol Biol* **325**: 721-32 [PMID:12507475]
 695. Xie GX, Yanagisawa Y, Ito E, Maruyama K, Han X, Kim KJ, Han KR, Moriyama K and Palmer PP. (2005) N-terminally truncated variant of the mouse GAIP/RGS19 lacks selectivity of full-length GAIP/RGS19 protein in regulating ORL1 receptor signaling. *J Mol Biol* **353**: 1081-92 [PMID:16219326]
 696. Xie K, Allen KL, Kourrich S, Colón-Saez J, Thomas MJ, Wickman K and Martemyanov KA. (2010) Gbeta5 recruits R7 RGS proteins to GIRK channels to regulate the timing of neuronal inhibitory signaling. *Nat Neurosci* **13**: 661-3 [PMID:20453851]
 697. Xie K, Masuho I, Brand C, Dessauer CW and Martemyanov KA. (2012) The complex of G protein regulator RGS9-2 and Gβ(5) controls sensitization and signaling kinetics of type 5 adenylyl cyclase in the striatum. *Sci Signal* **5**: ra63 [PMID:22932702]
 698. Xie S, Li J, Wang JH, Wu Q, Yang P, Hsu HC, Smythies LE and Mountz JD. (2010) IL-17 activates the canonical NF-kappaB signaling pathway in autoimmune B cells of BXD2 mice to upregulate the expression of regulators of G-protein signaling 16. *J Immunol* **184**: 2289-96 [PMID:20139273]
 699. Xie Y, Jiang H, Nguyen H, Jia S, Berro A, Panettieri Jr RA, Wolff DW, Abel PW, Casale TB and Tu Y. (2012) Regulator of G protein signaling 2 is a key modulator of airway hyperresponsiveness. *J Allergy Clin Immunol* **130**: 968-76.e3 [PMID:22704538]
 700. Xie Y, Jiang H, Zhang Q, Mehrotra S, Abel PW, Toews ML, Wolff DW, Rennard S, Panettieri Jr

- RA and Casale TB *et al.* (2016) Upregulation of RGS2: a new mechanism for pirfenidone amelioration of pulmonary fibrosis. *Respir Res* **17**: 103 [PMID:27549302]
701. Xie Y, Wolff DW, Wei T, Wang B, Deng C, Kirui JK, Jiang H, Qin J, Abel PW and Tu Y. (2009) Breast cancer migration and invasion depend on proteasome degradation of regulator of G-protein signaling 4. *Cancer Res* **69**: 5743-51 [PMID:19549919]
 702. Xie Z, Chan EC and Druey KM. (2016) R4 Regulator of G Protein Signaling (RGS) Proteins in Inflammation and Immunity. *AAPS J* **18**: 294-304 [PMID:26597290]
 703. Xie Z, Geiger TR, Johnson EN, Nyborg JK and Druey KM. (2008) RGS13 acts as a nuclear repressor of CREB. *Mol Cell* **31**: 660-70 [PMID:18775326]
 704. Xie Z, Li Z, Guo L, Ye C, Li J, Yu X, Yang H, Wang Y, Chen C and Zhang D *et al.* (2007) Regulator of G protein signaling proteins differentially modulate signaling of mu and delta opioid receptors. *Eur J Pharmacol* **565**: 45-53 [PMID:17433292]
 705. Xu F, Liu Y, Shi L, Cai H, Liu W, Hu Y, Li Y and Yuan W. (2017) RGS3 inhibits TGF- β 1/Smad signalling in adventitial fibroblasts. *Cell Biochem Funct* **35**: 334-338 [PMID:28845525]
 706. Xu FL, Yao J, Wu X, Xia X, Xing JX, Xuan JF, Liu YP and Wang BJ. (2020) Association Analysis Between SNPs in the Promoter Region of RGS4 and Schizophrenia in the Northern Chinese Han Population. *Neuropsychiatr Dis Treat* **16**: 985-992 [PMID:32346293]
 707. Xu H, Qing T, Shen Y, Huang J, Liu Y, Li J, Zhen T, Xing K, Zhu S and Luo M. (2018) RNA-seq analyses the effect of high-salt diet in hypertension. *Gene* **677**: 245-250 [PMID:30059752]
 708. Xu Z, Zuo Y, Wang J, Yu Z, Peng F, Chen Y, Dong Y, Hu X, Zhou Q and Ma H *et al.* (2015) Overexpression of the regulator of G-protein signaling 5 reduces the survival rate and enhances the radiation response of human lung cancer cells. *Oncol Rep* **33**: 2899-907 [PMID:25891540]
 709. Yan J, Takahashi T, Ohura T, Adachi H, Takahashi I, Ogawa E, Okuda H, Kobayashi H, Hitomi T and Liu W *et al.* (2013) Combined linkage analysis and exome sequencing identifies novel genes for familial goiter. *J Hum Genet* **58**: 366-77 [PMID:23535966]
 710. Yang J, Huang J, Maity B, Gao Z, Lorca RA, Gudmundsson H, Li J, Stewart A, Swaminathan PD and Ibeawuchi SR *et al.* (2010) RGS6, a modulator of parasympathetic activation in heart. *Circ Res* **107**: 1345-9 [PMID:20864673]
 711. Yang J, Kamide K, Kokubo Y, Takiuchi S, Tanaka C, Banno M, Miwa Y, Yoshii M, Horio T and Okayama A *et al.* (2005) Genetic variations of regulator of G-protein signaling 2 in hypertensive patients and in the general population. *J Hypertens* **23**: 1497-505 [PMID:16003176]
 712. Yang J, Maity B, Huang J, Gao Z, Stewart A, Weiss RM, Anderson ME and Fisher RA. (2013) G-protein inactivator RGS6 mediates myocardial cell apoptosis and cardiomyopathy caused by doxorubicin. *Cancer Res* **73**: 1662-7 [PMID:23338613]
 713. Yang J, Platt LT, Maity B, Ahlers KE, Luo Z, Lin Z, Chakravarti B, Ibeawuchi SR, Askeland RW and Bondaruk J *et al.* (2016) RGS6 is an essential tumor suppressor that prevents bladder carcinogenesis by promoting p53 activation and DNMT1 downregulation. *Oncotarget* **7**: 69159-69172 [PMID:27713144]
 714. Yang L, Lee MM, Leung MM and Wong YH. (2016) Regulator of G protein signaling 20 enhances cancer cell aggregation, migration, invasion and adhesion. *Cell Signal* **28**: 1663-72 [PMID:27495875]
 715. Yang S, Chen W, Stashenko P and Li YP. (2007) Specificity of RGS10A as a key component in the RANKL signaling mechanism for osteoclast differentiation. *J Cell Sci* **120**: 3362-71 [PMID:17881498]
 716. Yang S, Hao L, McConnell M, Zhou X, Wang M, Zhang Y, Mountz JD, Reddy M, Eleazer PD and Li YP *et al.* (2013) Inhibition of Rgs10 Expression Prevents Immune Cell Infiltration in Bacteria-induced Inflammatory Lesions and Osteoclast-mediated Bone Destruction. *Bone Res* **1**: 267-281 [PMID:24761229]
 717. Yang S and Li YP. (2007) RGS10-null mutation impairs osteoclast differentiation resulting from the loss of [Ca²⁺]_i oscillation regulation. *Genes Dev* **21**: 1803-16 [PMID:17626792]
 718. Yang S and Li YP. (2007) RGS12 is essential for RANKL-evoked signaling for terminal differentiation of osteoclasts in vitro. *J Bone Miner Res* **22**: 45-54 [PMID:17042716]
 719. Yang S, Li YP, Liu T, He X, Yuan X, Li C, Cao J and Kim Y. (2013) Mx1-cre mediated Rgs12 conditional knockout mice exhibit increased bone mass phenotype. *Genesis* **51**: 201-9 [PMID:23349096]
 720. Yang SH, Li CF, Chu PY, Ko HH, Chen LT, Chen WW, Han CH, Lung JH and Shih NY. (2016) Overexpression of regulator of G protein signaling 11 promotes cell migration and associates with advanced stages and aggressiveness of lung adenocarcinoma. *Oncotarget* **7**: 31122-36 [PMID:27105500]
 721. Yang Z, Balenga N, Cooper PR, Damera G, Edwards R, Brightling CE, Panettieri Jr RA and Druey KM. (2012) Regulator of G-protein signaling-5 inhibits bronchial smooth muscle contraction in severe asthma. *Am J Respir Cell Mol Biol* **46**: 823-32 [PMID:22281988]
 722. Yang Z, Cooper PR, Damera G, Mukhopadhyay I, Cho H, Kehrl JH, Panettieri Jr RA and Druey KM. (2011) Beta-agonist-associated reduction in RGS5 expression promotes airway smooth muscle hyper-responsiveness. *J Biol Chem* **286**: 11444-55 [PMID:21278382]

723. Yang Z, Gaudio S, Song W, Greenwood M, Jean-Baptiste G and Greenwood MT. (2007) Evidence for the dimerization of human regulator of G-protein signalling 5 (RGS5). *Cell Physiol Biochem* **20**: 303-10 [PMID:17762159]
724. Yazdani A, Yazdani A, Méndez Giráldez R, Aguilar D and Sartore L. (2019) A Multi-Trait Approach Identified Genetic Variants Including a Rare Mutation in RGS3 with Impact on Abnormalities of Cardiac Structure/Function. *Sci Rep* **9**: 5845 [PMID:30971721]
725. Yen WC, Fischer MM, Axelrod F, Bond C, Cain J, Cancilla B, Henner WR, Meisner R, Sato A and Shah J *et al.*. (2015) Targeting Notch signaling with a Notch2/Notch3 antagonist (tarextumab) inhibits tumor growth and decreases tumor-initiating cell frequency. *Clin Cancer Res* **21**: 2084-95 [PMID:25934888]
726. Yono M, Yoshida M, Yamamoto Y, Imanishi A, Fukagawa A, Latifpour J and Eto M. (2010) Identification of potential therapeutic targets in hypertension-associated bladder dysfunction. *BJU Int* **105**: 877-83 [PMID:19689474]
727. Yoon D, Kim YJ, Cui WY, Van der Vaart A, Cho YS, Lee JY, Ma JZ, Payne TJ, Li MD and Park T. (2012) Large-scale genome-wide association study of Asian population reveals genetic factors in FRMD4A and other loci influencing smoking initiation and nicotine dependence. *Hum Genet* **131**: 1009-21 [PMID:22006218]
728. You M, Wang D, Liu P, Vikis H, James M, Lu Y, Wang Y, Wang M, Chen Q and Jia D *et al.*. (2009) Fine mapping of chromosome 6q23-25 region in familial lung cancer families reveals RGS17 as a likely candidate gene. *Clin Cancer Res* **15**: 2666-74 [PMID:19351763]
729. Young KH, Wang Y, Bender C, Ajit S, Ramirez F, Gilbert A and Nieuwenhuijsen BW. (2004) Yeast-based screening for inhibitors of RGS proteins. *Methods Enzymol* **389**: 277-301 [PMID:15313572]
730. Yowe D, Weich N, Prabhudas M, Poisson L, Errada P, Kapeller R, Yu K, Faron L, Shen M and Cleary J *et al.*. (2001) RGS18 is a myeloid erythroid lineage-specific regulator of G-protein-signalling molecule highly expressed in megakaryocytes. *Biochem J* **359**: 109-18 [PMID:11563974]
731. Yu Q, Zhang N, Jiang Y, Huang Y, Lian YY, Liu T, Li N and Guan G. (2018) RGS17 inhibits tumorigenesis and improves 5-fluorouracil sensitivity in nasopharyngeal carcinoma. *Oncotargets Ther* **11**: 7591-7600 [PMID:30464507]
732. Yuan G, Yang S, Liu M and Yang S. (2020) RGS12 is required for the maintenance of mitochondrial function during skeletal development. *Cell Discov* **6**: 59 [PMID:32922858]
733. Yuan G, Yang S, Ng A, Fu C, Oursler MJ, Xing L and Yang S. (2020) RGS12 Is a Novel Critical NF- κ B Activator in Inflammatory Arthritis. *iScience* **23**: 101172 [PMID:32512384]
734. Yuan X, Cao J, Liu T, Li YP, Scannapieco F, He X, Oursler MJ, Zhang X, Vacher J and Li C *et al.*. (2015) Regulators of G protein signaling 12 promotes osteoclastogenesis in bone remodeling and pathological bone loss. *Cell Death Differ* **22**: 2046-57 [PMID:25909889]
735. Zachariou V, Georgescu D, Sanchez N, Rahman Z, DiLeone R, Berton O, Neve RL, Sim-Selley LJ, Selley DE and Gold SJ *et al.*. (2003) Essential role for RGS9 in opiate action. *Proc Natl Acad Sci USA* **100**: 13656-61 [PMID:14595021]
736. Zarzuelo MJ, Gómez-Guzmán M, Jiménez R, Quintela AM, Romero M, Sánchez M, Zarzuelo A, Tamargo J, Pérez-Vizcaíno F and Duarte J. (2013) Effects of peroxisome proliferator-activated receptor- β activation in endothelin-dependent hypertension. *Cardiovasc Res* **99**: 622-31 [PMID:23752977]
737. Zarzuelo MJ, Jiménez R, Galindo P, Sánchez M, Nieto A, Romero M, Quintela AM, López-Sepúlveda R, Gómez-Guzmán M and Bailón E *et al.*. (2011) Antihypertensive effects of peroxisome proliferator-activated receptor- β activation in spontaneously hypertensive rats. *Hypertension* **58**: 733-43 [PMID:21825230]
738. Zhang D, Pang Z, Li S, Jiang W, Wang S, Thomassen M, Hjelmberg JV, Kruse TA, Ohm Kyvik K and Christensen K *et al.*. (2012) Genome-wide linkage and association scans for pulse pressure in Chinese twins. *Hypertens Res* **35**: 1051-7 [PMID:22763476]
739. Zhang H, Gu S, Al-Sabeq B, Wang S, He J, Tam A, Cifelli C, Mathalone N, Targari S and Boyd S *et al.*. (2012) Origin-specific epigenetic program correlates with vascular bed-specific differences in Rgs5 expression. *FASEB J* **26**: 181-91 [PMID:21965603]
740. Zhang H, Wang F, Kranzler HR, Anton RF and Gelernter J. (2012) Variation in regulator of G-protein signaling 17 gene (RGS17) is associated with multiple substance dependence diagnoses. *Behav Brain Funct* **8**: 23 [PMID:22591552]
741. Zhang J, Jeffrey BG, Morgans CW, Burke NS, Haley TL, Duvoisin RM and Brown RL. (2010) RGS7 and -11 complexes accelerate the ON-bipolar cell light response. *Invest Ophthalmol Vis Sci* **51**: 1121-9 [PMID:19797214]
742. Zhang K, Howes KA, He W, Bronson JD, Pettenati MJ, Chen C, Palczewski K, Wensel TG and Baehr W. (1999) Structure, alternative splicing, and expression of the human RGS9 gene. *Gene* **240**: 23-34 [PMID:10564809]
743. Zhang LS, Ma HG, Sun FH, Zhao WC and Li G. (2019) MiR-203 inhibits the malignant behavior of prostate cancer cells by targeting RGS17. *Eur Rev Med Pharmacol Sci* **23**: 5667-5674

[PMID:31298318]

744. Zhang P and Mende U. (2011) Regulators of G-protein signaling in the heart and their potential as therapeutic targets. *Circ Res* **109**: 320-33 [PMID:21778436]
745. Zhang P, Xia JH, Zhu J, Gao P, Tian YJ, Du M, Guo YC, Suleman S, Zhang Q and Kohli M *et al.*. (2018) High-throughput screening of prostate cancer risk loci by single nucleotide polymorphisms sequencing. *Nat Commun* **9**: 2022 [PMID:29789573]
746. Zhang S, Watson N, Zahner J, Rottman JN, Blumer KJ and Muslin AJ. (1998) RGS3 and RGS4 are GTPase activating proteins in the heart. *J Mol Cell Cardiol* **30**: 269-76 [PMID:9515003]
747. Zhang W, Anger T, Su J, Hao J, Xu X, Zhu M, Gach A, Cui L, Liao R and Mende U. (2006) Selective loss of fine tuning of Gq/11 signaling by RGS2 protein exacerbates cardiomyocyte hypertrophy. *J Biol Chem* **281**: 5811-20 [PMID:16380388]
748. Zhang W, Qian S, Yang G, Zhu L, Zhou B, Wang J, Liu R, Yan Z and Qu X. (2018) MicroRNA-199 suppresses cell proliferation, migration and invasion by downregulating RGS17 in hepatocellular carcinoma. *Gene* **659**: 22-28 [PMID:29559347]
749. Zhang X, Tang N, Xi D, Feng Q, Liu Y, Wang L, Tang Y, Zhong H and He F. (2020) Human cytomegalovirus promoting endothelial cell proliferation by targeting regulator of G-protein signaling 5 hypermethylation and downregulation. *Sci Rep* **10**: 2252 [PMID:32041970]
750. Zhang Y, Zhang C, Li H and Hou J. (2019) The Presence of High Levels of Circulating Trimethylamine N-Oxide Exacerbates Central and Peripheral Inflammation and Inflammatory Hyperalgesia in Rats Following Carrageenan Injection. *Inflammation* **42**: 2257-2266 [PMID:31489527]
751. Zhao P and Chidiac P. (2015) Regulation of RGS5 GAP activity by GPSM3. *Mol Cell Biochem* **405**: 33-40 [PMID:25842189]
752. Zhao P, Nunn C, Ramineni S, Hepler JR and Chidiac P. (2013) The Ras-binding domain region of RGS14 regulates its functional interactions with heterotrimeric G proteins. *J Cell Biochem* **114**: 1414-23 [PMID:23255434]
753. Zheng B, Berrie CP, Corda D and Farquhar MG. (2003) GDE1/MIR16 is a glycerophosphoinositol phosphodiesterase regulated by stimulation of G protein-coupled receptors. *Proc Natl Acad Sci USA* **100**: 1745-50 [PMID:12576545]
754. Zheng B, Chen D and Farquhar MG. (2000) MIR16, a putative membrane glycerophosphodiester phosphodiesterase, interacts with RGS16. *Proc Natl Acad Sci USA* **97**: 3999-4004 [PMID:10760272]
755. Zhong H and Neubig RR. (2001) Regulator of G protein signaling proteins: novel multifunctional drug targets. *J Pharmacol Exp Ther* **297**: 837-45 [PMID:11356902]
756. Zhou J, Moroi K, Nishiyama M, Usui H, Seki N, Ishida J, Fukamizu A and Kimura S. (2001) Characterization of RGS5 in regulation of G protein-coupled receptor signaling. *Life Sci* **68**: 1457-69 [PMID:11253162]
757. Zhu C, Hui L, Zheng K, Liu L, Liu J and Lv W. (2020) Silencing of RGS2 enhances hippocampal neuron regeneration and rescues depression-like behavioral impairments through activation of cAMP pathway. *Brain Res* **1746**: 147018 [PMID:32679115]
758. Zhu Y, Jiang YH, He YP, Zhang X, Sun ZG, Jiang MX and Wang J. (2015) Knockdown of regulator of G-protein signalling 2 (Rgs2) leads to abnormal early mouse embryo development in vitro. *Reprod Fertil Dev* **27**: 557-66 [PMID:24524188]
759. Zielinski T, Kimple AJ, Hutsell SQ, Koeff MD, Siderovski DP and Lowery RG. (2009) Two Galpha(i1) rate-modifying mutations act in concert to allow receptor-independent, steady-state measurements of RGS protein activity. *J Biomol Screen* **14**: 1195-206 [PMID:19820068]
760. Zolghadri Y, Pal Choudhuri S, Ocal O, Layeghi-Ghalehsoukhteh S, Berhe F, Hale MA and Wilkie TM. (2018) Malnutrition in Pancreatic Ductal Adenocarcinoma (PDA): Dietary Pancreatic Enzymes Improve Short-Term Health but Stimulate Tumor Growth. *Am J Pathol* **188**: 616-626 [PMID:29248457]
761. Özen I, Roth M, Barbariga M, Gaceb A, Deierborg T, Genové G and Paul G. (2018) Loss of Regulator of G-Protein Signaling 5 Leads to Neurovascular Protection in Stroke. *Stroke* **49**: 2182-2190 [PMID:30354999]