

Thyrotropin-releasing hormone receptors (version 2019.4) in the IUPHAR/BPS Guide to Pharmacology Database

Anthony P. Davenport¹, Marvin Gershengorn² and Rebecca Hills³

1. University of Cambridge, UK
2. National Institutes of Health, USA
3. University of Edinburgh, UK

Abstract

Thyrotropin-releasing hormone (TRH) receptors (**provisional nomenclature as recommended by NC-IUPHAR [13]**) are activated by the endogenous tripeptide TRH (pGlu-His-ProNH₂). TRH and TRH analogues fail to distinguish TRH₁ and TRH₂ receptors [28]. [³H]TRH (human, mouse, rat) is able to label both TRH₁ and TRH₂ receptors with K_d values of 13 and 9 nM respectively. Synthesis and biology of ring-modified L-Histidine containing TRH analogues has been reported [22].

Contents

This is a citation summary for Thyrotropin-releasing hormone receptors in the [Guide to Pharmacology](#) database (GtoPdb). It exists purely as an adjunct to the database to facilitate the recognition of citations to and from the database by citation analyzers. Readers will almost certainly want to visit the relevant sections of the database which are given here under database links.

GtoPdb is an expert-driven guide to pharmacological targets and the substances that act on them. GtoPdb is a reference work which is most usefully represented as an on-line database. As in any publication this work should be appropriately cited, and the papers it cites should also be recognized. This document provides a citation for the relevant parts of the database, and also provides a reference list for the research cited by those parts.

Please note that the database version for the citations given in GtoPdb are to the most recent preceding version in which the family or its subfamilies and targets were substantially changed. The links below are to the current version. If you need to consult the cited version, rather than the most recent version, please contact the GtoPdb curators.

Database links

[Thyrotropin-releasing hormone receptors](#)

<http://www.guidetopharmacology.org/GRAC/FamilyDisplayForward?familyId=63>

[Introduction to Thyrotropin-releasing hormone receptors](#)

<http://www.guidetopharmacology.org/GRAC/FamilyIntroductionForward?familyId=63>

Receptors

[TRH₁ receptor](#)

<http://www.guidetopharmacology.org/GRAC/ObjectDisplayForward?objectId=363>

TRH₂ receptor

<http://www.guidetopharmacology.org/GRAC/ObjectDisplayForward?objectId=754>

References

1. Aragay AM, Katz A and Simon MI. (1992) The G alpha q and G alpha 11 proteins couple the thyrotropin-releasing hormone receptor to phospholipase C in GH3 rat pituitary cells. *J. Biol. Chem.* **267**: 24983-8 [PMID:1334076]
2. Boler J, Enzmann F, Folkers K, Bowers CY and Schally AV. (1969) The identity of chemical and hormonal properties of the thyrotropin releasing hormone and pyroglutamyl-histidyl-proline amide. *Biochem. Biophys. Res. Commun.* **37**: 705-10 [PMID:4982117]
3. Bonomi M, Busnelli M, Beck-Peccoz P, Costanzo D, Antonica F, Dolci C, Pilotta A, Buzi F and Persani L. (2009) A family with complete resistance to thyrotropin-releasing hormone. *N. Engl. J. Med.* **360**: 731-4 [PMID:19213692]
4. Burgus R, Dunn TF, Desiderio D, Ward DN, Vale W and Guillemin R. (1970) Characterization of ovine hypothalamic hypophysiotropic TSH-releasing factor. *Nature* **226**: 321-5 [PMID:4985794]
5. Calzá L, Giardino L, Ceccatelli S, Zanni M, Elde R and Hökfelt T. (1992) Distribution of thyrotropin-releasing hormone receptor messenger RNA in the rat brain: an in situ hybridization study. *Neuroscience* **51**: 891-909 [PMID:1488129]
6. Cao J, O'Donnell D, Vu H, Payza K, Pou C, Godbout C, Jakob A, Pelletier M, Lembo P and Ahmad Set al.. (1998) Cloning and characterization of a cDNA encoding a novel subtype of rat thyrotropin-releasing hormone receptor. *J. Biol. Chem.* **273**: 32281-7 [PMID:9822707]
7. Collu R, Tang J, Castagné J, Lagacé G, Masson N, Huot C, Deal C, Delvin E, Faccenda E and Eidne KA et al.. (1997) A novel mechanism for isolated central hypothyroidism: inactivating mutations in the thyrotropin-releasing hormone receptor gene. *J. Clin. Endocrinol. Metab.* **82**: 1561-5 [PMID:9141550]
8. de la Peña P, Delgado LM, del Camino D and Barros F. (1992) Cloning and expression of the thyrotropin-releasing hormone receptor from GH3 rat anterior pituitary cells. *Biochem. J.* **284** (Pt 3): 891-9 [PMID:1377915]
9. Drummond AH, Hughes PJ, Ruiz-Larrea F and Joels LA. (1989) Use of receptor antagonist in elucidating the mechanism of action of TRH in GH3 cells. *Ann. N. Y. Acad. Sci.* **553**: 197-204 [PMID:2566295]
10. Duthie SM, Taylor PL, Anderson L, Cook J and Eidne KA. (1993) Cloning and functional characterisation of the human TRH receptor. *Mol. Cell. Endocrinol.* **95**: R11-5 [PMID:8243797]
11. Engel S, Neumann S, Kaur N, Monga V, Jain R, Northup J and Gershengorn MC. (2006) Low affinity analogs of thyrotropin-releasing hormone are super-agonists. *J. Biol. Chem.* **281**: 13103-9 [PMID:16551618]
12. Engel S, Skoumbourdis AP, Childress J, Neumann S, Deschamps JR, Thomas CJ, Colson AO, Costanzi S and Gershengorn MC. (2008) A virtual screen for diverse ligands: discovery of selective G protein-coupled receptor antagonists. *J. Am. Chem. Soc.* **130**: 5115-23 [PMID:18357984]
13. Foord SM, Bonner TI, Neubig RR, Rosser EM, Pin JP, Davenport AP, Spedding M and Harmar AJ. (2005) International Union of Pharmacology. XLVI. G protein-coupled receptor list. *Pharmacol. Rev.* **57**: 279-88 [PMID:15914470]
14. Geras-Raaka E and Gershengorn MC. (1987) Measurement of changes in cellular calcium metabolism in response to thyrotropin-releasing hormone. *Meth. Enzymol.* **141**: 36-53 [PMID:3110553]
15. Gershengorn MC and Osman R. (1996) Molecular and cellular biology of thyrotropin-releasing hormone receptors. *Physiol. Rev.* **76**: 175-91 [PMID:8592728]
16. Harder S, Lu X, Wang W, Buck F, Gershengorn MC and Bruhn TO. (2001) Regulator of G protein signaling 4 suppresses basal and thyrotropin releasing-hormone (TRH)-stimulated signaling by two mouse TRH receptors, TRH-R(1) and TRH-R(2). *Endocrinology* **142**: 1188-94 [PMID:11181534]
17. Hollenberg AN. (2008) The role of the thyrotropin-releasing hormone (TRH) neuron as a metabolic sensor. *Thyroid* **18**: 131-9 [PMID:18279013]

18. Hsieh KP and Martin TF. (1992) Thyrotropin-releasing hormone and gonadotropin-releasing hormone receptors activate phospholipase C by coupling to the guanosine triphosphate-binding proteins G_q and G₁₁. *Mol. Endocrinol.* **6**: 1673-81 [[PMID:1333052](#)]
19. Imai A and Gershengorn MC. (1987) Measurement of lipid turnover in response to thyrotropin-releasing hormone. *Meth. Enzymol.* **141**: 100-1 [[PMID:3037241](#)]
20. Itadani H, Nakamura T, Itoh J, Iwaasa H, Kanatani A, Borkowski J, Ihara M and Ohta M. (1998) Cloning and characterization of a new subtype of thyrotropin-releasing hormone receptors. *Biochem. Biophys. Res. Commun.* **250**: 68-71 [[PMID:9735333](#)]
21. Matre V, Karlsen HE, Wright MS, Lundell I, Fjeldheim AK, Gabrielsen OS, Larhammar D and Gautvik KM. (1993) Molecular cloning of a functional human thyrotropin-releasing hormone receptor. *Biochem. Biophys. Res. Commun.* **195**: 179-85 [[PMID:8395824](#)]
22. Meena CL, Thakur A, Nandekar PP, Sharma SS, Sangamwar AT and Jain R. (2016) Synthesis and biology of ring-modified L-Histidine containing thyrotropin-releasing hormone (TRH) analogues. *Eur J Med Chem* **111**: 72-83 [[PMID:26854379](#)]
23. O'Dowd BF, Lee DK, Huang W, Nguyen T, Cheng R, Liu Y, Wang B, Gershengorn MC and George SR. (2000) TRH-R2 exhibits similar binding and acute signaling but distinct regulation and anatomic distribution compared with TRH-R1. *Mol. Endocrinol.* **14**: 183-93 [[PMID:10628757](#)]
24. Perret G, Valensi P, Hugues JN, Vassy R and Uzzan B. (1988) Use of a pharmacokinetic model to characterize the thyrotropin (TSH) and prolactin (PRL) response to thyrotropin-releasing hormone (THR) in man. *Methods Find Exp Clin Pharmacol* **10**: 387-91 [[PMID:3137402](#)]
25. Rabeler R, Mittag J, Geffers L, Rüther U, Leitges M, Parlow AF, Visser TJ and Bauer K. (2004) Generation of thyrotropin-releasing hormone receptor 1-deficient mice as an animal model of central hypothyroidism. *Mol. Endocrinol.* **18**: 1450-60 [[PMID:14988432](#)]
26. Regard JB, Sato IT and Coughlin SR. (2008) Anatomical profiling of G protein-coupled receptor expression. *Cell* **135**: 561-71 [[PMID:18984166](#)]
27. Straub RE, Frech GC, Joho RH and Gershengorn MC. (1990) Expression cloning of a cDNA encoding the mouse pituitary thyrotropin-releasing hormone receptor. *Proc. Natl. Acad. Sci. U.S.A.* **87**: 9514-8 [[PMID:2175902](#)]
28. Sun Y, Lu X and Gershengorn MC. (2003) Thyrotropin-releasing hormone receptors -- similarities and differences. *J. Mol. Endocrinol.* **30**: 87-97 [[PMID:12683933](#)]
29. Sun Y, Zupan B, Raaka BM, Toth M and Gershengorn MC. (2009) TRH-receptor-type-2-deficient mice are euthyroid and exhibit increased depression and reduced anxiety phenotypes. *Neuropsychopharmacology* **34**: 1601-8 [[PMID:19078951](#)]
30. Taylor RL and Burt DR. (1981) Preparation of 3H-[3-M3-His2]TRH as an improved ligand for TRH receptors. *Neuroendocrinology* **32**: 310-6 [[PMID:6264336](#)]
31. Thirunarayanan N, Nir EA, Raaka BM and Gershengorn MC. (2013) Thyrotropin-releasing hormone receptor type 1 (TRH-R1), not TRH-R2, primarily mediates taltirelin actions in the CNS of mice. *Neuropsychopharmacology* **38**: 950-6 [[PMID:23303050](#)]
32. Thirunarayanan N, Raaka BM and Gershengorn MC. (2012) Taltirelin is a superagonist at the human thyrotropin-releasing hormone receptor. *Front Endocrinol (Lausanne)* **3**: 120 [[PMID:23087672](#)]
33. Vale W, Rivier J and Burgus R. (1971) Synthetic TRF (thyrotropin releasing factor) analogues. II. pGlu-N3imMe-His-Pro-NH₂: a synthetic analogue with specific activity greater than that of TRF2. *Endocrinology* **89**: 1485-8 [[PMID:5001013](#)]
34. Wang W and Gershengorn MC. (1999) Rat TRH receptor type 2 exhibits higher basal signaling activity than TRH receptor type 1. *Endocrinology* **140**: 4916-9 [[PMID:10499553](#)]
35. Zabavnik J, Arbuthnott G and Eidne KA. (1993) Distribution of thyrotrophin-releasing hormone receptor messenger RNA in rat pituitary and brain. *Neuroscience* **53**: 877-87 [[PMID:8387653](#)]
36. Zeng H, Schimpf BA, Rohde AD, Pavlova MN, Gragerov A and Bergmann JE. (2007) Thyrotropin-releasing hormone receptor 1-deficient mice display increased depression and anxiety-like behavior. *Mol. Endocrinol.* **21**: 2795-804 [[PMID:17666589](#)]

37. Zhao D, Yang J, Jones KE, Gerald C, Suzuki Y, Hogan PG, Chin WW and Tashjian Jr AH. (1992) Molecular cloning of a complementary deoxyribonucleic acid encoding the thyrotropin-releasing hormone receptor and regulation of its messenger ribonucleic acid in rat GH cells. *Endocrinology* **130**: 3529-36 [PMID:1317787]