

Notch receptors (version 2019.4) in the IUPHAR/BPS Guide to Pharmacology Database

Thiruma V. Arumugam¹ and Christopher Sobey²

1. National University of Singapore, Singapore
2. Monash University, Australia

Abstract

The canonical Notch signalling pathway has four type I transmembrane Notch receptors (Notch1-4) and five ligands (DLL1, 2 and 3, and Jagged 1-2). Each member of this highly conserved receptor family plays a unique role in cell-fate determination during embryogenesis, differentiation, tissue patterning, proliferation and cell death [2]. As the Notch ligands are also membrane bound, cells have to be in close proximity for receptor-ligand interactions to occur. Cleavage of the intracellular domain (ICD) of activated Notch receptors by γ -secretase is required for downstream signalling and Notch-induced transcriptional modulation [15, 3, 11, 22]. This is why γ -secretase inhibitors can be used to downregulate Notch signalling and explains their anti-cancer action. One such small molecule is [RO4929097](#) [8], although development of this compound has been terminated following an unsuccessful Phase II single agent clinical trial in metastatic colorectal cancer [19].

Aberrant Notch signalling is implicated in a number of human cancers [2, 20, 6, 16], with [demcizumab](#) and [tarextumab](#) identified as antibody inhibitors of ligand:receptor binding [13].

Contents

This is a citation summary for Notch receptors in the [Guide to Pharmacology](#) database (GtoPdb). It exists purely as an adjunct to the database to facilitate the recognition of citations to and from the database by citation analyzers. Readers will almost certainly want to visit the relevant sections of the database which are given here under database links.

GtoPdb is an expert-driven guide to pharmacological targets and the substances that act on them. GtoPdb is a reference work which is most usefully represented as an on-line database. As in any publication this work should be appropriately cited, and the papers it cites should also be recognized. This document provides a citation for the relevant parts of the database, and also provides a reference list for the research cited by those parts.

Please note that the database version for the citations given in GtoPdb are to the most recent preceding version in which the family or its subfamilies and targets were substantially changed. The links below are to the current version. If you need to consult the cited version, rather than the most recent version, please contact the GtoPdb curators.

Database links

Notch receptors

<http://www.guidetopharmacology.org/GRAC/FamilyDisplayForward?familyId=914>

Targets

notch receptor 1

<http://www.guidetopharmacology.org/GRAC/ObjectDisplayForward?objectId=2861>

notch receptor 2

<http://www.guidetopharmacology.org/GRAC/ObjectDisplayForward?objectId=2859>

notch receptor 3

<http://www.guidetopharmacology.org/GRAC/ObjectDisplayForward?objectId=2860>

notch receptor 4

<http://www.guidetopharmacology.org/GRAC/ObjectDisplayForward?objectId=2862>

References

1. Agrawal N, Frederick MJ, Pickering CR, Bettegowda C, Chang K, Li RJ, Fakhry C, Xie TX, Zhang J and Wang J *et al.*. (2011) Exome sequencing of head and neck squamous cell carcinoma reveals inactivating mutations in NOTCH1. *Science* **333**: 1154-7 [PMID:21798897]
2. Al-Hussaini H, Subramanyam D, Reedijk M and Sridhar SS. (2011) Notch signaling pathway as a therapeutic target in breast cancer. *Mol. Cancer Ther.* **10**: 9-15 [PMID:20971825]
3. De Strooper B, Annaert W, Cupers P, Saftig P, Craessaerts K, Mumm JS, Schroeter EH, Schrijvers V, Wolfe MS and Ray WJ *et al.*. (1999) A presenilin-1-dependent gamma-secretase-like protease mediates release of Notch intracellular domain. *Nature* **398**: 518-22 [PMID:10206645]
4. Garg V, Muth AN, Ransom JF, Schluterman MK, Barnes R, King IN, Grossfeld PD and Srivastava D. (2005) Mutations in NOTCH1 cause aortic valve disease. *Nature* **437**: 270-4 [PMID:16025100]
5. Gurney AL, Hoey TC, van der Horst ETH, Sato AK, Liu YC, Bruhns MF and Lewicki JA.. (2012) Antibodies to notch receptors. Patent number: US8226943 B2.
6. Lefort K, Mandinova A, Ostano P, Kolev V, Calpini V, Kolfschoten I, Devgan V, Lieb J, Raffoul W and Hohl D *et al.*. (2007) Notch1 is a p53 target gene involved in human keratinocyte tumor suppression through negative regulation of ROCK1/2 and MRCKalpha kinases. *Genes Dev.* **21**: 562-77 [PMID:17344417]
7. Lehmann BD, Pienpol JA and Tan AR. (2015) Triple-negative breast cancer: molecular subtypes and new targets for therapy. *Am Soc Clin Oncol Educ Book* **35**: e31-9 [PMID:25993190]
8. Luistro L, He W, Smith M, Packman K, Vilenchik M, Carvajal D, Roberts J, Cai J, Berkofsky-Fessler W and Hilton H *et al.*. (2009) Preclinical profile of a potent gamma-secretase inhibitor targeting notch signaling with in vivo efficacy and pharmacodynamic properties. *Cancer Res.* **69**: 7672-80 [PMID:19773430]
9. McBride KL, Riley MF, Zender GA, Fitzgerald-Butt SM, Towbin JA, Belmont JW and Cole SE. (2008) NOTCH1 mutations in individuals with left ventricular outflow tract malformations reduce ligand-induced signaling. *Hum. Mol. Genet.* **17**: 2886-93 [PMID:18593716]
10. Nagamatsu I, Onishi H, Matsushita S, Kubo M, Kai M, Imaizumi A, Nakano K, Hattori M, Oda Y and Tanaka M *et al.*. (2014) NOTCH4 is a potential therapeutic target for triple-negative breast cancer. *Anticancer Res.* **34**: 69-80 [PMID:24403446]
11. Nam Y, Sliz P, Song L, Aster JC and Blacklow SC. (2006) Structural basis for cooperativity in recruitment of MAML coactivators to Notch transcription complexes. *Cell* **124**: 973-83 [PMID:16530044]
12. Ntziachristos P, Lim JS, Sage J and Aifantis I. (2014) From fly wings to targeted cancer therapies: a centennial for notch signaling. *Cancer Cell* **25**: 318-34 [PMID:24651013]
13. Previs RA, Coleman RL, Harris AL and Sood AK. (2015) Molecular pathways: translational and therapeutic implications of the Notch signaling pathway in cancer. *Clin. Cancer Res.* **21**: 955-61 [PMID:25388163]
14. Puente XS, Pinyol M, Quesada V, Conde L, Ordóñez GR, Villamor N, Escaramis G, Jares P, Beà S and González-Díaz M *et al.*. (2011) Whole-genome sequencing identifies recurrent mutations in chronic lymphocytic leukaemia. *Nature* **475**: 101-5 [PMID:21642962]
15. Schroeter EH, Kisslinger JA and Kopan R. (1998) Notch-1 signalling requires ligand-induced proteolytic release of intracellular domain. *Nature* **393**: 382-6 [PMID:9620803]

16. Sjölund J, Johansson M, Manna S, Norin C, Pietras A, Beckman S, Nilsson E, Ljungberg B and Axelson H. (2008) Suppression of renal cell carcinoma growth by inhibition of Notch signaling in vitro and in vivo. *J. Clin. Invest.* **118**: 217-28 [[PMID:18079963](#)]
17. Stittrich AB, Lehman A, Bodian DL, Ashworth J, Zong Z, Li H, Lam P, Khromykh A, Iyer RK and Vockley JG et al.. (2014) Mutations in NOTCH1 cause Adams-Oliver syndrome. *Am. J. Hum. Genet.* **95**: 275-84 [[PMID:25132448](#)]
18. Stransky N, Egloff AM, Tward AD, Kostic AD, Cibulskis K, Sivachenko A, Kryukov GV, Lawrence MS, Sougnez C and McKenna A et al.. (2011) The mutational landscape of head and neck squamous cell carcinoma. *Science* **333**: 1157-60 [[PMID:21798893](#)]
19. Strosberg JR, Yeatman T, Weber J, Coppola D, Schell MJ, Han G, Almhanna K, Kim R, Valone T and Jump H et al.. (2012) A phase II study of RO4929097 in metastatic colorectal cancer. *Eur. J. Cancer* **48**: 997-1003 [[PMID:22445247](#)]
20. Vilimas T, Mascarenhas J, Palomero T, Mandal M, Buonamici S, Meng F, Thompson B, Spaulding C, Macaroun S and Alegre ML et al.. (2007) Targeting the NF-kappaB signaling pathway in Notch1-induced T-cell leukemia. *Nat. Med.* **13**: 70-7 [[PMID:17173050](#)]
21. Weng AP, Ferrando AA, Lee W, Morris 4th JP, Silverman LB, Sanchez-Irizarry C, Blacklow SC, Look AT and Aster JC. (2004) Activating mutations of NOTCH1 in human T cell acute lymphoblastic leukemia. *Science* **306**: 269-71 [[PMID:15472075](#)]
22. Wilson JJ and Kovall RA. (2006) Crystal structure of the CSL-Notch-Mastermind ternary complex bound to DNA. *Cell* **124**: 985-96 [[PMID:16530045](#)]