

Relaxin family peptide receptors in GtoPdb v.2023.1

Alexander I. Agoulnik¹, Ross A.D. Bathgate², Thomas Dschietzig³, Andrew L. Gundlach², Michelle Halls⁴, Craig Smith⁵ and Roger Summers⁴

1. Florida International University, USA
2. University of Melbourne, Australia
3. Charité-University Medicine Berlin, Germany
4. Monash University, Australia
5. Deakin University, Australia

Abstract

Relaxin family peptide receptors (RXFP, **nomenclature as agreed by the NC-IUPHAR Subcommittee on Relaxin family peptide receptors [23, 119]**) may be divided into two pairs, RXFP1/2 and RXFP3/4.

Endogenous agonists at these receptors are heterodimeric peptide hormones structurally related to insulin: *relaxin-1*, *relaxin*, *relaxin-3* (also known as INSL7), insulin-like peptide 3 (INSL3) and INSL5. Species homologues of relaxin have distinct pharmacology and *relaxin* interacts with RXFP1, RXFP2 and RXFP3, whereas mouse and rat relaxin selectively bind to and activate RXFP1 [260]. *relaxin-3* is the ligand for RXFP3 but it also binds to RXFP1 and RXFP4 and has differential affinity for RXFP2 between species [259]. INSL5 is the ligand for RXFP4 but is a weak antagonist of RXFP3. *relaxin* and INSL3 have multiple complex binding interactions with RXFP1 [267] and RXFP2 [132] which direct the N-terminal LDLa modules of the receptors together with a linker domain to act as a tethered ligand to direct receptor signaling [262]. INSL5 and *relaxin-3* interact with their receptors using distinct residues in their B-chains for binding, and activation, respectively [321, 152].

Contents

This is a citation summary for Relaxin family peptide receptors in the [Guide to Pharmacology](#) database (GtoPdb). It exists purely as an adjunct to the database to facilitate the recognition of citations to and from the database by citation analyzers. Readers will almost certainly want to visit the relevant sections of the database which are given here under database links.

GtoPdb is an expert-driven guide to pharmacological targets and the substances that act on them. GtoPdb is a reference work which is most usefully represented as an on-line database. As in any publication this work should be appropriately cited, and the papers it cites should also be recognized. This document provides a citation for the relevant parts of the database, and also provides a reference list for the research cited by those parts. For further details see [40].

Please note that the database version for the citations given in GtoPdb are to the most recent preceding version in which the family or its subfamilies and targets were substantially changed. The links below are to the current version. If you need to consult the cited version, rather than the most recent version, please contact the GtoPdb curators.

Database links

[Relaxin family peptide receptors](#)

<https://www.guidetopharmacology.org/GRAC/FamilyDisplayForward?familyId=60>

Introduction to Relaxin family peptide receptors

<https://www.guidetopharmacology.org/GRAC/FamilyIntroductionForward?familyId=60>

Receptors

RXFP1

<https://www.guidetopharmacology.org/GRAC/ObjectDisplayForward?objectId=351>

RXFP2

<https://www.guidetopharmacology.org/GRAC/ObjectDisplayForward?objectId=352>

RXFP3

<https://www.guidetopharmacology.org/GRAC/ObjectDisplayForward?objectId=353>

RXFP4

<https://www.guidetopharmacology.org/GRAC/ObjectDisplayForward?objectId=354>

References

1. Adams J, Schott S, Bern A, Renz M, Ikenberg K, Garbe C and Busch C. (2012) A novel role for relaxin-2 in the pathogenesis of primary varicosis. *PLoS One* **7**: e39021 [PMID:22737225]
2. Ahmad N, Wang W, Nair R and Kapila S. (2012) Relaxin induces matrix-metalloproteinases-9 and -13 via RXFP1: induction of MMP-9 involves the PI3K, ERK, Akt and PKC- ζ pathways. *Mol Cell Endocrinol* **363**: 46-61 [PMID:22835547]
3. Albert-Gasco H, Sanchez-Sarasua S, Ma S, García-Díaz C, Gundlach AL, Sanchez-Perez AM and Olucha-Bordonau FE. (2019) Central relaxin-3 receptor (RXFP3) activation impairs social recognition and modulates ERK-phosphorylation in specific GABAergic amygdala neurons. *Brain Struct Funct* **224**: 453-469 [PMID:30368554]
4. Albert-Gascó H, Ma S, Ros-Bernal F, Sánchez-Pérez AM, Gundlach AL and Olucha-Bordonau FE. (2017) GABAergic Neurons in the Rat Medial Septal Complex Express Relaxin-3 Receptor (RXFP3) mRNA. *Front Neuroanat* **11**: 133 [PMID:29403361]
5. Alexiou K, Wilbring M, Matschke K and Dschietzig T. (2013) Relaxin protects rat lungs from ischemia-reperfusion injury via inducible NO synthase: role of ERK-1/2, PI3K, and forkhead transcription factor FKHLR1. *PLoS ONE* **8**: e75592 [PMID:24098703]
6. Alvarez-Jaimes L, Sutton SW, Nepomuceno D, Motley ST, Cik M, Stocking E, Shoblock J and Bonaventure P. (2012) In vitro pharmacological characterization of RXFP3 allosterism: an example of probe dependency. *PLoS ONE* **7**: e30792 [PMID:22347403]
7. Anand-Ivell R, Heng K, Bartsch O and Ivell R. (2007) Relaxin signalling in THP-1 cells uses a novel phosphotyrosine-dependent pathway. *Mol Cell Endocrinol* **272**: 1-13 [PMID:17509748]
8. Anand-Ivell R, Tremellen K, Dai Y, Heng K, Yoshida M, Knight PG, Hale GE and Ivell R. (2013) Circulating insulin-like factor 3 (INSL3) in healthy and infertile women. *Hum Reprod* **28**: 3093-102 [PMID:24014601]
9. Anand-Ivell RJ, Relan V, Balvers M, Coiffec-Dorval I, Fritsch M, Bathgate RA and Ivell R. (2006) Expression of the Insulin-Like Peptide 3 (INSL3) Hormone-Receptor (LGR8) System in the Testis. *Biol Reprod* **74**: 945-953 [PMID:16467492]
10. Ang SY, Evans BA, Poole DP, Bron R, DiCello JJ, Bathgate RAD, Kocan M, Hutchinson DS and Summers RJ. (2018) INSL5 activates multiple signalling pathways and regulates GLP-1 secretion in NCI-H716 cells. *J Mol Endocrinol* **60**: 213-224 [PMID:29535183]
11. Ang SY, Hutchinson DS, Evans BA, Hossain MA, Patil N, Bathgate RA, Kocan M and Summers RJ. (2017) The actions of relaxin family peptides on signal transduction pathways activated by the relaxin family peptide receptor RXFP4. *Naunyn Schmiedebergs Arch Pharmacol* **390**: 105-111 [PMID:27888281]
12. Ang SY, Hutchinson DS, Patil N, Evans BA, Bathgate RAD, Halls ML, Hossain MA, Summers RJ and Kocan M. (2017) Signal transduction pathways activated by insulin-like peptide 5 at the relaxin family peptide RXFP4 receptor. *Br J Pharmacol* **174**: 1077-1089 [PMID:27243554]
13. Ayers K, Kumar R, Robevska G, Bruell S, Bell K, Malik MA, Bathgate RA and Sinclair A. (2019) Familial bilateral cryptorchidism is caused by recessive variants in RXFP2. *J Med Genet* **56**: 727-733 [PMID:31167797]
14. Baccari MC, Bani D, Bigazzi M and Calamai F. (2004) Influence of relaxin on the neurally induced relaxant responses of the mouse gastric fundus. *Biol Reprod* **71**: 1325-9 [PMID:15215200]
15. Baccari MC, Nistri S, Quattrone S, Bigazzi M, Bani Sacchi T, Calamai F and Bani D. (2004) Depression by

- relaxin of neurally induced contractile responses in the mouse gastric fundus. *Biol Reprod* **70**: 222-8 [PMID:14522837]
- 16. Baccari MC, Nistri S, Vannucchi MG, Calamai F and Bani D. (2007) Reversal by relaxin of altered ileal spontaneous contractions in dystrophic (mdx) mice through a nitric oxide-mediated mechanism. *Am J Physiol Regul Integr Comp Physiol* **293**: R662-8 [PMID:17522128]
 - 17. Banerjee A, Shen PJ, Ma S, Bathgate RA and Gundlach AL. (2010) Swim stress excitation of nucleus incertus and rapid induction of relaxin-3 expression via CRF1 activation. *Neuropharmacology* **58**: 145-55 [PMID:19560474]
 - 18. Bani D, Failli P, Bello MG, Thiemermann C, Bani Sacchi T, Bigazzi M and Masini E. (1998) Relaxin activates the L-arginine-nitric oxide pathway in vascular smooth muscle cells in culture. *Hypertension* **31**: 1240-7 [PMID:9622136]
 - 19. Barthold JS, Robbins A, Wang Y, Pugarelli J, Mateson A, Anand-Ivell R, Ivell R, McCahan SM and Akins Jr RE. (2014) Cryptorchidism in the orl rat is associated with muscle patterning defects in the fetal gubernaculum and altered hormonal signaling. *Biol Reprod* **91**: 41 [PMID:24966393]
 - 20. Bartsch O, Bartlick B and Ivell R. (2001) Relaxin signalling links tyrosine phosphorylation to phosphodiesterase and adenylyl cyclase activity. *Mol Hum Reprod* **7**: 799-809 [PMID:11517286]
 - 21. Bartsch O, Bartlick B and Ivell R. (2004) Phosphodiesterase 4 inhibition synergizes with relaxin signaling to promote decidualization of human endometrial stromal cells. *J Clin Endocrinol Metab* **89**: 324-34 [PMID:14715868]
 - 22. Bathgate RA, Halls ML, van der Westhuizen ET, Callander GE, Kocan M and Summers RJ. (2013) Relaxin family peptides and their receptors. *Physiol Rev* **93**: 405-80 [PMID:23303914]
 - 23. Bathgate RA, Ivell R, Sanborn BM, Sherwood OD and Summers RJ. (2006) International Union of Pharmacology LVII: recommendations for the nomenclature of receptors for relaxin family peptides. *Pharmacol Rev* **58**: 7-31 [PMID:16507880]
 - 24. Bathgate RA, Lin F, Hanson NF, Otvos L, Guidolin A, Giannakis C, Bastiras S, Layfield SL, Ferraro T, Ma S, Zhao C, Gundlach AL, Samuel CS, Tregear GW and Wade JD. (2006) Relaxin-3: Improved Synthesis Strategy and Demonstration of Its High-Affinity Interaction with the Relaxin Receptor LGR7 Both In Vitro and In Vivo. *Biochemistry* **45**: 1043-1053 [PMID:16411781]
 - 25. Bathgate RA, Samuel CS, Burazin TC, Layfield S, Claasz AA, Reytomas IG, Dawson NF, Zhao C, Bond C and Summers RJ et al.. (2002) Human relaxin gene 3 (H3) and the equivalent mouse relaxin (M3) gene. Novel members of the relaxin peptide family. *J Biol Chem* **277**: 1148-57 [PMID:11689565]
 - 26. Bathgate RA, Zhang S, Hughes RA, Rosengren KJ and Wade JD. (2012) The structural determinants of insulin-like Peptide 3 activity. *Front Endocrinol (Lausanne)* **3**: 11 [PMID:22654853]
 - 27. Bathgate RAD, Hsueh AJW and Sherwood OD. (2005) Physiology and molecular biology of the relaxin peptide family. In *Physiology of Reproduction* Edited by Knobil E, Neill JD: Elsevier: 679-968 [ISBN: 0125154003]
 - 28. Belgı A, Bathgate RA, Kocan M, Patil N, Zhang S, Tregear GW, Wade JD and Hossain MA. (2013) Minimum active structure of insulin-like peptide 5. *J Med Chem* **56**: 9509-16 [PMID:24188028]
 - 29. Belgı A, Hossain MA, Shabanpoor F, Chan L, Zhang S, Bathgate RA, Tregear GW and Wade JD. (2011) Structure and function relationship of murine insulin-like peptide 5 (INSL5): free C-terminus is essential for RXFP4 receptor binding and activation. *Biochemistry* **50**: 8352-61 [PMID:21866895]
 - 30. Bergeron LH, Willcox JM, Alibhai FJ, Connell BJ, Saleh TM, Wilson BC and Summerlee AJ. (2015) Relaxin peptide hormones are protective during the early stages of ischemic stroke in male rats. *Endocrinology* **156**: 638-46 [PMID:25456068]
 - 31. Bezhaeva T, de Vries MR, Geelhoed WJ, van der Veer EP, Versteeg S, van Alem CMA, Voorzaat BM, Eijkelkamp N, van der Bogaard KE and Agoulnik AI et al.. (2018) Relaxin receptor deficiency promotes vascular inflammation and impairs outward remodeling in arteriovenous fistulas. *FASEB J*: fj201800437R [PMID:29882709]
 - 32. Bigazzi M, Brandi ML, Bani G and Sacchi TB. (1992) Relaxin influences the growth of MCF-7 breast cancer cells. Mitogenic and antimitogenic action depends on peptide concentration. *Cancer* **70**: 639-43 [PMID:1320450]
 - 33. Blasiak A, Blasiak T, Lewandowski MH, Hossain MA, Wade JD and Gundlach AL. (2013) Relaxin-3 innervation of the intergeniculate leaflet of the rat thalamus - neuronal tract-tracing and in vitro electrophysiological studies. *Eur J Neurosci* **37**: 1284-94 [PMID:23432696]
 - 34. Boccalini G, Sassoli C, Bani D and Nistri S. (2018) Relaxin induces up-regulation of ADAM10

- metalloprotease in RXFP1-expressing cells by PI3K/AKT signaling. *Mol Cell Endocrinol* **472**: 80-86 [PMID:29180109]
35. Boels K, Hermans-Borgmeyer I and Schaller HC. (2004) Identification of a mouse orthologue of the G-protein-coupled receptor SALPR and its expression in adult mouse brain and during development. *Brain Res Dev Brain Res* **152**: 265-8 [PMID:15351514]
 36. Boels K and Schaller HC. (2003) Identification and characterisation of GPR100 as a novel human G-protein-coupled bradykinin receptor. *Br J Pharmacol* **140**: 932-8 [PMID:14530218]
 37. Bond CP, Parry LJ, Samuel CS, Gehring HM, Lederman FL, Rogers PA and Summers RJ. (2004) Increased expression of the relaxin receptor (LGR7) in human endometrium during the secretory phase of the menstrual cycle. *J Clin Endocrinol Metab* **89**: 3477-85 [PMID:15240635]
 38. Braddon SA. (1978) Relaxin-dependent adenosine 6',5'-monophosphate concentration changes in the mouse pubic symphysis. *Endocrinology* **102**: 1292-9 [PMID:217619]
 39. Bruell S, Sethi A, Smith N, Scott DJ, Hossain MA, Wu QP, Guo ZY, Petrie EJ, Gooley PR and Bathgate RAD. (2017) Distinct activation modes of the Relaxin Family Peptide Receptor 2 in response to insulin-like peptide 3 and relaxin. *Sci Rep* **7**: 3294 [PMID:28607406]
 40. Buneman P, Christie G, Davies JA, Dimitrellou R, Harding SD, Pawson AJ, Sharman JL and Wu Y. (2020) Why data citation isn't working, and what to do about it *Database* **2020** [PMID:32367113]
 41. Bülesbach EE and Schwabe C. (2005) LGR8 signal activation by the relaxin-like factor. *J Biol Chem* **280**: 14586-90 [PMID:15708846]
 42. Bülesbach EE and Schwabe C. (2012) Replacement of disulfides by amide bonds in the relaxin-like factor (RLF/INSL3) reveals a role for the A11-B10 link in transmembrane signaling. *Biochemistry* **51**: 4198-205 [PMID:22574850]
 43. Bülesbach EE and Schwabe C. (2005) The trap-like relaxin-binding site of the leucine-rich G-protein-coupled receptor *J Biol Chem* **280**: 14051-6 [PMID:15695505]
 44. Calvez J, de Ávila C, Matte LO, Guèvremont G, Gundlach AL and Timofeeva E. (2016) Role of relaxin-3/RXFP3 system in stress-induced binge-like eating in female rats. *Neuropharmacology* **102**: 207-15 [PMID:26607097]
 45. Calvez J, de Ávila C and Timofeeva E. (2017) Sex-specific effects of relaxin-3 on food intake and body weight gain. *Br J Pharmacol* **174**: 1049-1060 [PMID:27245781]
 46. Calvez J, Lenglos C, de Ávila C, Guèvremont G and Timofeeva E. (2015) Differential effects of central administration of relaxin-3 on food intake and hypothalamic neuropeptides in male and female rats. *Genes Brain Behav* **14**: 550-63 [PMID:26234422]
 47. Cardoso LC, Nascimento AR, Royer C, Porto CS and Lazari MF. (2010) Locally produced relaxin may affect testis and vas deferens function in rats. *Reproduction* **139**: 185-96 [PMID:19812235]
 48. Carvalho LN, Cristovam PC, Passos CS and Boim MA. (2012) Mesangial cells cultured from pregnant rats display reduced reactivity to angiotensin II: the role of relaxin, nitric oxide and AT2 receptor. *Cell Physiol Biochem* **30**: 1456-64 [PMID:23207895]
 49. Ch'ng SS, Fu J, Brown RM, Smith CM, Hossain MA, McDougall SJ and Lawrence AJ. (2019) Characterization of the relaxin family peptide receptor 3 system in the mouse bed nucleus of the stria terminalis. *J Comp Neurol* **527**: 2615-2633 [PMID:30947365]
 50. Chan LJ, Rosengren KJ, Layfield SL, Bathgate RA, Separovic F, Samuel CS, Hossain MA and Wade JD. (2012) Identification of key residues essential for the structural fold and receptor selectivity within the A-chain of human gene-2 (H2) relaxin. *J Biol Chem* **287**: 41152-64 [PMID:23024363]
 51. Chen CZ, Southall N, Xiao J, Marugan JJ, Ferrer M, Hu X, Jones RE, Feng S, Agoulnik IU and Zheng W et al.. (2013) Identification of small-molecule agonists of human relaxin family receptor 1 (RXFP1) by using a homogenous cell-based cAMP assay. *J Biomol Screen* **18**: 670-7 [PMID:23212924]
 52. Chen GA, Huang JR and Tseng L. (1988) The effect of relaxin on cyclic adenosine 3',5'-monophosphate concentrations in human endometrial glandular epithelial cells. *Biol Reprod* **39**: 519-25 [PMID:2848594]
 53. Chen J, Kuei C, Sutton SW, Bonaventure P, Nepomuceno D, Eriste E, Sillard R, Lovenberg TW and Liu C. (2005) Pharmacological characterization of relaxin-3/INSL7 receptors GPCR135 and GPCR142 from different mammalian species. *J Pharmacol Exp Ther* **312**: 83-95 [PMID:15367576]
 54. Chen Y, Zhou Q, Wang J, Xu Y, Wang Y, Yan J, Wang Y, Zhu Q, Zhao F and Li C et al.. (2023) Ligand recognition mechanism of the human relaxin family peptide receptor 4 (RXFP4). *Nat Commun* **14**: 492 [PMID:36717591]
 55. Chow BS, Chew EG, Zhao C, Bathgate RA, Hewitson TD and Samuel CS. (2012) Relaxin signals through a

- RXFP1-pERK-nNOS-NO-cGMP-dependent pathway to up-regulate matrix metalloproteinases: the additional involvement of iNOS. *PLoS ONE* 7: e42714 [PMID:22936987]
56. Chow BS, Kocan M, Bosnyak S, Sarwar M, Wigg B, Jones ES, Widdop RE, Summers RJ, Bathgate RA and Hewitson TD *et al.* (2014) Relaxin requires the angiotensin II type 2 receptor to abrogate renal interstitial fibrosis. *Kidney Int* **86**: 75-85 [PMID:24429402]
 57. Chow BSM, Kocan M, Shen M, Wang Y, Han L, Chew JY, Wang C, Bosnyak S, Mirabito-Colafella KM and Barsha G *et al.* (2019) AT1R-AT2R-RXFP1 Functional Crosstalk in Myofibroblasts: Impact on the Therapeutic Targeting of Renal and Cardiac Fibrosis. *J Am Soc Nephrol* **30**: 2191-2207 [PMID:31511361]
 58. Civcristov S and Halls ML. (2019) Signalling in response to sub-picomolar concentrations of active compounds: Pushing the boundaries of GPCR sensitivity. *Br J Pharmacol* **176**: 2382-2401 [PMID:30801691]
 59. Clifton KB, Rodner C and Wolf JM. (2014) Detection of relaxin receptor in the dorsoradial ligament, synovium, and articular cartilage of the trapeziometacarpal joint. *J Orthop Res* **32**: 1061-7 [PMID:24797570]
 60. Conrad KP. (2010) Unveiling the vasodilatory actions and mechanisms of relaxin. *Hypertension* **56**: 2-9 [PMID:20497994]
 61. Conrad KP, Debrah DO, Novak J, Danielson LA and Shroff SG. (2004) Relaxin modifies systemic arterial resistance and compliance in conscious, nonpregnant rats. *Endocrinology* **145**: 3289-96 [PMID:15198972]
 62. Conrad KP and Novak J. (2004) Emerging role of relaxin in renal and cardiovascular function. *Am J Physiol Regul Integr Comp Physiol* **287**: R250-R261 [PMID:15271674]
 63. Cronin MJ, Malaska T and Bakhit C. (1987) Human relaxin increases cyclic AMP levels in cultured anterior pituitary cells. *Biochem Biophys Res Commun* **148**: 1246-51 [PMID:2446608]
 64. Danielson LA, Kercher LJ and Conrad KP. (2000) Impact of gender and endothelin on renal vasodilation and hyperfiltration induced by relaxin in conscious rats. *Am J Physiol Regul Integr Comp Physiol* **279**: R1298-304 [PMID:11003996]
 65. De Toni L, Agoulnik AI, Sandri M, Foresta C and Ferlin A. (2019) INSL3 in the muscolo-skeletal system. *Mol Cell Endocrinol* **487**: 12-17 [PMID:30625346]
 66. de Ávila C, Chometton S, Calvez J, Guèvremont G, Kania A, Torz L, Lenglos C, Blasiak A, Rosenkilde MM and Holst B *et al.* (2021) Estrous Cycle Modulation of Feeding and Relaxin-3/Rxfp3 mRNA Expression: Implications for Estradiol Action. *Neuroendocrinology* **111**: 1201-1218 [PMID:33333517]
 67. de Ávila C, Chometton S, Lenglos C, Calvez J, Gundlach AL and Timofeeva E. (2018) Differential effects of relaxin-3 and a selective relaxin-3 receptor agonist on food and water intake and hypothalamic neuronal activity in rats. *Behav Brain Res* **336**: 135-144 [PMID:28864207]
 68. DeChristopher B, Park SH, Vong L, Bamford D, Cho HH, Duvadie R, Fedolak A, Hogan C, Honda T and Pandey P *et al.* (2019) Discovery of a small molecule RXFP3/4 agonist that increases food intake in rats upon acute central administration. *Bioorg Med Chem Lett* **29**: 991-994 [PMID:30824200]
 69. Dehghan F, Muniandy S, Yusof A and Salleh N. (2014) Sex-steroid regulation of relaxin receptor isoforms (RXFP1 & RXFP2) expression in the patellar tendon and lateral collateral ligament of female WKY rats. *Int J Med Sci* **11**: 180-91 [PMID:24465164]
 70. Dehghan F, Soori R, Dehghan P, Gholami K, Muniandy S, Azarbajani MA and Yusof A. (2016) Changes in Knee Laxity and Relaxin Receptor Isoforms Expression (RXFP1/RXFP2) in the Knee throughout Estrous Cycle Phases in Rodents. *PLoS One* **11**: e0160984 [PMID:27513858]
 71. Del Borgo MP, Hughes RA, Bathgate RA, Lin F, Kawamura K and Wade JD. (2006) Analogs of insulin-like peptide 3 (INSL3) B-chain are LGR8 antagonists in vitro and in vivo. *J Biol Chem*: 727-729 [PMID:16547350]
 72. Devarakonda T, Mauro AG, Guzman G, Hovsepian S, Cain C, Das A, Praveen P, Hossain MA and Salloum FN. (2020) B7-33, a Functionally Selective Relaxin Receptor 1 Agonist, Attenuates Myocardial Infarction-Related Adverse Cardiac Remodeling in Mice. *J Am Heart Assoc* **9**: e015748 [PMID:32295457]
 73. Diaz EC, Briggs M, Wen Y, Zhuang G, Wallace SL, Dobberfuhl AD, Kao CS and Chen BC. (2020) Characterizing relaxin receptor expression and exploring relaxin's effect on tissue remodeling/fibrosis in the human bladder. *BMC Urol* **20**: 44 [PMID:32321501]
 74. Dietrich W, Elenskaia K, Obermayr E, Horvat R, Mayerhofer K, Umek W, Zeillinger R and Hanzal E. (2012) Relaxin and gonadal steroid receptors in uterosacral ligaments of women with and without pelvic organ prolapse. *Int Urogynecol J* **23**: 495-500 [PMID:22124513]

75. Diwakarla S, Bathgate RAD, Zhang X, Hossain MA and Furness JB. (2020) Colokinetic effect of an insulin-like peptide 5-related agonist of the RXFP4 receptor. *Neurogastroenterol Motil* **32**: e13796 [PMID:31989750]
76. Domińska K, Ochędalski T, Kowalska K, Matysiak-Burzyńska ZE, Pluciennik E and Piastowska-Ciesielska AW. (2016) A common effect of angiotensin II and relaxin 2 on the PNT1A normal prostate epithelial cell line. *J Physiol Biochem* **72**: 381-92 [PMID:27119161]
77. Downing SJ and Hollingsworth M. (1991) Antagonism of relaxin by glibenclamide in the uterus of the rat in vivo. *Br J Pharmacol* **104**: 71-6 [PMID:1664766]
78. Downing SJ, McIlwrath A and Hollingsworth M. (1992) Cyclic adenosine 3'5'-monophosphate and the relaxant action of relaxin in the rat uterus in vivo. *J Reprod Fertil* **96**: 857-63 [PMID:1339864]
79. Dschietzig T, Alexiou K, Kinkel HT, Baumann G, Matschke K and Stangl K. (2011) The positive inotropic effect of relaxin-2 in human atrial myocardium is preserved in end-stage heart failure: role of G(i)-phosphoinositide-3 kinase signaling. *J Card Fail* **17**: 158-66 [PMID:21300306]
80. Dschietzig T, Bartsch C, Baumann G and Stangl K. (2009) RXFP1-inactive relaxin activates human glucocorticoid receptor: further investigations into the relaxin-GR pathway. *Regul Pept* **154**: 77-84 [PMID:19101597]
81. Dschietzig T, Bartsch C, Richter C, Laule M, Baumann G and Stangl K. (2003) Relaxin, a pregnancy hormone, is a functional endothelin-1 antagonist: attenuation of endothelin-1-mediated vasoconstriction by stimulation of endothelin type-B receptor expression via ERK-1/2 and nuclear factor-kappaB. *Circ Res* **92**: 32-40 [PMID:12522118]
82. Dschietzig T, Bartsch C, Stangl V, Baumann G and Stangl K. (2004) Identification of the pregnancy hormone relaxin as glucocorticoid receptor agonist. *FASEB J* **18**: 1536-8 [PMID:15289446]
83. Dschietzig T, Bartsch C, Wessler S, Baumann G and Stangl K. (2009) Autoregulation of human relaxin-2 gene expression critically involves relaxin and glucocorticoid receptor binding to glucocorticoid response half-sites in the relaxin-2 promoter. *Regul Pept* **155**: 163-73 [PMID:19289144]
84. Dschietzig T, Brecht A, Bartsch C, Baumann G, Stangl K and Alexiou K. (2012) Relaxin improves TNF- α -induced endothelial dysfunction: the role of glucocorticoid receptor and phosphatidylinositol 3-kinase signalling. *Cardiovasc Res* **95**: 97-107 [PMID:22510373]
85. Dschietzig T, Teichman S, Unemori E, Wood S, Boehmer J, Richter C, Baumann G and Stangl K. (2009) Intravenous recombinant human relaxin in compensated heart failure: a safety, tolerability, and pharmacodynamic trial. *J Card Fail* **15**: 182-90 [PMID:19327619]
86. Dschietzig TB. (2019) Relaxin-2 for heart failure with preserved ejection fraction (HFpEF): Rationale for future clinical trials. *Mol Cell Endocrinol* **487**: 54-58 [PMID:30659842]
87. Esteban-Lopez M and Agoulnik AI. (2020) Diverse functions of insulin-like 3 peptide. *J Endocrinol* **247**: R1-R12 [PMID:32813485]
88. Esteban-Lopez M, Wilson KJ, Myhr C, Kaftanovskaya EM, Henderson MJ, Southall NT, Xu X, Wang A, Hu X and Barnaeva E et al.. (2022) Discovery of small molecule agonists of the Relaxin Family Peptide Receptor 2. *Commun Biol* **5**: 1183 [PMID:36333465]
89. Fallowfield JA, Hayden AL, Snowdon VK, Aucott RL, Stutchfield BM, Mole DJ, Pellicoro A, Gordon-Walker TT, Henke A and Schrader J et al.. (2014) Relaxin modulates human and rat hepatic myofibroblast function and ameliorates portal hypertension in vivo. *Hepatology* **59**: 1492-504 [PMID:23873655]
90. Fede C, Albertin G, Petrelli L, Sfriso MM, Biz C, De Caro R and Stecco C. (2016) Hormone receptor expression in human fascial tissue. *Eur J Histochem* **60**: 2710 [PMID:28076930]
91. Fei DT, Gross MC, Lofgren JL, Mora-Worms M and Chen AB. (1990) Cyclic AMP response to recombinant human relaxin by cultured human endometrial cells--a specific and high throughput in vitro bioassay. *Biochem Biophys Res Commun* **170**: 214-22 [PMID:1695506]
92. Feng S, Agoulnik IU, Bogatcheva NV, Kamat AA, Kwabi-Addo B, Li R, Ayala G, Ittmann MM and Agoulnik AI. (2007) Relaxin promotes prostate cancer progression. *Clin Cancer Res* **13**: 1695-702 [PMID:17363522]
93. Feng S, Agoulnik IU, Truong A, Li Z, Creighton CJ, Kaftanovskaya EM, Pereira R, Han HD, Lopez-Berestein G and Klonisch T et al.. (2010) Suppression of relaxin receptor RXFP1 decreases prostate cancer growth and metastasis. *Endocr Relat Cancer* **17**: 1021-33 [PMID:20861284]
94. Ferlin A, Menegazzo M, Gianesello L, Selice R and Foresta C. (2012) Effect of relaxin on human sperm functions. *J Androl* **33**: 474-82 [PMID:21903973]
95. Ferlin A, Pepe A, Gianesello L, Garolla A, Feng S, Faccioli A, Morello R, Agoulnik AI and Foresta C.

- (2009) New roles for INSL3 in adults. *Ann N Y Acad Sci* **1160**: 215-8 [PMID:19416191]
- 96. Ferlin A, Pepe A, Gianesello L, Garolla A, Feng S, Giannini S, Zacco M, Faccioli A, Morello R and Agoulnik AI *et al.* (2008) Mutations in the insulin-like factor 3 receptor are associated with osteoporosis. *J Bone Miner Res* **23**: 683-93 [PMID:18433302]
 - 97. Ferlin A, Selice R, Carraro U and Foresta C. (2013) Testicular function and bone metabolism--beyond testosterone. *Nat Rev Endocrinol* **9**: 548-54 [PMID:23856820]
 - 98. Filonzi M, Cardoso LC, Pimenta MT, Queiróz DB, Avellar MC, Porto CS and Lazari MF. (2007) Relaxin family peptide receptors Rxfp1 and Rxfp2: mapping of the mRNA and protein distribution in the reproductive tract of the male rat. *Reprod Biol Endocrinol* **5**: 29 [PMID:17623071]
 - 99. Fisher C, MacLean M, Morecroft I, Seed A, Johnston F, Hillier C and McMurray J. (2002) Is the pregnancy hormone relaxin also a vasodilator peptide secreted by the heart? *Circulation* **106**: 292-5 [PMID:12119241]
 - 100. Foresta C and Ferlin A. (2004) Role of INSL3 and LGR8 in cryptorchidism and testicular functions. *Reprod Biomed Online* **9**: 294-8 [PMID:15353080]
 - 101. Fu P, Shen PJ, Zhao CX, Scott DJ, Samuel CS, Wade JD, Tregear GW, Bathgate RA and Gundlach AL. (2005) Detection, localization, and action of the INSL3 receptor, LGR8, in rat kidney. *Ann N Y Acad Sci* **1041**: 516-9 [PMID:15956754]
 - 102. Fue M, Miki Y, Takagi K, Hashimoto C, Yaegashi N, Suzuki T and Ito K. (2018) Relaxin 2/RXFP1 Signaling Induces Cell Invasion via the β-Catenin Pathway in Endometrial Cancer. *Int J Mol Sci* **19** [PMID:30126180]
 - 103. Furuya WI, Dhingra RR, Gundlach AL, Hossain MA and Dutschmann M. (2020) Relaxin-3 receptor (RXFP3) activation in the nucleus of the solitary tract modulates respiratory rate and the arterial chemoreceptor reflex in rat. *Respir Physiol Neurobiol* **271**: 103310 [PMID:31568840]
 - 104. Ganella DE, Callander GE, Ma S, Bye CR, Gundlach AL and Bathgate RA. (2013) Modulation of feeding by chronic rAAV expression of a relaxin-3 peptide agonist in rat hypothalamus. *Gene Ther* **20**: 703-16 [PMID:23135160]
 - 105. Ganella DE, Ryan PJ, Bathgate RA and Gundlach AL. (2012) Increased feeding and body weight gain in rats after acute and chronic activation of RXFP3 by relaxin-3 and receptor-selective peptides: functional and therapeutic implications. *Behav Pharmacol* **23**: 516-25 [PMID:22854307]
 - 106. Gay EA, Guan D, Van Voorhies K, Vasukuttan V, Mathews KM, Besheer J and Jin C. (2022) Discovery and Characterization of the First Nonpeptide Antagonists for the Relaxin-3/RXFP3 System. *J Med Chem* **65**: 7959-7974 [PMID:35594150]
 - 107. Giordano N, Volpi N, Franci D, Corallo C, Fioravanti A, Papakostas P, Montella A, Biagioli M, Fimiani M and Grasso G *et al.* (2012) Expression of RXFP1 in skin of scleroderma patients and control subjects. *Scand J Rheumatol* **41**: 391-5 [PMID:23043266]
 - 108. Glister C, Satchell L, Bathgate RA, Wade JD, Dai Y, Ivell R, Anand-Ivell R, Rodgers RJ and Knight PG. (2013) Functional link between bone morphogenetic proteins and insulin-like peptide 3 signaling in modulating ovarian androgen production. *Proc Natl Acad Sci USA* **110**: E1426-35 [PMID:23530236]
 - 109. Glogowska A, Kunanuvat U, Stetefeld J, Patel TR, Thanasupawat T, Krcek J, Weber E, Wong GW, Del Bigio MR and Hoang-Vu C *et al.* (2013) C1q-tumour necrosis factor-related protein 8 (CTRP8) is a novel interaction partner of relaxin receptor RXFP1 in human brain cancer cells. *J Pathol* **231**: 466-79 [PMID:24014093]
 - 110. Gorlov IP, Kamat A, Bogatcheva NV, Jones E, Lamb DJ, Truong A, Bishop CE, McElreavey K and Agoulnik AI. (2002) Mutations of the GREAT gene cause cryptorchidism. *Hum Mol Genet* **11**: 2309-18 [PMID:12217959]
 - 111. Grosse J, Heffron H, Burling K, Akhter Hossain M, Habib AM, Rogers GJ, Richards P, Larder R, Rimmington D and Adriaenssens AA *et al.* (2014) Insulin-like peptide 5 is an orexigenic gastrointestinal hormone. *Proc Natl Acad Sci USA* **111**: 11133-8 [PMID:25028498]
 - 112. Guan D, Rahman MT, Gay EA, Vasukuttan V, Mathews KM, Decker AM, Williams AH, Zhan CG and Jin C. (2021) Indole-Containing Amidinohydrazones as Nonpeptide, Dual RXFP3/4 Agonists: Synthesis, Structure-Activity Relationship, and Molecular Modeling Studies. *J Med Chem* **64**: 17866-17886 [PMID:34855388]
 - 113. Gundlach AL, Ma S, Sang Q, Shen PJ, Piccenna L, Sedaghat K, Smith CM, Bathgate RA, Lawrence AJ and Tregear GW *et al.* (2009) Relaxin family peptides and receptors in mammalian brain. *Ann N Y Acad Sci* **1160**: 226-35 [PMID:19416194]

114. Hagen CP, Mieritz MG, Nielsen JE, Anand-Ivell R, Ivell R and Juul A. (2015) Longitudinal assessment of circulating insulin-like peptide 3 levels in healthy peripubertal girls. *Fertil Steril* **103**: 780-6.e1 [PMID:25516081]
115. Haidar M, Guèvremont G, Zhang C, Bathgate RAD, Timofeeva E, Smith CM and Gundlach AL. (2017) Relaxin-3 inputs target hippocampal interneurons and deletion of hilar relaxin-3 receptors in "floxed-RXFP3" mice impairs spatial memory. *Hippocampus* **27**: 529-546 [PMID:28100033]
116. Haidar M, Tin K, Zhang C, Nateg M, Covita J, Wykes AD, Rogers J and Gundlach AL. (2019) Septal GABA and Glutamate Neurons Express RXFP3 mRNA and Depletion of Septal RXFP3 Impaired Spatial Search Strategy and Long-Term Reference Memory in Adult Mice. *Front Neuroanat* **13**: 30 [PMID:30906254]
117. Halls ML, Bathgate RA and Summers RJ. (2006) Relaxin family peptide receptors RXFP1 and RXFP2 modulate cAMP signaling by distinct mechanisms. *Mol Pharmacol* **70**: 214-26 [PMID:16569707]
118. Halls ML, Bathgate RA and Summers RJ. (2005) Signal switching after stimulation of LGR7 receptors by human relaxin 2. *Ann N Y Acad Sci* **1041**: 288-91 [PMID:15956719]
119. Halls ML, Bathgate RA, Sutton SW, Dschietzig TB and Summers RJ. (2015) International Union of Basic and Clinical Pharmacology. XCV. Recent advances in the understanding of the pharmacology and biological roles of relaxin family peptide receptors 1-4, the receptors for relaxin family peptides. *Pharmacol Rev* **67**: 389-440 [PMID:25761609]
120. Halls ML, Bond CP, Sudo S, Kumagai J, Ferraro T, Layfield S, Bathgate RA and Summers RJ. (2005) Multiple binding sites revealed by interaction of relaxin family peptides with native and chimeric relaxin family peptide receptors 1 and 2 (LGR7 and LGR8). *J Pharmacol Exp Ther* **313**: 677-87 [PMID:15649866]
121. Halls ML and Cooper DM. (2010) Sub-picomolar relaxin signalling by a pre-assembled RXFP1, AKAP79, AC2, beta-arrestin 2, PDE4D3 complex. *EMBO J* **29**: 2772-87 [PMID:20664520]
122. Halls ML, van der Westhuizen ET, Bathgate RA and Summers RJ. (2007) Relaxin family peptide receptors-former orphans reunite with their parent ligands to activate multiple signalling pathways. *Br J Pharmacol* **150**: 677-91 [PMID:17293890]
123. Halls ML, van der Westhuizen ET, Wade JD, Evans BA, Bathgate RA and Summers RJ. (2009) Relaxin family peptide receptor (RXFP1) coupling to G(alpha)i3 involves the C-terminal Arg752 and localization within membrane Raft Microdomains. *Mol Pharmacol* **75**: 415-28 [PMID:19029286]
124. Hampel U, Klonisch T, Makrantonaki E, Sel S, Schulze U, Garreis F, Seitmann H, Zouboulis CC and Paulsen FP. (2012) Relaxin 2 is functional at the ocular surface and promotes corneal wound healing. *Invest Ophthalmol Vis Sci* **53**: 7780-90 [PMID:23111608]
125. Hampel U, Klonisch T, Sel S, Schulze U, Garreis F, Seitmann H, Zouboulis CC and Paulsen FP. (2013) Insulin-like factor 3 promotes wound healing at the ocular surface. *Endocrinology* **154**: 2034-45 [PMID:23539510]
126. Harris RM, Finlayson C, Weiss J, Fisher L, Hurley L, Barrett T, Emge D, Bathgate RA, Agoulnik AI and Jameson JL. (2010) A missense mutation in LRR8 of RXFP2 is associated with cryptorchidism. *Mamm Genome* **21**: 442-9 [PMID:20963592]
127. Haugaard-Kedström LM, Lee HS, Jones MV, Song A, Rathod V, Hossain MA, Bathgate RAD and Rosengren KJ. (2018) Binding conformation and determinants of a single-chain peptide antagonist at the relaxin-3 receptor RXFP3. *J Biol Chem* **293**: 15765-15776 [PMID:30131342]
128. Haugaard-Kedström LM, Shabanpoor F, Hossain MA, Clark RJ, Ryan PJ, Craik DJ, Gundlach AL, Wade JD, Bathgate RA and Rosengren KJ. (2011) Design, synthesis, and characterization of a single-chain peptide antagonist for the relaxin-3 receptor RXFP3. *J Am Chem Soc* **133**: 4965-74 [PMID:21384867]
129. Haugaard-Kedström LM, Wong LL, Bathgate RA and Rosengren KJ. (2015) Synthesis and pharmacological characterization of a europium-labelled single-chain antagonist for binding studies of the relaxin-3 receptor RXFP3. *Amino Acids* **47**: 1267-71 [PMID:25792111]
130. Heidari S, Taromchi AH, Nejatbakhsh R and Shokri S. (2018) Expression and localisation of RXFP3 in human spermatozoa and impact of INSL7 on sperm functions. *Andrologia* **50** [PMID:29159832]
131. Heng K, Ivell R, Wagaarachchi P and Anand-Ivell R. (2008) Relaxin signalling in primary cultures of human myometrial cells. *Mol Hum Reprod* **14**: 603-11 [PMID:18805799]
132. Hoare BL, Bruell S, Sethi A, Gooley PR, Lew MJ, Hossain MA, Inoue A, Scott DJ and Bathgate RAD. (2019) Multi-Component Mechanism of H2 Relaxin Binding to RXFP1 through NanoBRET Kinetic Analysis. *iScience* **11**: 93-113 [PMID:30594862]
133. Hojo K, Hossain MA, Tailhades J, Shabanpoor F, Wong LL, Ong-Pålsson EE, Kastman HE, Ma S, Gundlach

- AL and Rosengren KJ *et al.* (2016) Development of a Single-Chain Peptide Agonist of the Relaxin-3 Receptor Using Hydrocarbon Stapling. *J Med Chem* **59**: 7445-56 [PMID:27464307]
134. Hombach-Klonisch S, Bialek J, Trojanowicz B, Weber E, Holzhausen HJ, Silvertown JD, Summerlee AJ, Dralle H, Hoang-Vu C and Klonisch T. (2006) Relaxin enhances the oncogenic potential of human thyroid carcinoma cells. *Am J Pathol* **169**: 617-32 [PMID:16877360]
135. Hombach-Klonisch S, Hoang-Vu C, Kehlen A, Hinze R, Holzhausen HJ, Weber E, Fischer B, Dralle H and Klonisch T. (2003) INSL-3 is expressed in human hyperplastic and neoplastic thyrocytes. *Int J Oncol* **22**: 993-1001 [PMID:12684664]
136. Hopkins EJ, Layfield S, Ferraro T, Bathgate RA and Gooley PR. (2007) The NMR solution structure of the relaxin (RXFP1) receptor lipoprotein receptor class A module and identification of key residues in the N-terminal region of the module that mediate receptor activation. *J Biol Chem* **282**: 4172-84 [PMID:17148455]
137. Hosken IT, Sutton SW, Smith CM and Gundlach AL. (2015) Relaxin-3 receptor (Rxfp3) gene knockout mice display reduced running wheel activity: Implications for role of relaxin-3/RXFP3 signalling in sustained arousal. *Behav Brain Res* **278**: 167-75 [PMID:25257104]
138. Hossain MA, Kocan M, Yao ST, Royce SG, Nair VB, Siwek C, Patil NA, Harrison IP, Rosengren KJ and Selemidis S *et al.* (2016) A single-chain derivative of the relaxin hormone is a functionally selective agonist of the G protein-coupled receptor, RXFP1. *Chem Sci* **7**: 3805-3819 [PMID:30155023]
139. Hossain MA, Kocan M, Yao ST, Royce SG, Nair VB, Siwek C, Patil NA, Harrison IP, Rosengren KJ and Selemidis S *et al.* (2016) A single-chain derivative of the relaxin hormone is a functionally selective agonist of the G protein-coupled receptor, RXFP1. *Chem Sci* **7**: 3805-3819 [PMID:30155023]
140. Hossain MA, Rosengren KJ, Haugaard-Jönsson LM, Zhang S, Layfield S, Ferraro T, Daly NL, Tregear GW, Wade JD and Bathgate RA. (2008) The A-chain of human relaxin family peptides has distinct roles in the binding and activation of the different relaxin family peptide receptors. *J Biol Chem* **283**: 17287-97 [PMID:18434306]
141. Hossain MA, Rosengren KJ, Samuel CS, Shabanpoor F, Chan LJ, Bathgate RA and Wade JD. (2011) The minimal active structure of human relaxin-2. *J Biol Chem* **286**: 37555-65 [PMID:21878627]
142. Hossain MA, Rosengren KJ, Zhang S, Bathgate RA, Tregear GW, van Lierop BJ, Robinson AJ and Wade JD. (2009) Solid phase synthesis and structural analysis of novel A-chain dicarba analogs of human relaxin-3 (INSL7) that exhibit full biological activity. *Org Biomol Chem* **7**: 1547-53 [PMID:19343240]
143. Hossain MA, Samuel CS, Binder C, Hewitson TD, Tregear GW, Wade JD and Bathgate RA. (2010) The chemically synthesized human relaxin-2 analog, B-R13/17K H2, is an RXFP1 antagonist. *Amino Acids* **39**: 409-16 [PMID:20043231]
144. Hossain MA, Smith CM, Ryan PJ, Büchler E, Bathgate RA, Gundlach AL and Wade JD. (2013) Chemical synthesis and orexigenic activity of rat/mouse relaxin-3. *Amino Acids* **44**: 1529-36 [PMID:23456488]
145. Hsu CJ, McCormack SM and Sanborn BM. (1985) The effect of relaxin on cyclic adenosine 3',5'-monophosphate concentrations in rat myometrial cells in culture. *Endocrinology* **116**: 2029-35 [PMID:2985368]
146. Hsu SY, Kudo M, Chen T, Nakabayashi K, Bhalla A, van der Spek PJ, van Duin M and Hsueh AJ. (2000) The three subfamilies of leucine-rich repeat-containing G protein-coupled receptors (LGR): identification of LGR6 and LGR7 and the signaling mechanism for LGR7. *Mol Endocrinol* **14**: 1257-71 [PMID:10935549]
147. Hsu SY, Nakabayashi K, Nishi S, Kumagai J, Kudo M, Sherwood OD and Hsueh AJ. (2002) Activation of orphan receptors by the hormone relaxin. *Science* **295**: 671-4 [PMID:11809971]
148. Hu M, Wang Y, Liu Z, Yu Z, Guan K, Liu M, Wang M, Tan J and Huang L. (2021) Hepatic macrophages act as a central hub for relaxin-mediated alleviation of liver fibrosis. *Nat Nanotechnol* **16**: 466-477 [PMID:33495618]
149. Hu MJ, Shao XX, Li HZ, Nie WH, Wang JH, Liu YL, Xu ZG and Guo ZY. (2018) Development of a novel ligand binding assay for relaxin family peptide receptor 3 and 4 using NanoLuc complementation. *Amino Acids* **50**: 1111-1119 [PMID:29770870]
150. Hu MJ, Shao XX, Wang JH, Wei D, Guo YQ, Liu YL, Xu ZG and Guo ZY. (2016) Mechanism for insulin-like peptide 5 distinguishing the homologous relaxin family peptide receptor 3 and 4. *Sci Rep* **6**: 29648 [PMID:27404393]
151. Hu MJ, Shao XX, Wang JH, Wei D, Liu YL, Xu ZG and Guo ZY. (2016) Identification of hydrophobic interactions between relaxin-3 and its receptor RXFP3: implication for a conformational change in the

- B-chain C-terminus during receptor binding. *Amino Acids* **48**: 2227-36 [PMID:27193232]
152. Hu MJ, Wei D, Shao XX, Wang JH, Liu YL, Xu ZG and Guo ZY. (2017) Interaction mechanism of insulin-like peptide 5 with relaxin family peptide receptor 4. *Arch Biochem Biophys* **619**: 27-34 [PMID:28274616]
153. Ikeda Y, Zabbarova IV, Birder LA, Wipf P, Getchell SE, Tyagi P, Fry CH, Drake MJ and Kanai AJ. (2018) Relaxin-2 therapy reverses radiation-induced fibrosis and restores bladder function in mice. *Neurourol Urodyn* **37**: 2441-2451 [PMID:29806709]
154. Illiano S, Poirier B, Minoletti C, Pasquier O, Riva L, Chenee X, Menguy I, Guillotel M, Prigent P and Le Claire S *et al.*. (2022) Characterization of a new potent and long-lasting single chain peptide agonist of RXFP1 in cells and in vivo translational models. *Sci Rep* **12**: 20435 [PMID:36443381]
155. Ivell R and Anand-Ivell R. (2018) Insulin-like peptide 3 (INSL3) is a major regulator of female reproductive physiology. *Hum Reprod Update* **24**: 639-651 [PMID:30204868]
156. Ivell R, Balvers M, Pohnke Y, Telgmann R, Bartsch O, Milde-Langosch K, Bamberger AM and Einspanier A. (2003) Immunoexpression of the relaxin receptor LGR7 in breast and uterine tissues of humans and primates. *Reprod Biol Endocrinol* **1**: 114 [PMID:14633277]
157. Ivell R, Kotula-Balak M, Glynn D, Heng K and Anand-Ivell R. (2011) Relaxin family peptides in the male reproductive system--a critical appraisal. *Mol Hum Reprod* **17**: 71-84 [PMID:20952422]
158. Jayakody T, Marwari S, Lakshminarayanan R, Tan FC, Johannes CW, Dymock BW, Poulsen A, Herr DR and Dawe GS. (2016) Hydrocarbon stapled B chain analogues of relaxin-3 retain biological activity. *Peptides* **84**: 44-57 [PMID:27498038]
159. Jelinic M, Leo CH, Post Uiterweer ED, Sandow SL, Gooi JH, Wlodek ME, Conrad KP, Parkington H, Tare M and Parry LJ. (2014) Localization of relaxin receptors in arteries and veins, and region-specific increases in compliance and bradykinin-mediated relaxation after in vivo serorelaxin treatment. *FASEB J* **28**: 275-87 [PMID:24036884]
160. Jeyabalan A, Novak J, Danielson LA, Kerchner LJ, Opett SL and Conrad KP. (2003) Essential role for vascular gelatinase activity in relaxin-induced renal vasodilation, hyperfiltration, and reduced myogenic reactivity of small arteries. *Circ Res* **93**: 1249-57 [PMID:14593002]
161. Kaftanovskaya EM, Huang Z, Lopez C, Conrad K and Agoulnik AI. (2015) Conditional deletion of the relaxin receptor gene in cells of smooth muscle lineage affects lower reproductive tract in pregnant mice. *Biol Reprod* **92**: 91 [PMID:25715795]
162. Kaftanovskaya EM, Ng HH, Soula M, Rivas B, Myhr C, Ho BA, Cervantes BA, Shupe TD, Devarasetty M and Hu X *et al.*. (2019) Therapeutic effects of a small molecule agonist of the relaxin receptor ML290 in liver fibrosis. *FASEB J* **33**: 12435-12446 [PMID:31419161]
163. Kakouris H, Eddie LW and Summers RJ. (1992) Cardiac effects of relaxin in rats. *Lancet* **339**: 1076-8 [PMID:1349104]
164. Kamat AA, Feng S, Agoulnik IU, Kheradmand F, Bogatcheva NV, Coffey D, Sood AK and Agoulnik AI. (2006) The role of relaxin in endometrial cancer. *Cancer Biol Ther* **5**: 71-7 [PMID:16322684]
165. Kamat AA, Feng S, Bogatcheva NV, Truong A, Bishop CE and Agoulnik AI. (2004) Genetic targeting of relaxin and insulin-like factor 3 receptors in mice. *Endocrinology* **145**: 4712-20 [PMID:15256493]
166. Kania A, Gugula A, Grabowiecka A, de Ávila C, Blasiak T, Rajfur Z, Lewandowski MH, Hess G, Timofeeva E and Gundlach AL *et al.*. (2017) Inhibition of oxytocin and vasopressin neuron activity in rat hypothalamic paraventricular nucleus by relaxin-3-RXFP3 signalling. *J Physiol (Lond.)* **595**: 3425-3447 [PMID:28098344]
167. Kania A, Szlag A, Sambak P, Gugula A, Blasiak E, Micioni Di Bonaventura MV, Hossain MA, Cifani C, Hess G and Gundlach AL *et al.*. (2020) RLN3/RXFP3 Signaling in the PVN Inhibits Magnocellular Neurons via M-like Current Activation and Contributes to Binge Eating Behavior. *J Neurosci* **40**: 5362-5375 [PMID:32532885]
168. Kawamura K, Kumagai J, Sudo S, Chun SY, Pisarska M, Morita H, Toppari J, Fu P, Wade JD and Bathgate RA *et al.*. (2004) Paracrine regulation of mammalian oocyte maturation and male germ cell survival. *Proc Natl Acad Sci USA* **101**: 7323-8 [PMID:15123806]
169. Kern A, Hubbard D, Amano A and Bryant-Greenwood GD. (2008) Cloning, expression, and functional characterization of relaxin receptor (leucine-rich repeat-containing g protein-coupled receptor 7) splice variants from human fetal membranes. *Endocrinology* **149**: 1277-94 [PMID:18079195]
170. Khalaf MS, Coles MP and Hitchcock PB. (2008) A structural, theoretical and coordinative evaluation of the bicyclic guanidinate derived from 1,4,6-triazabicyclo[3.3.0]oct-4-ene. *Dalton Trans*: 4288-95 [PMID:18682868]

171. Kim JH, Lee SK, Lee SK, Kim JH and Fredericson M. (2016) Relaxin Receptor RXFP1 and RXFP2 Expression in Ligament, Tendon, and Shoulder Joint Capsule of Rats. *J Korean Med Sci* **31**: 983-8 [PMID:27247510]
172. Klonisch T, Müller-Huesmann H, Riedel M, Kehlen A, Bialek J, Radestock Y, Holzhausen HJ, Steger K, Ludwig M and Weidner W *et al.*. (2005) INSL3 in the benign hyperplastic and neoplastic human prostate gland. *Int J Oncol* **27**: 307-15 [PMID:16010410]
173. Kocan M, Sarwar M, Ang SY, Xiao J, Marugan JJ, Hossain MA, Wang C, Hutchinson DS, Samuel CS and Agoulnik AI *et al.*. (2017) ML290 is a biased allosteric agonist at the relaxin receptor RXFP1. *Sci Rep* **7**: 2968 [PMID:28592882]
174. Kocan M, Sarwar M, Hossain MA, Wade JD and Summers RJ. (2014) Signalling profiles of H3 relaxin, H2 relaxin and R3(BΔ23-27)R/I5 acting at the relaxin family peptide receptor 3 (RXFP3). *Br J Pharmacol* **171**: 2827-41 [PMID:24641548]
175. Kohsaka T, Min G, Lukas G, Trupin S, Campbell ET and Sherwood OD. (1998) Identification of specific relaxin-binding cells in the human female. *Biol Reprod* **59**: 991-9 [PMID:9746753]
176. Kompa AR, Samuel CS and Summers RJ. (2002) Inotropic responses to human gene 2 (B29) relaxin in a rat model of myocardial infarction (MI): effect of pertussis toxin. *Br J Pharmacol* **137**: 710-8 [PMID:12381685]
177. Kong RC, Petrie EJ, Mohanty B, Ling J, Lee JC, Gooley PR and Bathgate RA. (2013) The relaxin receptor (RXFP1) utilizes hydrophobic moieties on a signaling surface of its N-terminal low density lipoprotein class A module to mediate receptor activation. *J Biol Chem* **288**: 28138-51 [PMID:23926099]
178. Krajnc-Franken MA, van Disseldorp AJ, Koenders JE, Mosselman S, van Duin M and Gossen JA. (2004) Impaired nipple development and parturition in LGR7 knockout mice. *Mol Cell Biol* **24**: 687-96 [PMID:14701741]
179. Kristensson L, Mayer G, Ploj K, Wetterlund M, Arlbrandt S, Björquist A, Wissing BM, Castaldo M and Larsson N. (2015) Partial agonist activity of R3(BΔ23-27)R/I5 at RXFP3--investigation of in vivo and in vitro pharmacology. *Eur J Pharmacol* **747**: 123-31 [PMID:25496752]
180. Kubota Y, Temelcos C, Bathgate RA, Smith KJ, Scott D, Zhao C and Hutson JM. (2002) The role of insulin 3, testosterone, Müllerian inhibiting substance and relaxin in rat gubernacular growth. *Mol Hum Reprod* **8**: 900-5 [PMID:12356938]
181. Kuei C, Sutton S, Bonaventure P, Pudiak C, Shelton J, Zhu J, Nepomuceno D, Wu J, Chen J and Kamme F *et al.*. (2007) R3(BDelta23 27)R/I5 chimeric peptide, a selective antagonist for GPCR135 and GPCR142 over relaxin receptor LGR7: in vitro and in vivo characterization. *J Biol Chem* **282**: 25425-35 [PMID:17606621]
182. Kuenzi MJ and Sherwood OD. (1995) Immunohistochemical localization of specific relaxin-binding cells in the cervix, mammary glands, and nipples of pregnant rats. *Endocrinology* **136**: 1367-73 [PMID:7895647]
183. Kumagai J, Hsu SY, Matsumi H, Roh JS, Fu P, Wade JD, Bathgate RA and Hsueh AJ. (2002) INSL3/Leydig insulin-like peptide activates the LGR8 receptor important in testis descent. *J Biol Chem* **277**: 31283-6 [PMID:12114498]
184. Kuznetsova L, Plesneva S, Derjabina N, Omeljanuk E and Pertseva M. (1999) On the mechanism of relaxin action: the involvement of adenylyl cyclase signalling system. *Regul Pept* **80**: 33-9 [PMID:10235632]
185. Lam M, Royce SG, Donovan C, Jelinic M, Parry LJ, Samuel CS and Bourke JE. (2016) Serorelaxin Elicits Bronchodilation and Enhances β-Adrenoceptor-Mediated Airway Relaxation. *Front Pharmacol* **7**: 406 [PMID:27833558]
186. Lawther AJ, Clissold ML, Ma S, Kent S, Lowry CA, Gundlach AL and Hale MW. (2015) Anxiogenic drug administration and elevated plus-maze exposure in rats activate populations of relaxin-3 neurons in the nucleus incertus and serotonergic neurons in the dorsal raphe nucleus. *Neuroscience* **303**: 270-84 [PMID:26141847]
187. Lee HS, Postan M, Song A, Clark RJ, Bathgate RAD, Haugaard-Kedström LM and Rosengren KJ. (2020) Development of Relaxin-3 Agonists and Antagonists Based on Grafted Disulfide-Stabilized Scaffolds. *Front Chem* **8**: 87 [PMID:32133341]
188. Lee JH, Koh SQ, Guadagna S, Francis PT, Esiri MM, Chen CP, Wong PT, Dawe GS and Lai MK. (2016) Altered relaxin family receptors RXFP1 and RXFP3 in the neocortex of depressed Alzheimer's disease patients. *Psychopharmacology (Berl)* **233**: 591-8 [PMID:26542729]

189. Lenglos C, Mitra A, Guèvremont G and Timofeeva E. (2013) Sex differences in the effects of chronic stress and food restriction on body weight gain and brain expression of CRF and relaxin-3 in rats. *Genes Brain Behav* **12**: 370-87 [PMID:23425370]
190. Lenglos C, Mitra A, Guèvremont G and Timofeeva E. (2014) Regulation of expression of relaxin-3 and its receptor RXFP3 in the brain of diet-induced obese rats. *Neuropeptides* **48**: 119-32 [PMID:24629399]
191. Lin G, Feng Y, Cai X, Zhou C, Shao L, Chen Y, Chen L, Liu Q, Zhou Q and Bathgate RAD *et al.* (2021) High-Throughput Screening Campaign Identified a Potential Small Molecule RXFP3/4 Agonist. *Molecules* **26**: 7511 [PMID:34946593]
192. Lin GY, Lin L, Cai XQ, Dai AT, Zhu Y, Li J, Liu Q, Yang DH, Bathgate RAD and Wang MW. (2020) High-throughput screening campaign identifies a small molecule agonist of the relaxin family peptide receptor 4. *Acta Pharmacol Sin* **41**: 1328-1336 [PMID:32235863]
193. Lin L, Lin G, Zhou Q, Bathgate RAD, Gong GQ, Yang D, Liu Q and Wang MW. (2021) Design, synthesis and pharmacological evaluation of tricyclic derivatives as selective RXFP4 agonists. *Bioorg Chem* **110**: 104782 [PMID:33730669]
194. Liu C, Chen J, Kuei C, Sutton S, Nepomuceno D, Bonaventure P and Lovenberg TW. (2005) Relaxin-3/insulin-like peptide 5 chimeric peptide, a selective ligand for G protein-coupled receptor (GPCR)135 and GPCR142 over leucine-rich repeat-containing G protein-coupled receptor 7. *Mol Pharmacol* **67**: 231-40 [PMID:15465925]
195. Liu C, Chen J, Sutton S, Roland B, Kuei C, Farmer N, Sillard R and Lovenberg TW. (2003) Identification of relaxin-3/INSL7 as a ligand for GPCR142. *J Biol Chem* **278**: 50765-70 [PMID:14522967]
196. Liu C, Eriste E, Sutton S, Chen J, Roland B, Kuei C, Farmer N, Jörnvall H, Sillard R and Lovenberg TW. (2003) Identification of relaxin-3/INSL7 as an endogenous ligand for the orphan G-protein-coupled receptor GPCR135. *J Biol Chem* **278**: 50754-64 [PMID:14522968]
197. Liu C, Kuei C, Sutton S, Chen J, Bonaventure P, Wu J, Nepomuceno D, Kamme F, Tran DT and Zhu J *et al.* (2005) INSL5 is a high affinity specific agonist for GPCR142 (GPR100). *J Biol Chem* **280**: 292-300 [PMID:15525639]
198. Liu Y, Song G, Shao XX, Liu YL and Guo ZY. (2015) Quantitative measurement of cell membrane receptor internalization by the nanoluciferase reporter: Using the G protein-coupled receptor RXFP3 as a model. *Biochim Biophys Acta* **1848**: 688-94 [PMID:25434927]
199. Liu Y, Zhang L, Shao XX, Hu MJ, Liu YL, Xu ZG and Guo ZY. (2016) A negatively charged transmembrane aspartate residue controls activation of the relaxin-3 receptor RXFP3. *Arch Biochem Biophys* **604**: 113-20 [PMID:27353281]
200. Lowndes K, Amano A, Yamamoto SY and Bryant-Greenwood GD. (2006) The human relaxin receptor (LGR7): expression in the fetal membranes and placenta. *Placenta* **27**: 610-8 [PMID:16165207]
201. Luna JJ, Riesewijk A, Horcajadas JA, Van Os Rd Rd, Domínguez F, Mosselman S, Pellicer A and Simón C. (2004) Gene expression pattern and immunoreactive protein localization of LGR7 receptor in human endometrium throughout the menstrual cycle. *Mol Hum Reprod* **10**: 85-90 [PMID:14742692]
202. Luo X, Li T, Zhu Y, Dai Y, Zhao J, Guo ZY and Wang MW. (2015) The insulinotropic effect of insulin-like peptide 5 in vitro and in vivo. *Biochem J* **466**: 467-73 [PMID:25514935]
203. Ma J, Niu M, Yang W, Zang L and Xi Y. (2013) Role of relaxin-2 in human primary osteosarcoma. *Cancer Cell Int* **13**: 59 [PMID:23758748]
204. Ma S, Bonaventure P, Ferraro T, Shen PJ, Burazin TC, Bathgate RA, Liu C, Tregear GW, Sutton SW and Gundlach AL. (2007) Relaxin-3 in GABA projection neurons of nucleus incertus suggests widespread influence on forebrain circuits via G-protein-coupled receptor-135 in the rat. *Neuroscience* **144**: 165-90 [PMID:17071007]
205. Ma S, Olucha-Bordonau FE, Hossain MA, Lin F, Kuei C, Liu C, Wade JD, Sutton SW, Nuñez A and Gundlach AL. (2009) Modulation of hippocampal theta oscillations and spatial memory by relaxin-3 neurons of the nucleus incertus. *Learn Mem* **16**: 730-42 [PMID:19880588]
206. Ma S, Shen PJ, Burazin TC, Tregear GW and Gundlach AL. (2006) Comparative localization of leucine-rich repeat-containing G-protein-coupled receptor-7 (RXFP1) mRNA and [³³P]-relaxin binding sites in rat brain: restricted somatic co-expression a clue to relaxin action? *Neuroscience* **141**: 329-44 [PMID:16725278]
207. Ma S, Smith CM, Blasiak A and Gundlach AL. (2017) Distribution, physiology and pharmacology of relaxin-3/RXFP3 systems in brain. *Br J Pharmacol* **174**: 1034-1048 [PMID:27774604]
208. Mallart S, Ingenito R, Bianchi E, Bresciani A, Esposito S, Gallo M, Magotti P, Monteagudo E, Orsatti L and

- Roversi D *et al.* (2021) Identification of Potent and Long-Acting Single-Chain Peptide Mimetics of Human Relaxin-2 for Cardiovascular Diseases. *J Med Chem* **64**: 2139-2150 [PMID:33555858]
209. Marshall SA, McGuane JT, Soh YM, Gehring HM, Simpson E and Parry LJ. (2018) Abnormal extracellular matrix remodelling in the cervix of pregnant relaxin-deficient mice is not associated with reduced matrix metalloproteinase expression or activity. *Reprod Fertil Dev* **30**: 1214-1224 [PMID:29533760]
210. Marshall SA, Ng L, Unemori EN, Girling JE and Parry LJ. (2016) Relaxin deficiency results in increased expression of angiogenesis- and remodelling-related genes in the uterus of early pregnant mice but does not affect endometrial angiogenesis prior to implantation. *Reprod Biol Endocrinol* **14**: 11 [PMID:27005936]
211. Marwari S, Poulsen A, Shih N, Lakshminarayanan R, Kini RM, Johannes CW, Dymock BW and Dawe GS. (2019) Intranasal administration of a stapled relaxin-3 mimetic has anxiolytic- and antidepressant-like activity in rats. *Br J Pharmacol* **176**: 3899-3923 [PMID:31220339]
212. Maseelall PB, Seungdamrong A, Weiss G, Wojtczuk AS, Donnelly R, Stouffer RL and Goldsmith LT. (2009) Expression of LGR7 in the primate corpus luteum implicates the corpus luteum as a relaxin target organ. *Ann N Y Acad Sci* **1160**: 147-51 [PMID:19416177]
213. Matsumoto M, Kamohara M, Sugimoto T, Hidaka K, Takasaki J, Saito T, Okada M, Yamaguchi T and Furuichi K. (2000) The novel G-protein coupled receptor SALPR shares sequence similarity with somatostatin and angiotensin receptors. *Gene* **248**: 183-9 [PMID:10806363]
214. Mazella J, Tang M and Tseng L. (2004) Disparate effects of relaxin and TGFbeta1: relaxin increases, but TGFbeta1 inhibits, the relaxin receptor and the production of IGFBP-1 in human endometrial stromal/decidual cells. *Hum Reprod* **19**: 1513-8 [PMID:15155604]
215. McBride A, Hoy AM, Bamford MJ, Mossakowska DE, Ruediger MP, Griggs J, Desai S, Simpson K, Caballero-Hernandez I and Iredale JP *et al.* (2017) In search of a small molecule agonist of the relaxin receptor RXFP1 for the treatment of liver fibrosis. *Sci Rep* **7**: 10806 [PMID:28883402]
216. McGowan BM, Minnion JS, Murphy KG, Roy D, Stanley SA, Dhillo WS, Gardiner JV, Ghatei MA and Bloom SR. (2014) Relaxin-3 stimulates the neuro-endocrine stress axis via corticotrophin-releasing hormone. *J Endocrinol* **221**: 337-46 [PMID:24578294]
217. McGowan BM, Stanley SA, Smith KL, Minnion JS, Donovan J, Thompson EL, Patterson M, Connolly MM, Abbott CR and Small CJ *et al.* (2006) Effects of acute and chronic relaxin-3 on food intake and energy expenditure in rats. *Regul Pept* **136**: 72-7 [PMID:16764952]
218. McGowan BM, Stanley SA, Smith KL, White NE, Connolly MM, Thompson EL, Gardiner JV, Murphy KG, Ghatei MA and Bloom SR. (2005) Central relaxin-3 administration causes hyperphagia in male Wistar rats. *Endocrinology* **146**: 3295-300 [PMID:15845619]
219. McGuane JT, Debrah JE, Sautina L, Jarajapu YP, Novak J, Rubin JP, Grant MB, Segal M and Conrad KP. (2011) Relaxin induces rapid dilation of rodent small renal and human subcutaneous arteries via PI3 kinase and nitric oxide. *Endocrinology* **152**: 2786-96 [PMID:21558316]
220. Meadows KL and Byrnes EM. (2015) Sex- and age-specific differences in relaxin family peptide receptor expression within the hippocampus and amygdala in rats. *Neuroscience* **284**: 337-348 [PMID:25313002]
221. Metra M, Cotter G, Davison BA, Felker GM, Filippatos G, Greenberg BH, Ponikowski P, Unemori E, Voors AA and Adams Jr KF *et al.* (2013) Effect of serelaxin on cardiac, renal, and hepatic biomarkers in the Relaxin in Acute Heart Failure (RELAX-AHF) development program: correlation with outcomes. *J Am Coll Cardiol* **61**: 196-206 [PMID:23273292]
222. Metra M, Teerlink JR, Cotter G, Davison BA, Felker GM, Filippatos G, Greenberg BH, Pang PS, Ponikowski P and Voors AA *et al.* (2019) Effects of Serelaxin in Patients with Acute Heart Failure. *N Engl J Med* **381**: 716-726 [PMID:31433919]
223. Mookerjee I, Hewitson TD, Halls ML, Summers RJ, Mathai ML, Bathgate RA, Tregear GW and Samuel CS. (2009) Relaxin inhibits renal myofibroblast differentiation via RXFP1, the nitric oxide pathway, and Smad2. *FASEB J* **23**: 1219-29 [PMID:19073841]
224. Mookerjee I, Solly NR, Royce SG, Tregear GW, Samuel CS and Tang ML. (2006) Endogenous relaxin regulates collagen deposition in an animal model of allergic airway disease. *Endocrinology* **147**: 754-61 [PMID:16254028]
225. Muda M, He C, Martini PG, Ferraro T, Layfield S, Taylor D, Chevrier C, Schweickhardt R, Kelton C and Ryan PL *et al.* (2005) Splice variants of the relaxin and INSL3 receptors reveal unanticipated molecular complexity. *Mol Hum Reprod* **11**: 591-600 [PMID:16051677]
226. Munro J, Skrobot O, Sanyoura M, Kay V, Susce MT, Glaser PE, de Leon J, Blakemore AI and Arranz MJ.

- (2012) Relaxin polymorphisms associated with metabolic disturbance in patients treated with antipsychotics. *J Psychopharmacol (Oxford)* **26**: 374-9 [PMID:21693553]
227. Nef S and Parada LF. (1999) Cryptorchidism in mice mutant for InsL3. *Nat Genet* **22**: 295-9 [PMID:10391220]
228. Neschadim A, Pritzker LB, Pritzker KP, Branch DR, Summerlee AJ, Trachtenberg J and Silvertown JD. (2014) Relaxin receptor antagonist AT-001 synergizes with docetaxel in androgen-independent prostate xenografts. *Endocr Relat Cancer* **21**: 459-71 [PMID:24812057]
229. Nguyen BT and Dessauer CW. (2005) Relaxin stimulates cAMP production in MCF-7 cells upon overexpression of type V adenylyl cyclase. *Ann N Y Acad Sci* **1041**: 296-9 [PMID:15956721]
230. Nguyen BT and Dessauer CW. (2005) Relaxin stimulates protein kinase C zeta translocation: requirement for cyclic adenosine 3',5'-monophosphate production. *Mol Endocrinol* **19**: 1012-23 [PMID:15604116]
231. Nguyen BT, Yang L, Sanborn BM and Dessauer CW. (2003) Phosphoinositide 3-kinase activity is required for biphasic stimulation of cyclic adenosine 3',5'-monophosphate by relaxin. *Mol Endocrinol* **17**: 1075-84 [PMID:12595573]
232. Nistri S and Bani D. (2003) Relaxin receptors and nitric oxide synthases: search for the missing link. *Reprod Biol Endocrinol* **1**: 5-5 [PMID:12646076]
233. Olucha-Bordonau FE, Albert-Gascó H, Ros-Bernal F, Rytova V, Ong-Pålsson EKE, Ma S, Sánchez-Pérez AM and Gundlach AL. (2018) Modulation of forebrain function by nucleus incertus and relaxin-3/RXFP3 signaling. *CNS Neurosci Ther* **24**: 694-702 [PMID:29722152]
234. Osa T, Inoue H and Okabe K. (1991) Effects of porcine relaxin on contraction, membrane response and cyclic AMP content in rat myometrium in comparison with the effects of isoprenaline and forskolin. *Br J Pharmacol* **104**: 950-60 [PMID:1687369]
235. Osheroff PL, Ling VT, Vandlen RL, Cronin MJ and Lofgren JA. (1990) Preparation of biologically active 32P-labeled human relaxin. Displaceable binding to rat uterus, cervix, and brain. *J Biol Chem* **265**: 9396-401 [PMID:2160976]
236. Overbeek PA, Gorlov IP, Sutherland RW, Houston JB, Harrison WR, Boettger-Tong HL, Bishop CE and Agoulnik AI. (2001) A transgenic insertion causing cryptorchidism in mice. *Genesis* **30**: 26-35 [PMID:11353515]
237. Parsell DA, Mak JY, Amento EP and Unemori EN. (1996) Relaxin binds to and elicits a response from cells of the human monocytic cell line, THP-1. *J Biol Chem* **271**: 27936-41 [PMID:8910395]
238. Patil NA, Bathgate RAD, Kocan M, Ang SY, Tailhades J, Separovic F, Summers R, Grosse J, Hughes RA and Wade JD *et al.* (2016) The C-terminus of the B-chain of human insulin-like peptide 5 is critical for cognate RXFP4 receptor activity. *Amino Acids* **48**: 987-992 [PMID:26661035]
239. Patil NA, Hughes RA, Rosengren KJ, Kocan M, Ang SY, Tailhades J, Separovic F, Summers RJ, Grosse J and Wade JD *et al.* (2016) Engineering of a Novel Simplified Human Insulin-Like Peptide 5 Agonist. *J Med Chem* **59**: 2118-25 [PMID:26824523]
240. Paul EJ, Tossell K and Ungless MA. (2019) Transcriptional profiling aligned with in situ expression image analysis reveals mosaically expressed molecular markers for GABA neuron sub-groups in the ventral tegmental area. *Eur J Neurosci* **50**: 3732-3749 [PMID:31374129]
241. Pelusi C, Fanelli F, Pariali M, Zanotti L, Gambineri A and Pasquali R. (2013) Parallel variations of insulin-like peptide 3 (INSL3) and antimüllerian hormone (AMH) in women with the polycystic ovary syndrome according to menstrual cycle pattern. *J Clin Endocrinol Metab* **98**: E1575-82 [PMID:23928669]
242. Petersen LK, Svane D, Uldbjerg N and Forman A. (1991) Effects of human relaxin on isolated rat and human myometrium and uteroplacental arteries. *Obstet Gynecol* **78**: 757-62 [PMID:1923192]
243. Piccenna L, Shen PJ, Ma S, Burazin TC, Gossen JA, Mosselman S, Bathgate RA and Gundlach AL. (2005) Localization of LGR7 gene expression in adult mouse brain using LGR7 knock-out/LacZ knock-in mice: correlation with LGR7 mRNA distribution. *Ann N Y Acad Sci* **1041**: 197-204 [PMID:15956708]
244. Pini A, Shemesh R, Samuel CS, Bathgate RA, Zauberman A, Hermesh C, Wool A, Bani D and Rotman G. (2010) Prevention of bleomycin-induced pulmonary fibrosis by a novel antifibrotic peptide with relaxin-like activity. *J Pharmacol Exp Ther* **335**: 589-99 [PMID:20826567]
245. Praveen P, Bathgate RAD and Hossain MA. (2019) Engineering of chimeric peptides as antagonists for the G protein-coupled receptor, RXFP4. *Sci Rep* **9**: 17828 [PMID:31780677]
246. Pustovit RV, Zhang X, Liew JJ, Praveen P, Liu M, Koo A, Oparija-Rogenmozere L, Ou Q, Kocan M and Nie S *et al.* (2021) A Novel Antagonist Peptide Reveals a Physiological Role of Insulin-Like Peptide 5 in

- Control of Colorectal Function. *ACS Pharmacol Transl Sci* **4**: 1665-1674 [PMID:34661082]
247. Ryan PJ, Büchler E, Shabanpoor F, Hossain MA, Wade JD, Lawrence AJ and Gundlach AL. (2013) Central relaxin-3 receptor (RXFP3) activation decreases anxiety- and depressive-like behaviours in the rat. *Behav Brain Res* **244**: 142-51 [PMID:23380674]
248. Ryan PJ, Kastman HE, Krstew EV, Rosengren KJ, Hossain MA, Churilov L, Wade JD, Gundlach AL and Lawrence AJ. (2013) Relaxin-3/RXFP3 system regulates alcohol-seeking. *Proc Natl Acad Sci USA* **110**: 20789-94 [PMID:24297931]
249. Ryan PJ, Krstew EV, Sarwar M, Gundlach AL and Lawrence AJ. (2014) Relaxin-3 mRNA levels in nucleus incertus correlate with alcohol and sucrose intake in rats. *Drug Alcohol Depend* **140**: 8-16 [PMID:24837581]
250. Rytova V, Ganella DE, Hawkes D, Bathgate RAD, Ma S and Gundlach AL. (2019) Chronic activation of the relaxin-3 receptor on GABA neurons in rat ventral hippocampus promotes anxiety and social avoidance. *Hippocampus* **29**: 905-920 [PMID:30891856]
251. Samuel CS. (2005) Relaxin: antifibrotic properties and effects in models of disease. *Clin Med Res* **3**: 241-9 [PMID:16303890]
252. Samuel CS, Unemori EN, Mookerjee I, Bathgate RA, Layfield SL, Mak J, Tregear GW and Du XJ. (2004) Relaxin modulates cardiac fibroblast proliferation, differentiation, and collagen production and reverses cardiac fibrosis in vivo. *Endocrinology* **145**: 4125-33 [PMID:15155573]
253. Samuel CS, Zhao C, Bathgate RA, Bond CP, Burton MD, Parry LJ, Summers RJ, Tang ML, Amento EP and Tregear GW. (2003) Relaxin deficiency in mice is associated with an age-related progression of pulmonary fibrosis. *FASEB J* **17**: 121-3 [PMID:12424226]
254. Samuel CS, Zhao C, Bathgate RA, DU XJ, Summers RJ, Amento EP, Walker LL, McBurnie M, Zhao L and Tregear GW. (2005) The relaxin gene-knockout mouse: a model of progressive fibrosis. *Ann N Y Acad Sci* **1041**: 173-181 [PMID:15956703]
255. Sanborn BM, Kuo HS, Weisbrodt NW and Sherwood OD. (1980) The interaction of relaxin with the rat uterus. I. Effect on cyclic nucleotide levels and spontaneous contractile activity. *Endocrinology* **106**: 1210-5 [PMID:6244146]
256. Sarwar M, Samuel CS, Bathgate RA, Stewart DR and Summers RJ. (2015) Serelaxin-mediated signal transduction in human vascular cells: bell-shaped concentration-response curves reflect differential coupling to G proteins. *Br J Pharmacol* **172**: 1005-19 [PMID:25297987]
257. Sarwar M, Samuel CS, Bathgate RA, Stewart DR and Summers RJ. (2016) Enhanced serelaxin signalling in co-cultures of human primary endothelial and smooth muscle cells. *Br J Pharmacol* **173**: 484-96 [PMID:26493539]
258. Sassoli C, Chellini F, Pini A, Tani A, Nistri S, Nosi D, Zecchi-Orlandini S, Bani D and Formigli L. (2013) Relaxin prevents cardiac fibroblast-myofibroblast transition via notch-1-mediated inhibition of TGF- β /Smad3 signaling. *PLoS ONE* **8**: e63896 [PMID:23704950]
259. Scott DJ, Fu P, Shen PJ, Gundlach A, Layfield S, Riesewijk A, Tomiyama H, Hutson JM, Tregear GW and Bathgate RA. (2005) Characterization of the rat INSL3 receptor. *Ann N Y Acad Sci* **1041**: 13-6 [PMID:15956681]
260. Scott DJ, Layfield S, Riesewijk A, Morita H, Tregear GW and Bathgate RA. (2005) Characterization of the mouse and rat relaxin receptors. *Ann N Y Acad Sci* **1041**: 8-12 [PMID:15956680]
261. Scott DJ, Layfield S, Riesewijk A, Morita H, Tregear GW and Bathgate RA. (2004) Identification and characterization of the mouse and rat relaxin receptors as the novel orthologues of human leucine-rich repeat-containing G-protein-coupled receptor 7. *Clin Exp Pharmacol Physiol* **31**: 828-32 [PMID:15566402]
262. Scott DJ, Layfield S, Yan Y, Sudo S, Hsueh AJ, Tregear GW and Bathgate RA. (2006) Characterization of novel splice variants of LGR7 and LGR8 reveals that receptor signaling is mediated by their unique low density lipoprotein class A modules. *J Biol Chem* **281**: 34942-54 [PMID:16963451]
263. Scott DJ, Tregear GW and Bathgate RA. (2005) LGR7-truncate is a splice variant of the relaxin receptor LGR7 and is a relaxin antagonist in vitro. *Ann N Y Acad Sci* **1041**: 22-6 [PMID:15956683]
264. Scott DJ, Wilkinson TN, Zhang S, Ferraro T, Wade JD, Tregear GW and Bathgate RA. (2007) Defining the LGR8 residues involved in binding insulin-like peptide 3. *Mol Endocrinol* **21**: 1699-712 [PMID:17473281]
265. Sedaghat K, Shen PJ, Finkelstein DI, Henderson JM and Gundlach AL. (2008) Leucine-rich repeat-containing G-protein-coupled receptor 8 in the rat brain: Enrichment in thalamic neurons and their efferent projections. *Neuroscience* **156**: 319-33 [PMID:18706979]
266. Segal MS, Sautina L, Li S, Diao Y, Agoulnik AI, Kielczewski J, McGuane JT, Grant MB and Conrad KP.

- (2012) Relaxin increases human endothelial progenitor cell NO and migration and vasculogenesis in mice. *Blood* **119**: 629-36 [PMID:22028476]
267. Sethi A, Bruell S, Patil N, Hossain MA, Scott DJ, Petrie EJ, Bathgate RA and Gooley PR. (2016) The complex binding mode of the peptide hormone H2 relaxin to its receptor RXFP1. *Nat Commun* **7**: 11344 [PMID:27088579]
268. Shabanpoor F, Akhter Hossain M, Ryan PJ, Belgı A, Layfield S, Kocan M, Zhang S, Samuel CS, Gundlach AL and Bathgate RA *et al.* (2012) Minimization of human relaxin-3 leading to high-affinity analogues with increased selectivity for relaxin-family peptide 3 receptor (RXFP3) over RXFP1. *J Med Chem* **55**: 1671-81 [PMID:22257012]
269. Shabanpoor F, Bathgate RA, Belgı A, Chan LJ, Nair VB, Wade JD and Hossain MA. (2012) Site-specific conjugation of a lanthanide chelator and its effects on the chemical synthesis and receptor binding affinity of human relaxin-2 hormone. *Biochem Biophys Res Commun* **420**: 253-6 [PMID:22425984]
270. Shabanpoor F, Bathgate RA, Hossain MA, Giannakis E, Wade JD and Hughes RA. (2007) Design, synthesis and pharmacological evaluation of cyclic mimetics of the insulin-like peptide 3 (INSL3) B-chain. *J Pept Sci* **13**: 113-20 [PMID:17120268]
271. Shabanpoor F, Bathgate RA, Wade JD and Hossain MA. (2013) C-terminus of the B-chain of relaxin-3 is important for receptor activity. *PLoS One* **8**: e82567 [PMID:24349312]
272. Shabanpoor F, Hughes RA, Bathgate RA, Zhang S, Scanlon DB, Lin F, Hossain MA, Separovic F and Wade JD. (2008) Solid-phase synthesis of europium-labeled human INSL3 as a novel probe for the study of ligand-receptor interactions. *Bioconjug Chem* **19**: 1456-63 [PMID:18529069]
273. Shabanpoor F, Zhang S, Hughes RA, Hossain MA, Layfield S, Ferraro T, Bathgate RA, Separovic F and Wade JD. (2011) Design and development of analogues of dimers of insulin-like peptide 3 B-chain as high-affinity antagonists of the RXFP2 receptor. *Biopolymers* **96**: 81-7 [PMID:20560146]
274. Shao W, Rosales CB, Gonzalez C, Prieto MC and Navar LG. (2018) Effects of serelaxin on renal microcirculation in rats under control and high-angiotensin environments. *Am J Physiol Renal Physiol* **314**: F70-F80 [PMID:28978531]
275. Shemesh R, Toporik A, Levine Z, Hecht I, Rotman G, Wool A, Dahary D, Gofer E, Kliger Y and Soffer MA *et al.* (2008) Discovery and validation of novel peptide agonists for G-protein-coupled receptors. *J Biol Chem* **283**: 34643-9 [PMID:18854305]
276. Shen PJ, Fu P, Phelan KD, Scott DJ, Layfield S, Tregear GW, Bathgate RA and Gundlach AL. (2005) Restricted expression of LGR8 in intralaminar thalamic nuclei of rat brain suggests a role in sensorimotor systems. *Ann N Y Acad Sci* **1041**: 510-5 [PMID:15956753]
277. Shin S, Kim J, Kim-Wanner SZ, Bönig H, Cho SR, Kim S, Choi JR and Lee KA. (2017) A novel association between relaxin receptor polymorphism and hematopoietic stem cell yield after mobilization. *PLoS One* **12**: e0179986 [PMID:28666004]
278. Siebel AL, Gehring HM, Reytomas IG and Parry LJ. (2003) Inhibition of oxytocin receptor and estrogen receptor-alpha expression, but not relaxin receptors (LGR7), in the myometrium of late pregnant relaxin gene knockout mice. *Endocrinology* **144**: 4272-5 [PMID:12959965]
279. Smith CM, Blasiak A, Ganella DE, Chua BE, Layfield SL, Bathgate RA and Gundlach AL. (2013) Viral-mediated delivery of an RXFP3 agonist into brain promotes arousal in mice. *Ital J Anat Embryol* **118**: 42-6 [PMID:24640570]
280. Smith CM, Chua BE, Zhang C, Walker AW, Haidar M, Hawkes D, Shabanpoor F, Hossain MA, Wade JD and Rosengren KJ *et al.* (2014) Central injection of relaxin-3 receptor (RXFP3) antagonist peptides reduces motivated food seeking and consumption in C57BL/6J mice. *Behav Brain Res* **268**: 117-26 [PMID:24681162]
281. Smith CM, Hosken IT, Sutton SW, Lawrence AJ and Gundlach AL. (2012) Relaxin-3 null mutation mice display a circadian hypoactivity phenotype. *Genes Brain Behav* **11**: 94-104 [PMID:21899720]
282. Smith CM, Ryan PJ, Hosken IT, Ma S and Gundlach AL. (2011) Relaxin-3 systems in the brain—the first 10 years. *J Chem Neuroanat* **42**: 262-75 [PMID:21693186]
283. Smith CM, Shen PJ, Banerjee A, Bonaventure P, Ma S, Bathgate RA, Sutton SW and Gundlach AL. (2010) Distribution of relaxin-3 and RXFP3 within arousal, stress, affective, and cognitive circuits of mouse brain. *J Comp Neurol* **518**: 4016-45 [PMID:20737598]
284. Soh YM, Tiwari A, Mahendroo M, Conrad KP and Parry LJ. (2012) Relaxin regulates hyaluronan synthesis and aquaporins in the cervix of late pregnant mice. *Endocrinology* **153**: 6054-64 [PMID:23087172]

285. Strausberg RL, Feingold EA, Grouse LH, Derge JG, Klausner RD, Collins FS, Wagner L, Shenmen CM, Schuler GD and Altschul SF *et al.* (2002) Generation and initial analysis of more than 15,000 full-length human and mouse cDNA sequences. *Proc Natl Acad Sci USA* **99**: 16899-903 [PMID:12477932]
286. Sudo S, Kumagai J, Nishi S, Layfield S, Ferraro T, Bathgate RA and Hsueh AJ. (2003) H3 relaxin is a specific ligand for LGR7 and activates the receptor by interacting with both the ectodomain and the exoloop 2. *J Biol Chem* **278**: 7855-62 [PMID:12506116]
287. Sun J, Hao W, Fillmore N, Ma H, Springer D, Yu ZX, Sadowska A, Garcia A, Chen R and Muniz-Medina V *et al.* (2019) Human Relaxin-2 Fusion Protein Treatment Prevents and Reverses Isoproterenol-Induced Hypertrophy and Fibrosis in Mouse Heart. *J Am Heart Assoc* **8**: e013465 [PMID:31818212]
288. Sunn N, Egli M, Burazin TC, Burns P, Colvill L, Davern P, Denton DA, Oldfield BJ, Weisinger RS and Rauch M *et al.* (2002) Circulating relaxin acts on subfornical organ neurons to stimulate water drinking in the rat. *Proc Natl Acad Sci USA* **99**: 1701-6 [PMID:11830674]
289. Sutton SW, Bonaventure P, Kuei C, Roland B, Chen J, Nepomuceno D, Lovenberg TW and Liu C. (2004) Distribution of G-protein-coupled receptor (GPCR)135 binding sites and receptor mRNA in the rat brain suggests a role for relaxin-3 in neuroendocrine and sensory processing. *Neuroendocrinology* **80**: 298-307 [PMID:15677880]
290. Tan YY, Wade JD, Tregear GW and Summers RJ. (1998) Comparison of relaxin receptors in rat isolated atria and uterus by use of synthetic and native relaxin analogues. *Br J Pharmacol* **123**: 762-70 [PMID:9517397]
291. Tan YY, Wade JD, Tregear GW and Summers RJ. (1999) Quantitative autoradiographic studies of relaxin binding in rat atria, uterus and cerebral cortex: characterization and effects of oestrogen treatment. *Br J Pharmacol* **127**: 91-8 [PMID:10369460]
292. Tanaka M, Iijima N, Miyamoto Y, Fukusumi S, Itoh Y, Ozawa H and Ibata Y. (2005) Neurons expressing relaxin 3/INSL 7 in the nucleus incertus respond to stress. *Eur J Neurosci* **21**: 1659-70 [PMID:15845093]
293. Tang XM and Chegini N. (1995) Human fallopian tube as an extraovarian source of relaxin: messenger ribonucleic acid expression and cellular localization of immunoreactive protein and 125I-relaxin binding sites. *Biol Reprod* **52**: 1343-9 [PMID:7543297]
294. Tashima LS, Mazoujian G and Bryant-Greenwood GD. (1994) Human relaxins in normal, benign and neoplastic breast tissue. *J Mol Endocrinol* **12**: 351-64 [PMID:7916973]
295. Teerlink JR, Cotter G, Davison BA, Felker GM, Filippatos G, Greenberg BH, Ponikowski P, Unemori E, Voors AA and Adams Jr KF *et al.* (2013) Serelaxin, recombinant human relaxin-2, for treatment of acute heart failure (RELAX-AHF): a randomised, placebo-controlled trial. *Lancet* **381**: 29-39 [PMID:23141816]
296. Teerlink JR, Davison BA, Cotter G, Maggioni AP, Sato N, Chioncel O, Ertl G, Felker GM, Filippatos G and Greenberg BH *et al.* (2020) Effects of serelaxin in patients admitted for acute heart failure: a meta-analysis. *Eur J Heart Fail* **22**: 315-329 [PMID:31886953]
297. Teerlink JR, Metra M, Felker GM, Ponikowski P, Voors AA, Weatherley BD, Marmor A, Katz A, Grzybowski J and Unemori E *et al.* (2009) Relaxin for the treatment of patients with acute heart failure (Pre-RELAX-AHF): a multicentre, randomised, placebo-controlled, parallel-group, dose-finding phase IIb study. *Lancet* **373**: 1429-39 [PMID:19329178]
298. Thanasupawat T, Hammje K, Adham I, Ghia JE, Del Bigio MR, Krcek J, Hoang-Vu C, Klonisch T and Hombach-Klonisch S. (2013) INSL5 is a novel marker for human enteroendocrine cells of the large intestine and neuroendocrine tumours. *Oncol Rep* **29**: 149-54 [PMID:23128569]
299. Thompson VC, Morris TG, Cochrane DR, Cavanagh J, Wafa LA, Hamilton T, Wang S, Fazli L, Gleave ME and Nelson CC. (2006) Relaxin becomes upregulated during prostate cancer progression to androgen independence and is negatively regulated by androgens. *Prostate* **66**: 1698-709 [PMID:16998820]
300. Vahkal B, Yegorov S, Onyilagha C, Donner J, Reddick D, Shrivastav A, Uzonna J and Good SV. (2020) Immune System Effects of Insulin-Like Peptide 5 in a Mouse Model. *Front Endocrinol (Lausanne)* **11**: 610672 [PMID:33519716]
301. Valkovic AL, Leckey MB, Whitehead AR, Hossain MA, Inoue A, Kocan M and Bathgate RAD. (2018) Real-time examination of cAMP activity at relaxin family peptide receptors using a BRET-based biosensor. *Pharmacol Res Perspect* **6**: e00432 [PMID:30263124]
302. van der Westhuizen ET, Christopoulos A, Sexton PM, Wade JD and Summers RJ. (2010) H2 relaxin is a biased ligand relative to H3 relaxin at the relaxin family peptide receptor 3 (RXFP3). *Mol Pharmacol* **77**: 759-72 [PMID:20159943]
303. Van der Westhuizen ET, Sexton PM, Bathgate RA and Summers RJ. (2005) Responses of GPCR135 to

- human gene 3 (H3) relaxin in CHO-K1 cells determined by microphysiometry. *Ann N Y Acad Sci* **1041**: 332-7 [PMID:15956730]
304. Van Der Westhuizen ET, Summers RJ, Halls ML, Bathgate RA and Sexton PM. (2007) Relaxin receptors--new drug targets for multiple disease states. *Curr Drug Targets* **8**: 91-104 [PMID:17266534]
305. van der Westhuizen ET, Werry TD, Sexton PM and Summers RJ. (2007) The relaxin family peptide receptor 3 activates extracellular signal-regulated kinase 1/2 through a protein kinase C-dependent mechanism. *Mol Pharmacol* **71**: 1618-29 [PMID:17351017]
306. Verdino P, Lee SL, Cooper FN, Cottle SR, Grealish PF, Hu CC, Meyer CM, Lin J, Copeland V and Porter G et al. (2023) Development of a long-acting relaxin analogue, LY3540378, for treatment of chronic heart failure. *Br J Pharmacol* [PMID:36780899]
307. Vodstrcil LA, Shynlova O, Verlander JW, Wlodek ME and Parry LJ. (2010) Decreased expression of the rat myometrial relaxin receptor (RXFP1) in late pregnancy is partially mediated by the presence of the conceptus. *Biol Reprod* **83**: 818-24 [PMID:20686184]
308. Vodstrcil LA, Shynlova O, Westcott K, Laker R, Simpson E, Wlodek ME and Parry LJ. (2010) Progesterone withdrawal, and not increased circulating relaxin, mediates the decrease in myometrial relaxin receptor (RXFP1) expression in late gestation in rats. *Biol Reprod* **83**: 825-32 [PMID:20686183]
309. Vodstrcil LA, Tare M, Novak J, Dragomir N, Ramirez RJ, Wlodek ME, Conrad KP and Parry LJ. (2012) Relaxin mediates uterine artery compliance during pregnancy and increases uterine blood flow. *FASEB J* **26**: 4035-44 [PMID:22744867]
310. Vodstrcil LA, Wlodek ME and Parry LJ. (2007) Effects of uteroplacental restriction on the relaxin-family receptors, Lgr7 and Lgr8, in the uterus of late pregnant rats. *Reprod Fertil Dev* **19**: 530-8 [PMID:17524297]
311. Voglsanger LM, Read J, Ch'ng SS, Zhang C, Eraslan IM, Gray L, Rivera LR, Hamilton LD, Williams R and Gundlach AL et al. (2020) Differential Level of RXFP3 Expression in Dopaminergic Neurons Within the Arcuate Nucleus, Dorsomedial Hypothalamus and Ventral Tegmental Area of RXFP3-Cre/tdTomato Mice. *Front Neurosci* **14**: 594818 [PMID:33584175]
312. Walker AW, Smith CM, Chua BE, Krstew EV, Zhang C, Gundlach AL and Lawrence AJ. (2015) Relaxin-3 receptor (RXFP3) signalling mediates stress-related alcohol preference in mice. *PLoS ONE* **10**: e0122504 [PMID:25849482]
313. Wang C, Pinar AA, Widdop RE, Hossain MA, Bathgate RAD, Denton KM, Kemp-Harper BK and Samuel CS. (2020) The anti-fibrotic actions of relaxin are mediated through AT₂ R-associated protein phosphatases via RXFP1-AT₂ R functional crosstalk in human cardiac myofibroblasts. *FASEB J* **34**: 8217-8233 [PMID:32297670]
314. Wang JH, Hu MJ, Zhang L, Shao XX, Lv CH, Liu YL, Xu ZG and Guo ZY. (2018) Exploring receptor selectivity of the chimeric relaxin family peptide R3/I5 by incorporating unnatural amino acids. *Biochimie* **154**: 77-85 [PMID:30102931]
315. Wang JH, Nie WH, Shao XX, Li HZ, Hu MJ, Liu YL, Xu ZG and Guo ZY. (2019) Exploring electrostatic interactions of relaxin family peptide receptor 3 and 4 with ligands using a NanoBiT-based binding assay. *Biochim Biophys Acta Biomembr* **1861**: 776-786 [PMID:30684458]
316. Wang JH, Shao XX, Hu MJ, Liu YL, Xu ZG and Guo ZY. (2019) Functionality of an absolutely conserved glycine residue in the chimeric relaxin family peptide R3/I5. *Amino Acids* **51**: 619-626 [PMID:30604098]
317. Wang JH, Shao XX, Hu MJ, Wei D, Nie WH, Liu YL, Xu ZG and Guo ZY. (2017) Rapid preparation of bioluminescent tracers for relaxin family peptides using sortase-catalysed ligation. *Amino Acids* **49**: 1611-1617 [PMID:28631012]
318. Wang XY, Guo YQ, Shao XX, Liu YL, Xu ZG and Guo ZY. (2014) Identification of important residues of insulin-like peptide 5 and its receptor RXFP4 for ligand-receptor interactions. *Arch Biochem Biophys* **558**: 127-32 [PMID:25043977]
319. Wang XY, Guo YQ, Zhang WJ, Shao XX, Liu YL, Xu ZG and Guo ZY. (2014) The electrostatic interactions of relaxin-3 with receptor RXFP4 and the influence of its B-chain C-terminal conformation. *FEBS J* **281**: 2927-36 [PMID:24802387]
320. Wei D, Hu MJ, Shao XX, Wang JH, Nie WH, Liu YL, Xu ZG and Guo ZY. (2017) Development of a selective agonist for relaxin family peptide receptor 3. *Sci Rep* **7**: 3230 [PMID:28607363]
321. Wong LLL, Scott DJ, Hossain MA, Kaas Q, Rosengren KJ and Bathgate RAD. (2018) Distinct but overlapping binding sites of agonist and antagonist at the relaxin family peptide 3 (RXFP3) receptor. *J Biol Chem* **293**: 15777-15789 [PMID:30131340]

322. Wu QP, Zhang L, Shao XX, Wang JH, Gao Y, Xu ZG, Liu YL and Guo ZY. (2016) Application of the novel bioluminescent ligand-receptor binding assay to relaxin-RXFP1 system for interaction studies. *Amino Acids* **48**: 1099-1107 [PMID:26767372]
323. Xiao J, Chen CZ, Huang Z, Agoulnik IU, Ferrer M, Southall N, Hu X, Zheng W, Agoulnik AI and Marugan JJ. (2010) Discovery, optimization, and biological activity of the first potent and selective small-molecule agonist series of human relaxin receptor 1 (RXFP1). *Probe Reports from the NIH Molecular Libraries Program* [PMID:23905199]
324. Xiao J, Huang Z, Chen CZ, Agoulnik IU, Southall N, Hu X, Jones RE, Ferrer M, Zheng W and Agoulnik AI et al. (2013) Identification and optimization of small-molecule agonists of the human relaxin hormone receptor RXFP1. *Nat Commun* **4**: 1953 [PMID:23764525]
325. Xue K, Kim JY, Liu JY and Tsang BK. (2014) Insulin-like 3-induced rat preantral follicular growth is mediated by growth differentiation factor 9. *Endocrinology* **155**: 156-67 [PMID:24169563]
326. Yamamoto H, Shimokawa H, Haga T, Fukui Y, Iguchi K, Unno K, Hoshino M and Takeda A. (2014) The expression of relaxin-3 in adipose tissue and its effects on adipogenesis. *Protein Pept Lett* **21**: 517-22 [PMID:24345292]
327. Yang S, Rembiesa B, Bülesbach EE and Schwabe C. (1992) Relaxin receptors in mice: demonstration of ligand binding in symphyseal tissues and uterine membrane fragments. *Endocrinology* **130**: 179-85 [PMID:1309327]
328. Yong KL, Callander GE, Bergin R, Samuel CS and Bathgate RA. (2013) Development of human cells with RXFP1 knockdown using retroviral delivery of microRNA against human RXFP1. *Ital J Anat Embryol* **118**: 10-2 [PMID:24640558]
329. Zhang C, Baimoukhamedova DV, Smith CM, Bains JS and Gundlach AL. (2017) Relaxin-3/RXFP3 signalling in mouse hypothalamus: no effect of RXFP3 activation on corticosterone, despite reduced presynaptic excitatory input onto paraventricular CRH neurons in vitro. *Psychopharmacology (Berl)* **234**: 1725-1739 [PMID:28314951]
330. Zhang C, Chua BE, Yang A, Shabanpoor F, Hossain MA, Wade JD, Rosengren KJ, Smith CM and Gundlach AL. (2015) Central relaxin-3 receptor (RXFP3) activation reduces elevated, but not basal, anxiety-like behaviour in C57BL/6J mice. *Behav Brain Res* **292**: 125-32 [PMID:26057358]
331. Zhang L, Song G, Xu T, Wu QP, Shao XX, Liu YL, Xu ZG and Guo ZY. (2013) A novel ultrasensitive bioluminescent receptor-binding assay of INSL3 through chemical conjugation with nanoluciferase. *Biochimie* **95**: 2454-9 [PMID:24056075]
332. Zhang Q, Liu SH, Erikson M, Lewis M and Unemori E. (2002) Relaxin activates the MAP kinase pathway in human endometrial stromal cells. *J Cell Biochem* **85**: 536-44 [PMID:11967993]
333. Zhang S, Hughes RA, Bathgate RA, Shabanpoor F, Hossain MA, Lin F, van Lierop B, Robinson AJ and Wade JD. (2010) Role of the intra-A-chain disulfide bond of insulin-like peptide 3 in binding and activation of its receptor, RXFP2. *Peptides* **31**: 1730-6 [PMID:20570702]
334. Zhang WJ, Luo X, Liu YL, Shao XX, Wade JD, Bathgate RA and Guo ZY. (2012) Site-specific DOTA/europium-labeling of recombinant human relaxin-3 for receptor-ligand interaction studies. *Amino Acids* **43**: 983-92 [PMID:22187146]
335. Zhang WJ, Wang XY, Guo YQ, Luo X, Gao XJ, Shao XX, Liu YL, Xu ZG and Guo ZY. (2014) The highly conserved negatively charged Glu141 and Asp145 of the G-protein-coupled receptor RXFP3 interact with the highly conserved positively charged arginine residues of relaxin-3. *Amino Acids* **46**: 1393-402 [PMID:24615237]
336. Zhang X, Bathgate RAD and Hossain MA. (2020) Human Insulin-like Peptide 5 (INSL5). Identification of a Simplified Version of Two-Chain Analog A13. *ACS Med Chem Lett* **11**: 2455-2460 [PMID:33335667]
337. Zhang X, Pan L, Yang K, Fu Y, Liu Y, Chen W, Ma X and Yin X. (2017) Alterations of relaxin and its receptor system components in experimental diabetic cardiomyopathy rats. *Cell Tissue Res* **370**: 297-304 [PMID:28776188]
338. Zhao L, Roche PJ, Gunneren JM, Hammond VE, Tregear GW, Wintour EM and Beck F. (1999) Mice without a functional relaxin gene are unable to deliver milk to their pups. *Endocrinology* **140**: 445-53 [PMID:9886856]
339. Zhu J, Kuei C, Sutton S, Kamme F, Yu J, Bonaventure P, Atack J, Lovenberg TW and Liu C. (2008) Identification of the domains in RXFP4 (GPCR142) responsible for the high affinity binding and agonistic activity of INSL5 at RXFP4 compared to RXFP3 (GPCR135). *Eur J Pharmacol* **590**: 43-52 [PMID:18582868]

