

1A. Thyroid hormone receptors in GtoPdb v.2023.1

Douglas Forrest¹, Anthony N. Hollenberg² and Paul Webb³

1. National Institutes of Health, USA
2. Harvard Medical School, USA
3. The Houston Methodist Hospital Research Institute, USA

Abstract

Thyroid hormone receptors (TRs, **nomenclature as agreed by the NC-IUPHAR Subcommittee on Nuclear Hormone Receptors [12, 2]**) are nuclear hormone receptors of the NR1A family, with diverse roles regulating macronutrient metabolism, cognition and cardiovascular homeostasis. TRs are activated by thyroxine (T₄) and thyroid hormone (triiodothyronine). Once activated by a ligand, the receptor acts as a transcription factor either as a monomer, homodimer or heterodimer with members of the retinoid X receptor family. NH-3 has been described as an antagonist at TRs with modest selectivity for TR β [42].

Contents

This is a citation summary for 1A. Thyroid hormone receptors in the [Guide to Pharmacology](#) database (GtoPdb). It exists purely as an adjunct to the database to facilitate the recognition of citations to and from the database by citation analyzers. Readers will almost certainly want to visit the relevant sections of the database which are given here under database links.

GtoPdb is an expert-driven guide to pharmacological targets and the substances that act on them. GtoPdb is a reference work which is most usefully represented as an on-line database. As in any publication this work should be appropriately cited, and the papers it cites should also be recognized. This document provides a citation for the relevant parts of the database, and also provides a reference list for the research cited by those parts. For further details see [5].

Please note that the database version for the citations given in GtoPdb are to the most recent preceding version in which the family or its subfamilies and targets were substantially changed. The links below are to the current version. If you need to consult the cited version, rather than the most recent version, please contact the GtoPdb curators.

Database links

1A. Thyroid hormone receptors

<https://www.guidetopharmacology.org/GRAC/FamilyDisplayForward?familyId=84>

Introduction to 1A. Thyroid hormone receptors

<https://www.guidetopharmacology.org/GRAC/FamilyIntroductionForward?familyId=84>

Receptors

Thyroid hormone receptor- α

<https://www.guidetopharmacology.org/GRAC/ObjectDisplayForward?objectId=588>

Thyroid hormone receptor- β

<https://www.guidetopharmacology.org/GRAC/ObjectDisplayForward?objectId=589>

References

1. Abel ED, Boers ME, Pazos-Moura C, Moura E, Kaulbach H, Zakaria M, Lowell B, Radovick S, Liberman MC and Wondisford F. (1999) Divergent roles for thyroid hormone receptor beta isoforms in the endocrine axis and auditory system. *J Clin Invest* **104**: 291-300 [PMID:10430610]
2. Alexander SPH, Cidlowski JA, Kelly E, Mathie A, Peters JA, Veale EL, Armstrong JF, Faccenda E, Harding SD and Pawson AJ *et al.*. (2019) THE CONCISE GUIDE TO PHARMACOLOGY 2019/20: Nuclear hormone receptors. *Br J Pharmacol* **176 Suppl 1**: S229-S246 [PMID:31710718]
3. Bergh JJ, Lin HY, Lansing L, Mohamed SN, Davis FB, Mousa S and Davis PJ. (2005) Integrin alphaVbeta3 contains a cell surface receptor site for thyroid hormone that is linked to activation of mitogen-activated protein kinase and induction of angiogenesis. *Endocrinology* **146**: 2864-71 [PMID:15802494]
4. Brun LD, Gagné C, Coulombe P, Lupien PJ, Dussault JH and Moorjani S. (1980) Effects of dextrothyroxine on the pituitary-thyroid axis in hypercholesterolemic children and goitrous adults. *J Clin Endocrinol Metab* **51**: 1306-10 [PMID:6777394]
5. Buneman P, Christie G, Davies JA, Dimitrellou R, Harding SD, Pawson AJ, Sharman JL and Wu Y. (2020) Why data citation isn't working, and what to do about it *Database* **2020** [PMID:32367113]
6. Chassande O, Fraichard A, Gauthier K, Flamant F, Legrand C, Savatier P, Laudet V and Samarut J. (1997) Identification of transcripts initiated from an internal promoter in the c-erbA alpha locus that encode inhibitors of retinoic acid receptor-alpha and triiodothyronine receptor activities. *Mol Endocrinol* **11**: 1278-90 [PMID:9259319]
7. Chen H, Lin RJ, Schiltz RL, Chakravarti D, Nash A, Nagy L, Privalsky ML, Nakatani Y and Evans RM. (1997) Nuclear receptor coactivator ACTR is a novel histone acetyltransferase and forms a multimeric activation complex with P/CAF and CBP/p300. *Cell* **90**: 569-80 [PMID:9267036]
8. Chen JD and Evans RM. (1995) A transcriptional co-repressor that interacts with nuclear hormone receptors. *Nature* **377**: 454-7 [PMID:7566127]
9. Chiellini G, Apriletti JW, Yoshihara HA, Baxter JD, Ribeiro RC and Scanlan TS. (1998) A high-affinity subtype-selective agonist ligand for the thyroid hormone receptor. *Chem Biol* **5**: 299-306 [PMID:9653548]
10. Desvergne B. (1994) How do thyroid hormone receptors bind to structurally diverse response elements? *Mol Cell Endocrinol* **100**: 125-31 [PMID:8056146]
11. Estébanez-Perpiñá E, Arnold LA, Jouravel N, Togashi M, Blethow J, Mar E, Nguyen P, Phillips KJ, Baxter JD, Webb P, Guy RK and Fletterick RJ. (2007) Structural insight into the mode of action of a direct inhibitor of coregulator binding to the thyroid hormone receptor. *Mol Endocrinol* **21**: 2919-28 [PMID:17823305]
12. Flamant F, Baxter JD, Forrest D, Refetoff S, Samuels H, Scanlan TS, Vennström B and Samarut J. (2006) International Union of Pharmacology. LIX. The pharmacology and classification of the nuclear receptor superfamily: thyroid hormone receptors. *Pharmacol Rev* **58**: 705-11 [PMID:17132849]
13. Flamant F and Samarut J. (2003) Thyroid hormone receptors: lessons from knockout and knock-in mutant mice. *Trends Endocrinol Metab* **14**: 85-90 [PMID:12591179]
14. Forrest D, Erway LC, Ng L, Altschuler R and Curran T. (1996) Thyroid hormone receptor beta is essential for development of auditory function. *Nat Genet* **13**: 354-7 [PMID:8673137]
15. Forrest D, Hanebuth E, Smeyne RJ, Everds N, Stewart CL, Wehner JM and Curran T. (1996) Recessive resistance to thyroid hormone in mice lacking thyroid hormone receptor beta: evidence for tissue-specific modulation of receptor function. *EMBO J* **15**: 3006-15 [PMID:8670802]
16. Forrest D and Vennström B. (2000) Functions of thyroid hormone receptors in mice. *Thyroid* **10**: 41-52 [PMID:10691312]
17. Fraichard A, Chassande O, Plateroti M, Roux JP, Trouillas J, Dehay C, Legrand C, Gauthier K, Kedinger M, Malaval L, Rousset B and Samarut J. (1997) The T3R alpha gene encoding a thyroid hormone receptor is essential for post-natal development and thyroid hormone production. *EMBO J* **16**: 4412-20 [PMID:9250685]
18. Gauthier K, Chassande O, Plateroti M, Roux JP, Legrand C, Pain B, Rousset B, Weiss R, Trouillas J and Samarut J. (1999) Different functions for the thyroid hormone receptors TRalpha and TRbeta in the control of thyroid hormone production and post-natal development. *EMBO J* **18**: 623-31 [PMID:9927422]
19. Germain P, Staels B, Dacquet C, Spedding M and Laudet V. (2006) Overview of nomenclature of nuclear receptors. *Pharmacol Rev* **58**: 685-704 [PMID:17132848]

20. Gloss B, Sayen MR, Trost SU, Bluhm WF, Meyer M, Swanson EA, Usala SJ and Dillmann WH. (1999) Altered cardiac phenotype in transgenic mice carrying the delta337 threonine thyroid hormone receptor beta mutant derived from the S family. *Endocrinology* **140**: 897-902 [[PMID:9927321](#)]
21. Gray PA, Fu H, Luo P, Zhao Q, Yu J, Ferrari A, Tenzen T, Yuk DI, Tsung EF, Cai Z, Alberta JA, Cheng LP, Liu Y, Stenman JM, Valerius MT, Billings N, Kim HA, Greenberg ME, McMahon AP, Rowitch DH, Stiles CD and Ma Q. (2004) Mouse brain organization revealed through direct genome-scale TF expression analysis. *Science* **306**: 2255-7 [[PMID:15618518](#)]
22. Grover GJ, Mellström K, Ye L, Malm J, Li YL, Bladh LG, Slep PG, Smith MA, George R, Vennström B, Mookhtiar K, Horvath R, Speelman J, Egan D and Baxter JD. (2003) Selective thyroid hormone receptor beta activation: a strategy for reduction of weight, cholesterol, and lipoprotein (a) with reduced cardiovascular liability. *Proc Natl Acad Sci USA* **100**: 10067-72 [[PMID:12888625](#)]
23. Hashimoto K, Curty FH, Borges PP, Lee CE, Abel ED, Elmquist JK, Cohen RN and Wondisford FE. (2001) An unliganded thyroid hormone receptor causes severe neurological dysfunction. *Proc Natl Acad Sci USA* **98**: 3998-4003 [[PMID:11274423](#)]
24. Hörlein AJ, Näär AM, Heinzel T, Torchia J, Gloss B, Kurokawa R, Ryan A, Kamei Y, Söderström M and Glass CK. (1995) Ligand-independent repression by the thyroid hormone receptor mediated by a nuclear receptor co-repressor. *Nature* **377**: 397-404 [[PMID:7566114](#)]
25. Iskaros J, Pickard M, Evans I, Sinha A, Hardiman P and Ekins R. (2000) Thyroid hormone receptor gene expression in first trimester human fetal brain. *J Clin Endocrinol Metab* **85**: 2620-3 [[PMID:10902817](#)]
26. Ito M, Yuan CX, Okano HJ, Darnell RB and Roeder RG. (2000) Involvement of the TRAP220 component of the TRAP/SMCC coactivator complex in embryonic development and thyroid hormone action. *Mol Cell* **5**: 683-93 [[PMID:10882104](#)]
27. Kaneshige M, Kaneshige K, Zhu X, Dace A, Garrett L, Carter TA, Kazlauskaitė R, Pankratz DG, Wynshaw-Boris A, Refetoff S, Weintraub B, Willingham MC, Barlow C and Cheng S. (2000) Mice with a targeted mutation in the thyroid hormone beta receptor gene exhibit impaired growth and resistance to thyroid hormone. *Proc Natl Acad Sci USA* **97**: 13209-14 [[PMID:11069286](#)]
28. Kelly MJ, Pietranico-Cole S, Larigan JD, Haynes NE, Reynolds CH, Scott N, Vermeulen J, Dvorozniak M, Conde-Knape K and Huang KS *et al.*. (2014) Discovery of 2-[3,5-dichloro-4-(5-isopropyl-6-oxo-1,6-dihydropyridazin-3-yloxy)phenyl]-3,5-dioxo-2,3,4,5-tetrahydro[1,2,4]triazine-6-carbonitrile (MGL-3196), a Highly Selective Thyroid Hormone Receptor β agonist in clinical trials for the treatment of dyslipidemia. *J Med Chem* **57**: 3912-23 [[PMID:24712661](#)]
29. Lazar MA and Chin WW. (1990) Nuclear thyroid hormone receptors. *J Clin Invest* **86**: 1777-82 [[PMID:2254444](#)]
30. Li Q, Yao B, Zhao S, Lu Z, Zhang Y, Xiang Q, Wu X, Yu H, Zhang C and Li J *et al.*. (2022) Discovery of a Highly Selective and H435R-Sensitive Thyroid Hormone Receptor β Agonist. *J Med Chem* **65**: 7193-7211 [[PMID:35507418](#)]
31. Liu YY, Schultz JJ and Brent GA. (2003) A thyroid hormone receptor alpha gene mutation (P398H) is associated with visceral adiposity and impaired catecholamine-stimulated lipolysis in mice. *J Biol Chem* **278**: 38913-20 [[PMID:12869545](#)]
32. Ma D, Tian H, Sun H, Kozikowski AP, Pshenichkin S and Wroblewski JT. (1997) Synthesis and biological activity of cyclic analogues of MPPG and MCPG as metabotropic glutamate receptor antagonists. *Bioorg Med Chem Lett* **7**: 1195-1198
33. Ma H, Hong H, Huang SM, Irvine RA, Webb P, Kushner PJ, Coetzee GA and Stallcup MR. (1999) Multiple signal input and output domains of the 160-kilodalton nuclear receptor coactivator proteins. *Mol Cell Biol* **19**: 6164-73 [[PMID:10454563](#)]
34. Martínez L, Nascimento AS, Nunes FM, Phillips K, Aparicio R, Dias SM, Figueira AC, Lin JH, Nguyen P, Apriletti JW, Neves FA, Baxter JD, Webb P, Skaf MS and Polikarpov I. (2009) Gaining ligand selectivity in thyroid hormone receptors via entropy. *Proc Natl Acad Sci USA* [[PMID:19926848](#)]
35. Masuda M, Yasuhara S, Yamashita M, Shibuya M and Odaka T. (1990) Nucleotide sequence of the murine thyroid hormone receptor (alpha-1) cDNA. *Nucleic Acids Res* **18**: 3055 [[PMID:2349106](#)]
36. Mitsuhashi T, Tennyson GE and Nikodem VM. (1988) Alternative splicing generates messages encoding rat c-erbA proteins that do not bind thyroid hormone. *Proc Natl Acad Sci USA* **85**: 5804-8 [[PMID:2901090](#)]
37. Murray MB, Zilz ND, McCreary NL, MacDonald MJ and Towle HC. (1988) Isolation and characterization of rat cDNA clones for two distinct thyroid hormone receptors. *J Biol Chem* **263**: 12770-7 [[PMID:2457590](#)]

38. Nagaya T, Nomura Y, Fujieda M and Seo H. (1996) Heterodimerization preferences of thyroid hormone receptor alpha isoforms. *Biochem Biophys Res Commun* **226**: 426-30 [PMID:8806651]
39. Nakai A, Seino S, Sakurai A, Szilak I, Bell GI and DeGroot LJ. (1988) Characterization of a thyroid hormone receptor expressed in human kidney and other tissues. *Proc Natl Acad Sci USA* **85**: 2781-5 [PMID:3357890]
40. Nevado J, Tenbaum SP and Aranda A. (2004) hSrb7, an essential human Mediator component, acts as a coactivator for the thyroid hormone receptor. *Mol Cell Endocrinol* **222**: 41-51 [PMID:15249124]
41. Ng L, Hurley JB, Dierks B, Srinivas M, Saltó C, Vennström B, Reh TA and Forrest D. (2001) A thyroid hormone receptor that is required for the development of green cone photoreceptors. *Nat Genet* **27**: 94-8 [PMID:11138006]
42. Nguyen NH, Apriletti JW, Cunha Lima ST, Webb P, Baxter JD and Scanlan TS. (2002) Rational design and synthesis of a novel thyroid hormone antagonist that blocks coactivator recruitment. *J Med Chem* **45**: 3310-20 [PMID:12109914]
43. Schueler PA, Schwartz HL, Strait KA, Mariash CN and Oppenheimer JH. (1990) Binding of 3,5,3'-triiodothyronine (T3) and its analogs to the in vitro translational products of c-erbA protooncogenes: differences in the affinity of the alpha- and beta-forms for the acetic acid analog and failure of the human testis and kidney alpha-2 products to bind T3. *Mol Endocrinol* **4**: 227-34 [PMID:2158622]
44. Schwartz HL, Lazar MA and Oppenheimer JH. (1994) Widespread distribution of immunoreactive thyroid hormone beta 2 receptor (TR beta 2) in the nuclei of extrapituitary rat tissues. *J Biol Chem* **269**: 24777-82 [PMID:7929155]
45. Sharma SK, Klee WA and Nirenberg M. (1977) Opiate-dependent modulation of adenylyl cyclase. *Proc Natl Acad Sci USA* **74**: 3365-9 [PMID:269396]
46. Shibusawa N, Hollenberg AN and Wondisford FE. (2003) Thyroid hormone receptor DNA binding is required for both positive and negative gene regulation. *J Biol Chem* **278**: 732-8 [PMID:12419821]
47. Tata JR. (1970) Simultaneous acquisition of metamorphic response and hormone binding in Xenopus larvae. *Nature* **227**: 686-9 [PMID:5432064]
48. Thompson CC. (1996) Thyroid hormone-responsive genes in developing cerebellum include a novel synaptotagmin and a hairless homolog. *J Neurosci* **16**: 7832-40 [PMID:8987811]
49. Thompson CC, Weinberger C, Lebo R and Evans RM. (1987) Identification of a novel thyroid hormone receptor expressed in the mammalian central nervous system. *Science* **237**: 1610-4 [PMID:3629259]
50. Tinnikov A, Nordström K, Thorén P, Kindblom JM, Malin S, Rozell B, Adams M, Rajanayagam O, Pettersson S, Ohlsson C, Chatterjee K and Vennström B. (2002) Retardation of post-natal development caused by a negatively acting thyroid hormone receptor alpha1. *EMBO J* **21**: 5079-87 [PMID:12356724]
51. Weinberger C, Thompson CC, Ong ES, Lebo R, Gruol DJ and Evans RM. (1986) The c-erb-A gene encodes a thyroid hormone receptor. *Nature* **324**: 641-6 [PMID:2879243]
52. Weiss RE and Refetoff S. (2000) Resistance to thyroid hormone. *Rev Endocr Metab Disord* **1**: 97-108 [PMID:11704998]
53. Wikström L, Johansson C, Saltó C, Barlow C, Campos Barros A, Baas F, Forrest D, Thorén P and Vennström B. (1998) Abnormal heart rate and body temperature in mice lacking thyroid hormone receptor alpha 1. *EMBO J* **17**: 455-61 [PMID:9430637]
54. Williams GR. (2000) Cloning and characterization of two novel thyroid hormone receptor beta isoforms. *Mol Cell Biol* **20**: 8329-42 [PMID:11046130]
55. Wood WM, Ocran KW, Gordon DF and Ridgway EC. (1991) Isolation and characterization of mouse complementary DNAs encoding alpha and beta thyroid hormone receptors from thyrotrope cells: the mouse pituitary-specific beta 2 isoform differs at the amino terminus from the corresponding species from rat pituitary tumor cells. *Mol Endocrinol* **5**: 1049-61 [PMID:1944303]
56. Ye L, Li YL, Mellström K, Mellin C, Bladh LG, Koehler K, Garg N, Garcia Collazo AM, Litten C, Husman B, Persson K, Ljunggren J, Grover G, Slep P, George R and Malm J. (2003) Thyroid receptor ligands. 1. Agonist ligands selective for the thyroid receptor beta1. *J Med Chem* **46**: 1580-8 [PMID:12699376]
57. Zavacki AM, Ying H, Christoffolete MA, Aerts G, So E, Harney JW, Cheng SY, Larsen PR and Bianco AC. (2005) Type 1 iodothyronine deiodinase is a sensitive marker of peripheral thyroid status in the mouse. *Endocrinology* **146**: 1568-75 [PMID:15591136]