

1F. Retinoic acid-related orphans in GtoPdb v.2023.1

Anton Jetten¹, Hong Soon Kang¹ and Yukimasa Takeda¹

1. National Institutes of Health, USA

Abstract

Retinoic acid receptor-related orphan receptors (ROR, **nomenclature as agreed by the NC-IUPHAR Subcommittee on Nuclear Hormone Receptors [11, 31]**) have yet to be assigned a definitive endogenous ligand, although ROR α may be synthesized with a ‘captured’ agonist such as [cholesterol](#) [68, 67].

Contents

This is a citation summary for 1F. Retinoic acid-related orphans in the [Guide to Pharmacology](#) database (GtoPdb). It exists purely as an adjunct to the database to facilitate the recognition of citations to and from the database by citation analyzers. Readers will almost certainly want to visit the relevant sections of the database which are given here under database links.

GtoPdb is an expert-driven guide to pharmacological targets and the substances that act on them. GtoPdb is a reference work which is most usefully represented as an on-line database. As in any publication this work should be appropriately cited, and the papers it cites should also be recognized. This document provides a citation for the relevant parts of the database, and also provides a reference list for the research cited by those parts. For further details see [15].

Please note that the database version for the citations given in GtoPdb are to the most recent preceding version in which the family or its subfamilies and targets were substantially changed. The links below are to the current version. If you need to consult the cited version, rather than the most recent version, please contact the GtoPdb curators.

Database links

1F. Retinoic acid-related orphans

<https://www.guidetopharmacology.org/GRAC/FamilyDisplayForward?familyId=88>

Introduction to 1F. Retinoic acid-related orphans

<https://www.guidetopharmacology.org/GRAC/FamilyIntroductionForward?familyId=88>

Receptors

RAR-related orphan receptor- α

<https://www.guidetopharmacology.org/GRAC/ObjectDisplayForward?objectId=598>

RAR-related orphan receptor- β

<https://www.guidetopharmacology.org/GRAC/ObjectDisplayForward?objectId=599>

RAR-related orphan receptor- γ

<https://www.guidetopharmacology.org/GRAC/ObjectDisplayForward?objectId=600>

References

1. Aicher TD, Taylor CB and Vanhuis CA. (2016) Aryl dihydro-2h-benzo[b][1,4]oxazine sulfonamide and

- related compounds for use as agonists of rory and the treatment of disease Patent number: [WO2016201225A1](#). Assignee: Lycera Corporation. Priority date: 11/06/2015. Publication date: 15/12/2016.
2. Akashi M and Takumi T. (2005) The orphan nuclear receptor RORalpha regulates circadian transcription of the mammalian core-clock Bmal1. *Nat Struct Mol Biol* **12**: 441-8 [[PMID:15821743](#)]
 3. Alexander SPH, Cidlowski JA, Kelly E, Mathie A, Peters JA, Veale EL, Armstrong JF, Faccenda E, Harding SD and Pawson AJ *et al.*. (2019) THE CONCISE GUIDE TO PHARMACOLOGY 2019/20: Nuclear hormone receptors. *Br J Pharmacol* **176 Suppl 1**: S229-S246 [[PMID:31710718](#)]
 4. Amstadter AB, Sumner JA, Acierno R, Ruggiero KJ, Koenen KC, Kilpatrick DG, Galea S and Gelernter J. (2013) Support for association of RORA variant and post traumatic stress symptoms in a population-based study of hurricane exposed adults. *Mol Psychiatry* **18**: 1148-9 [[PMID:23319003](#)]
 5. André E, Conquet F, Steinmayr M, Stratton SC, Porciatti V and Becker-André M. (1998) Disruption of retinoid-related orphan receptor beta changes circadian behavior, causes retinal degeneration and leads to vacillans phenotype in mice. *EMBO J* **17**: 3867-77 [[PMID:9670004](#)]
 6. André E, Gawlas K and Becker-André M. (1998) A novel isoform of the orphan nuclear receptor RORBeta is specifically expressed in pineal gland and retina. *Gene* **216**: 277-83 [[PMID:9729429](#)]
 7. Ano S, Morishima Y, Ishii Y, Yoh K, Yageta Y, Ohtsuka S, Matsuyama M, Kawaguchi M, Takahashi S and Hizawa N. (2013) Transcription factors GATA-3 and RORyt are important for determining the phenotype of allergic airway inflammation in a murine model of asthma. *J Immunol* **190**: 1056-65 [[PMID:23293351](#)]
 8. Atkins GB, Hu X, Guenther MG, Rachez C, Freedman LP and Lazar MA. (1999) Coactivators for the orphan nuclear receptor RORalpha. *Mol Endocrinol* **13**: 1550-7 [[PMID:10478845](#)]
 9. Becker-André M, André E and DeLamarre JF. (1993) Identification of nuclear receptor mRNAs by RT-PCR amplification of conserved zinc-finger motif sequences. *Biochem Biophys Res Commun* **194**: 1371-9 [[PMID:7916608](#)]
 10. Becker-André M, Wiesenberg I, Schaeren-Wiemers N, André E, Missbach M, Saurat JH and Carlberg C. (1994) Pineal gland hormone melatonin binds and activates an orphan of the nuclear receptor superfamily. *J Biol Chem* **269**: 28531-4 [[PMID:7961794](#)]
 11. Benoit G, Cooney A, Giguere V, Ingraham H, Lazar M, Muscat G, Perlmann T, Renaud JP, Schwabe J, Sladek F, Tsai MJ and Laudet V. (2006) International Union of Pharmacology. LXVI. Orphan nuclear receptors. *Pharmacol Rev* **58**: 798-836 [[PMID:17132856](#)]
 12. Bitsch F, Aichholz R, Kallen J, Geisse S, Fournier B and Schlaeppi JM. (2003) Identification of natural ligands of retinoic acid receptor-related orphan receptor alpha ligand-binding domain expressed in Sf9 cells—a mass spectrometry approach. *Anal Biochem* **323**: 139-49 [[PMID:14622968](#)]
 13. Bordji K, Grillasca JP, Gouze JN, Magdalou J, Schohn H, Keller JM, Bianchi A, Dauça M, Netter P and Terlain B. (2000) Evidence for the presence of peroxisome proliferator-activated receptor (PPAR) alpha and gamma and retinoid Z receptor in cartilage. PPARgamma activation modulates the effects of interleukin-1beta on rat chondrocytes. *J Biol Chem* **275**: 12243-50 [[PMID:10766862](#)]
 14. Bronner SM, Zbieg JR and Crawford JJ. (2017) RORy antagonists and inverse agonists: a patent review. *Expert Opin Ther Pat* **27**: 101-112 [[PMID:27629281](#)]
 15. Buneman P, Christie G, Davies JA, Dimitrellou R, Harding SD, Pawson AJ, Sharman JL and Wu Y. (2020) Why data citation isn't working, and what to do about it *Database* **2020** [[PMID:32367113](#)]
 16. Carlberg C, Hooft van Huijsduijnen R, Staple JK, DeLamarre JF and Becker-André M. (1994) RZRs, a new family of retinoid-related orphan receptors that function as both monomers and homodimers. *Mol Endocrinol* **8**: 757-70 [[PMID:7935491](#)]
 17. Chauvet C, Bois-Joyeux B, Fontaine C, Gervois P, Bernard MA, Staels B and Danan JL. (2005) The gene encoding fibrinogen-beta is a target for retinoic acid receptor-related orphan receptor alpha. *Mol Endocrinol* **19**: 2517-26 [[PMID:15941850](#)]
 18. Crumbley C, Wang Y, Kojetin DJ and Burris TP. (2010) Characterization of the core mammalian clock component, NPAS2, as a REV-ERBalpha/RORalpha target gene. *J Biol Chem* **285**: 35386-92 [[PMID:20817722](#)]
 19. Dai J, Choo MK, Park JM and Fisher DE. (2017) Topical ROR Inverse Agonists Suppress Inflammation in Mouse Models of Atopic Dermatitis and Acute Irritant Dermatitis. *J Invest Dermatol* **137**: 2523-2531 [[PMID:28774591](#)]
 20. Delerive P, Chin WW and Suen CS. (2002) Identification of Reverb(alpha) as a novel ROR(alpha) target

- gene. *J Biol Chem* **277**: 35013-8 [PMID:12114512]
- 21. Devanna P and Vernes SC. (2014) A direct molecular link between the autism candidate gene ROR α and the schizophrenia candidate MIR137. *Sci Rep* **4**: 3994 [PMID:24500708]
 - 22. Diefenbach A, Colonna M and Koyasu S. (2014) Development, differentiation, and diversity of innate lymphoid cells. *Immunity* **41**: 354-65 [PMID:25238093]
 - 23. Dong C. (2008) TH17 cells in development: an updated view of their molecular identity and genetic programming. *Nat Rev Immunol* **8**: 337-48 [PMID:18408735]
 - 24. Duan J, Dhar TGM, Marcoux D, Shi Q, Batt DG, Liu Q, Cherney RJ, Cornelius AMC, Srivastava AS and Bertrand MB *et al.*. (2016) Tricyclic sulfones as rorY modulators Patent number: WO2016179460A1. Assignee: Bristol-Myers Squibb. Priority date: 07/05/2015. Publication date: 10/11/2016.
 - 25. Duez H and Staels B. (2010) Nuclear receptors linking circadian rhythms and cardiometabolic control. *Arterioscler Thromb Vasc Biol* **30**: 1529-34 [PMID:20631353]
 - 26. Dussault I and Giguère V. (1997) Differential regulation of the N-myc proto-oncogene by ROR alpha and RVR, two orphan members of the superfamily of nuclear hormone receptors. *Mol Cell Biol* **17**: 1860-7 [PMID:9121434]
 - 27. Eberl G and Littman DR. (2004) Thymic origin of intestinal alphabeta T cells revealed by fate mapping of ROR γ mat+ cells. *Science* **305**: 248-51 [PMID:15247480]
 - 28. Eberl G and Littman DR. (2003) The role of the nuclear hormone receptor ROR γ mat in the development of lymph nodes and Peyer's patches. *Immunol Rev* **195**: 81-90 [PMID:12969312]
 - 29. Eberl G, Marmon S, Sunshine MJ, Rennert PD, Choi Y and Littman DR. (2004) An essential function for the nuclear receptor ROR γ (t) in the generation of fetal lymphoid tissue inducer cells. *Nat Immunol* **5**: 64-73 [PMID:14691482]
 - 30. Ersland KM, Christoforou A, Stansberg C, Espeseth T, Mattheisen M, Mattingsdal M, Hardarson GA, Hansen T, Fernandes CP and Giddaluru S *et al.*. (2012) Gene-based analysis of regionally enriched cortical genes in GWAS data sets of cognitive traits and psychiatric disorders. *PLoS ONE* **7**: e31687 [PMID:22384057]
 - 31. Etain B, Jamain S, Milhiet V, Lajnef M, Boudebesse C, Dumaine A, Mathieu F, Gombert A, Ledugal K and Gard S *et al.*. (2014) Association between circadian genes, bipolar disorders and chronotypes. *Chronobiol Int* **31**: 807-14 [PMID:24716566]
 - 32. Fauber BP, Gobbi A, Robarge K, Zhou A, Barnard A, Cao J, Deng Y, Eidenschenk C, Everett C and Ganguli A *et al.*. (2015) Discovery of imidazo[1,5-a]pyridines and -pyrimidines as potent and selective ROR γ inverse agonists. *Bioorg Med Chem Lett* **25**: 2907-12 [PMID:26048793]
 - 33. Fauber BP and Magnuson S. (2014) Modulators of the nuclear receptor retinoic acid receptor-related orphan receptor- γ (ROR γ or ROR β). *J Med Chem* **57**: 5871-92 [PMID:24502334]
 - 34. Fauber BP, René O, Deng Y, DeVoss J, Eidenschenk C, Everett C, Ganguli A, Gobbi A, Hawkins J and Johnson AR *et al.*. (2015) Discovery of 1-[4-[3-fluoro-4-((3s,6r)-3-methyl-1,1-dioxo-6-phenyl-[1,2]thiazinan-2-ylmethyl)-phenyl]-piperazin-1-yl]-ethanone (GNE-3500): a potent, selective, and orally bioavailable retinoic acid receptor-related orphan receptor C (ROR γ or ROR β) inverse agonist. *J Med Chem* **58**: 5308-22 [PMID:26061388]
 - 35. Fitzsimmons RL, Lau P and Muscat GE. (2012) Retinoid-related orphan receptor alpha and the regulation of lipid homeostasis. *J Steroid Biochem Mol Biol* **130**: 159-68 [PMID:21723946]
 - 36. Flick AC, Jones P, Kaila N, Mente SR, Schnute ME, Trzupek JD, Vazquez ML, Xing L, Zhang L and Wennerstal GM *et al.*. (2016) Methyl-and trifluoromethyl-substituted pyrrolopyridine modulators of rorc2 and methods of use thereof Patent number: WO2016046755A1. Assignee: Pfizer Inc.. Priority date: 26/09/2014. Publication date: 31/03/2016.
 - 37. Fu Y, Liu H, Ng L, Kim JW, Hao H, Swaroop A and Forrest D. (2014) Feedback induction of a photoreceptor-specific isoform of retinoid-related orphan nuclear receptor β by the rod transcription factor NRL. *J Biol Chem* **289**: 32469-80 [PMID:25296752]
 - 38. Gamboa-Meléndez MA, Huerta-Chagoya A, Moreno-Macías H, Vázquez-Cárdenas P, Ordóñez-Sánchez ML, Rodríguez-Guillén R, Riba L, Rodríguez-Torres M, Guerra-García MT and Guillén-Pineda LE *et al.*. (2012) Contribution of common genetic variation to the risk of type 2 diabetes in the Mexican Mestizo population. *Diabetes* **61**: 3314-21 [PMID:22923468]
 - 39. Gege C. (2016) Retinoid-related orphan receptor gamma t (ROR γ t) inhibitors from Vitae Pharmaceuticals (WO2015116904) and structure proposal for their Phase I candidate VTP-43742. *Expert Opin Ther Pat* **26**: 737-44 [PMID:26895086]

40. Genoux A, Dehondt H, Helleboid-Chapman A, Duhem C, Hum DW, Martin G, Pennacchio LA, Staels B, Fruchart-Najib J and Fruchart JC. (2005) Transcriptional regulation of apolipoprotein A5 gene expression by the nuclear receptor RORalpha. *Arterioscler Thromb Vasc Biol* **25**: 1186-92 [PMID:15790933]
41. Germain P, Staels B, Dacquet C, Spedding M and Laudet V. (2006) Overview of nomenclature of nuclear receptors. *Pharmacol Rev* **58**: 685-704 [PMID:17132848]
42. Giguère V, Tini M, Flock G, Ong E, Evans RM and Oulakowski G. (1994) Isoform-specific amino-terminal domains dictate DNA-binding properties of ROR alpha, a novel family of orphan hormone nuclear receptors. *Genes Dev* **8**: 538-53 [PMID:7926749]
43. Greiner EF, Kirsch J, Greschik H, Huang D, Becker P, Kapfhammer JP and Schüle R. (2000) Differential ligand-dependent protein-protein interactions between nuclear receptors and a neuronal-specific cofactor. *Proc Natl Acad Sci USA* **97**: 7160-5 [PMID:10860982]
44. Guillaumond F, Dardente H, Giguère V and Cermakian N. (2005) Differential control of Bmal1 circadian transcription by REV-ERB and ROR nuclear receptors. *J Biol Rhythms* **20**: 391-403 [PMID:16267379]
45. Halim TY, MacLaren A, Romanish MT, Gold MJ, McNagny KM and Takei F. (2012) Retinoic-acid-receptor-related orphan nuclear receptor alpha is required for natural helper cell development and allergic inflammation. *Immunity* **37**: 463-74 [PMID:22981535]
46. Hamilton BA, Frankel WN, Kerrebrock AW, Hawkins TL, FitzHugh W, Kusumi K, Russell LB, Mueller KL, van Berkel V, Birren BW, Kruglyak L and Lander ES. (1996) Disruption of the nuclear hormone receptor RORalpha in staggerer mice. *Nature* **379**: 736-9 [PMID:8602221]
47. Harding HP, Atkins GB, Jaffe AB, Seo WJ and Lazar MA. (1997) Transcriptional activation and repression by RORalpha, an orphan nuclear receptor required for cerebellar development. *Mol Endocrinol* **11**: 1737-46 [PMID:9328355]
48. He YW, Deftos ML, Ojala EW and Bevan MJ. (1998) RORgamma t, a novel isoform of an orphan receptor, negatively regulates Fas ligand expression and IL-2 production in T cells. *Immunity* **9**: 797-806 [PMID:9881970]
49. Hirose T, Smith RJ and Jetten AM. (1994) ROR gamma: the third member of ROR/RZR orphan receptor subfamily that is highly expressed in skeletal muscle. *Biochem Biophys Res Commun* **205**: 1976-83 [PMID:7811290]
50. Hoorweg K, Peters CP, Cornelissen F, Aparicio-Domingo P, Papazian N, Kazemier G, Mjösberg JM, Spits H and Cupedo T. (2012) Functional Differences between Human NKp44(-) and NKp44(+) RORC(+) Innate Lymphoid Cells. *Front Immunol* **3**: 72 [PMID:22566953]
51. Hu X, Liu X, Moisan J, Wang Y, Lesch CA, Spooner C, Morgan RW, Zawidzka EM, Mertz D and Bousley D et al.. (2016) Synthetic ROR γ t agonists regulate multiple pathways to enhance antitumor immunity. *Oncoimmunology* **5**: e1254854 [PMID:28123897]
52. Hu X, Wang Y, Hao LY, Liu X, Lesch CA, Sanchez BM, Wendling JM, Morgan RW, Aicher TD and Carter LL et al.. (2015) Sterol metabolism controls T(H)17 differentiation by generating endogenous ROR γ t agonists. *Nat Chem Biol* **11**: 141-7 [PMID:25558972]
53. Huang Z, Xie H, Wang R and Sun Z. (2007) Retinoid-related orphan receptor gamma t is a potential therapeutic target for controlling inflammatory autoimmunity. *Expert Opin Ther Targets* **11**: 737-43 [PMID:17504012]
54. Huh JR, Leung MW, Huang P, Ryan DA, Krout MR, Malapaka RR, Chow J, Manel N, Ciofani M and Kim SV et al.. (2011) Digoxin and its derivatives suppress TH17 cell differentiation by antagonizing ROR γ t activity. *Nature* **472**: 486-90 [PMID:21441909]
55. Huh JR and Littman DR. (2012) Small molecule inhibitors of ROR γ t: targeting Th17 cells and other applications. *Eur J Immunol* **42**: 2232-7 [PMID:22949321]
56. Ivanov II, McKenzie BS, Zhou L, Tadokoro CE, Lepelley A, Lafaille JJ, Cua DJ and Littman DR. (2006) The orphan nuclear receptor ROR γ mat directs the differentiation program of proinflammatory IL-17+ T helper cells. *Cell* **126**: 1121-33 [PMID:16990136]
57. Ivanov II, Zhou L and Littman DR. (2007) Transcriptional regulation of Th17 cell differentiation. *Semin Immunol* **19**: 409-17 [PMID:18053739]
58. Jabauidon D, Shnider SJ, Tischfield DJ, Galazo MJ and Macklis JD. (2012) ROR β induces barrel-like neuronal clusters in the developing neocortex. *Cereb Cortex* **22**: 996-1006 [PMID:21799210]
59. Jaradat M, Stapleton C, Tilley SL, Dixon D, Erikson CJ, McCaskill JG, Kang HS, Angers M, Liao G and Collins J et al.. (2006) Modulatory role for retinoid-related orphan receptor alpha in allergen-induced

- lung inflammation. *Am J Respir Crit Care Med* **174**: 1299-309 [PMID:16973978]
- 60. Jetten AM. (2004) Recent advances in the mechanisms of action and physiological functions of the retinoid-related orphan receptors (RORs). *Curr Drug Targets Inflamm Allergy* **3**: 395-412 [PMID:15584888]
 - 61. Jetten AM. (2009) Retinoid-related orphan receptors (RORs): critical roles in development, immunity, circadian rhythm, and cellular metabolism. *Nucl Recept Signal* **7**: e003 [PMID:19381306]
 - 62. Jetten AM. (2011) Immunology: A helping hand against autoimmunity. *Nature* **472**: 421-2 [PMID:21525918]
 - 63. Jetten AM, Kang HS and Takeda Y. (2013) Retinoic acid-related orphan receptors α and γ : key regulators of lipid/glucose metabolism, inflammation, and insulin sensitivity. *Front Endocrinol (Lausanne)* **4**: 1 [PMID:23355833]
 - 64. Jin L, Martynowski D, Zheng S, Wada T, Xie W and Li Y. (2010) Structural basis for hydroxycholesterols as natural ligands of orphan nuclear receptor ROR γ . *Mol Endocrinol* **24**: 923-9 [PMID:20203100]
 - 65. Johnson DR, Lovett JM, Hirsch M, Xia F and Chen JD. (2004) NuRD complex component Mi-2beta binds to and represses ROR γ -mediated transcriptional activation. *Biochem Biophys Res Commun* **318**: 714-8 [PMID:15144897]
 - 66. Jolly S, Journiac N, Naudet F, Gautheron V, Mariani J and Vernet-der Garabedian B. (2011) Cell-autonomous and non-cell-autonomous neuroprotective functions of ROR α in neurons and astrocytes during hypoxia. *J Neurosci* **31**: 14314-23 [PMID:21976517]
 - 67. Kallen J, Schlaeppi JM, Bitsch F, Delhon I and Fournier B. (2004) Crystal structure of the human ROR α Ligand binding domain in complex with cholesterol sulfate at 2.2 Å. *J Biol Chem* **279**: 14033-8 [PMID:14722075]
 - 68. Kallen JA, Schlaeppi JM, Bitsch F, Geisse S, Geiser M, Delhon I and Fournier B. (2002) X-ray structure of the hROR α LBD at 1.63 Å: structural and functional data that cholesterol or a cholesterol derivative is the natural ligand of ROR α . *Structure* **10**: 1697-707 [PMID:12467577]
 - 69. Kang HS, Angers M, Beak JY, Wu X, Gimble JM, Wada T, Xie W, Collins JB, Grissom SF and Jetten AM. (2007) Gene expression profiling reveals a regulatory role for ROR alpha and ROR gamma in phase I and phase II metabolism. *Physiol Genomics* **31**: 281-94 [PMID:17666523]
 - 70. Kang HS, Okamoto K, Takeda Y, Beak JY, Gerrish K, Bortner CD, DeGraff LM, Wada T, Xie W and Jetten AM. (2011) Transcriptional profiling reveals a role for ROR α in regulating gene expression in obesity-associated inflammation and hepatic steatosis. *Physiol Genomics* **43**: 818-28 [PMID:21540300]
 - 71. Kiss EA and Diefenbach A. (2012) Role of the Aryl Hydrocarbon Receptor in Controlling Maintenance and Functional Programs of ROR γ t(+) Innate Lymphoid Cells and Intraepithelial Lymphocytes. *Front Immunol* **3**: 124 [PMID:22666222]
 - 72. Kojetin DJ and Burris TP. (2014) REV-ERB and ROR nuclear receptors as drug targets. *Nat Rev Drug Discov* **13**: 197-216 [PMID:24577401]
 - 73. Kono M, Ochida A, Oda T, Imada T, Banno Y, Taya N, Masada S, Kawamoto T, Yonemori K and Nara Y et al.. (2018) Discovery of [cis-3-((5 R)-5-[(7-Fluoro-1,1-dimethyl-2,3-dihydro-1 H-inden-5-yl)carbamoyl]-2-methoxy-7,8-dihydro-1,6-naphthyridin-6(5 H)-yl]carbonyl)cyclobutyl]acetic Acid (TAK-828F) as a Potent, Selective, and Orally Available Novel Retinoic Acid Receptor-Related Orphan Receptor γ t Inverse Agonist. *J Med Chem* **61**: 2973-2988 [PMID:29510038]
 - 74. Kumar N, Lyda B, Chang MR, Lauer JL, Solt LA, Burris TP, Kamenecka TM and Griffin PR. (2012) Identification of SR2211: a potent synthetic ROR γ t-selective modulator. *ACS Chem Biol* **7**: 672-7 [PMID:22292739]
 - 75. Kumar N, Solt LA, Conkright JJ, Wang Y, Istrate MA, Busby SA, Garcia-Ordonez RD, Burris TP and Griffin PR. (2010) The benzenesulfoamide T0901317 [N-(2,2,2-trifluoroethyl)-N-[4-[2,2,2-trifluoro-1-hydroxy-1-(trifluoromethyl)ethyl]phenyl]-benzenesulfonamide] is a novel retinoic acid receptor-related orphan receptor-alpha/gamma inverse agonist. *Mol Pharmacol* **77**: 228-36 [PMID:19887649]
 - 76. Kurebayashi S, Nakajima T, Kim SC, Chang CY, McDonnell DP, Renaud JP and Jetten AM. (2004) Selective LXXLL peptides antagonize transcriptional activation by the retinoid-related orphan receptor ROR γ . *Biochem Biophys Res Commun* **315**: 919-27 [PMID:14985100]
 - 77. Kurebayashi S, Ueda E, Sakaue M, Patel DD, Medvedev A, Zhang F and Jetten AM. (2000) Retinoid-related orphan receptor gamma (ROR γ) is essential for lymphoid organogenesis and controls apoptosis during thymopoiesis. *Proc Natl Acad Sci USA* **97**: 10132-7 [PMID:10963675]
 - 78. Lau P, Bailey P, Dowhan DH and Muscat GE. (1999) Exogenous expression of a dominant negative

- RORalpha1 vector in muscle cells impairs differentiation: RORalpha1 directly interacts with p300 and myoD. *Nucleic Acids Res* **27**: 411-20 [PMID:9862959]
79. Lau P, Fitzsimmons RL, Pearen MA, Watt MJ and Muscat GE. (2011) Homozygous staggerer (sg/sg) mice display improved insulin sensitivity and enhanced glucose uptake in skeletal muscle. *Diabetologia* **54**: 1169-80 [PMID:21279323]
80. Lau P, Fitzsimmons RL, Raichur S, Wang SC, Lechtken A and Muscat GE. (2008) The orphan nuclear receptor, RORalpha, regulates gene expression that controls lipid metabolism: staggerer (SG/SG) mice are resistant to diet-induced obesity. *J Biol Chem* **283**: 18411-21 [PMID:18441015]
81. Lee JM, Kim IS, Kim H, Lee JS, Kim K, Yim HY, Jeong J, Kim JH, Kim JY, Lee H, Seo SB, Kim H, Rosenfeld MG, Kim KI and Baek SH. (2010) RORalpha attenuates Wnt/beta-catenin signaling by PKCalpha-dependent phosphorylation in colon cancer. *Mol Cell* **37**: 183-95 [PMID:20122401]
82. Liu H, Kim SY, Fu Y, Wu X, Ng L, Swaroop A and Forrest D. (2013) An isoform of retinoid-related orphan receptor beta directs differentiation of retinal amacrine and horizontal interneurons. *Nat Commun* **4**: 1813 [PMID:23652001]
83. Logue MW, Baldwin C, Guffanti G, Melista E, Wolf EJ, Reardon AF, Uddin M, Wildman D, Galea S and Koenen KC *et al.*. (2013) A genome-wide association study of post-traumatic stress disorder identifies the retinoid-related orphan receptor alpha (RORA) gene as a significant risk locus. *Mol Psychiatry* **18**: 937-42 [PMID:22869035]
84. Marciano DP, Chang MR, Corzo CA, Goswami D, Lam VQ, Pascal BD and Griffin PR. (2014) The therapeutic potential of nuclear receptor modulators for treatment of metabolic disorders: PPAR γ , RORs, and Rev-erbs. *Cell Metab* **19**: 193-208 [PMID:24440037]
85. Marcoux D, Duan JJ, Shi Q, Cherney RJ, Srivastava AS, Cornelius L, Batt DG, Liu Q, Beaudoin-Bertrand M and Weigelt CA *et al.*. (2019) Rationally Designed, Conformationally Constrained Inverse Agonists of ROR γ t-Identification of a Potent, Selective Series with Biologic-Like in Vivo Efficacy. *J Med Chem* **62**: 9931-9946 [PMID:31638797]
86. Matsui T. (1996) Differential activation of the murine laminin B1 gene promoter by RAR alpha, ROR alpha, and AP-1. *Biochem Biophys Res Commun* **220**: 405-10 [PMID:8645318]
87. Matsumura R, Matsubara C, Node K, Takumi T and Akashi M. (2013) Nuclear receptor-mediated cell-autonomous oscillatory expression of the circadian transcription factor, neuronal PAS domain protein 2 (NPAS2). *J Biol Chem* **288**: 36548-53 [PMID:24196956]
88. Matysiak-Scholze U and Nehls M. (1997) The structural integrity of ROR alpha isoforms is mutated in staggerer mice: cerebellar coexpression of ROR alpha1 and ROR alpha4. *Genomics* **43**: 78-84 [PMID:9226375]
89. McBroom LD, Flock G and Giguère V. (1995) The nonconserved hinge region and distinct amino-terminal domains of the ROR alpha orphan nuclear receptor isoforms are required for proper DNA bending and ROR alpha-DNA interactions. *Mol Cell Biol* **15**: 796-808 [PMID:7823947]
90. McKenzie AN, Spits H and Eberl G. (2014) Innate lymphoid cells in inflammation and immunity. *Immunity* **41**: 366-74 [PMID:25238094]
91. Medvedev A, Yan ZH, Hirose T, Giguère V and Jetten AM. (1996) Cloning of a cDNA encoding the murine orphan receptor RZR/ROR gamma and characterization of its response element. *Gene* **181**: 199-206 [PMID:8973331]
92. Meissburger B, Ukorpec J, Roeder E, Beaton N, Geiger M, Teupser D, Civan B, Langhans W, Nawroth PP and Gasperikova D *et al.*. (2011) Adipogenesis and insulin sensitivity in obesity are regulated by retinoid-related orphan receptor gamma. *EMBO Mol Med* **3**: 637-51 [PMID:21853531]
93. Melén E, Kho AT, Sharma S, Gaedigk R, Leeder JS, Mariani TJ, Carey VJ, Weiss ST and Tantisira KG. (2011) Expression analysis of asthma candidate genes during human and murine lung development. *Respir Res* **12**: 86 [PMID:21699702]
94. Meyer T, Kneissel M, Mariani J and Fournier B. (2000) In vitro and in vivo evidence for orphan nuclear receptor RORalpha function in bone metabolism. *Proc Natl Acad Sci USA* **97**: 9197-202 [PMID:10900268]
95. Miller MW, Wolf EJ, Logue MW and Baldwin CT. (2013) The retinoid-related orphan receptor alpha (RORA) gene and fear-related psychopathology. *J Affect Disord* **151**: 702-8 [PMID:24007783]
96. Moffatt MF, Gut IG, Demenais F, Strachan DP, Bouzigon E, Heath S, von Mutius E, Farrall M, Lathrop M and Cookson WO *et al.*. (2010) A large-scale, consortium-based genomewide association study of asthma. *N Engl J Med* **363**: 1211-21 [PMID:20860503]
97. Mongrain V, Ruan X, Dardente H, Fortier EE and Cermakian N. (2008) Clock-dependent and

- independent transcriptional control of the two isoforms from the mouse Rorgamma gene. *Genes Cells* **13**: 1197-210 [PMID:19076641]
98. Moraitis AN, Giguère V and Thompson CC. (2002) Novel mechanism of nuclear receptor corepressor interaction dictated by activation function 2 helix determinants. *Mol Cell Biol* **22**: 6831-41 [PMID:12215540]
 99. Mukherji A, Kobiita A, Ye T and Chambon P. (2013) Homeostasis in intestinal epithelium is orchestrated by the circadian clock and microbiota cues transduced by TLRs. *Cell* **153**: 812-27 [PMID:23663780]
 100. Nakajima Y, Ikeda M, Kimura T, Honma S, Ohmiya Y and Honma K. (2004) Bidirectional role of orphan nuclear receptor RORalpha in clock gene transcriptions demonstrated by a novel reporter assay system. *FEBS Lett* **565**: 122-6 [PMID:15135064]
 101. Narjes F, Llinas A, von Berg S, Jirholt J, Lever S, Pehrson R, Collins M, Malmberg M, Svanberg P and Xue Y et al.. (2021) AZD0284, a Potent, Selective, and Orally Bioavailable Inverse Agonist of Retinoic Acid Receptor-Related Orphan Receptor C2 *Journal of Medicinal Chemistry* [PMID:34464130]
 102. Nguyen A, Rauch TA, Pfeifer GP and Hu VW. (2010) Global methylation profiling of lymphoblastoid cell lines reveals epigenetic contributions to autism spectrum disorders and a novel autism candidate gene, RORA, whose protein product is reduced in autistic brain. *FASEB J* **24**: 3036-51 [PMID:20375269]
 103. Noguchi M, Nomura A, Murase K, Doi S, Yamaguchi K, Hirata K, Shiozaki M, Hirashima S, Kotoku M and Yamaguchi T et al.. (2017) Ternary complex of human ROR γ ligand-binding domain, inverse agonist and SMRT peptide shows a unique mechanism of corepressor recruitment. *Genes Cells* **22**: 535-551 [PMID:28493531]
 104. Nurieva R, Yang XO, Martinez G, Zhang Y, Panopoulos AD, Ma L, Schluns K, Tian Q, Watowich SS and Jetten AM et al.. (2007) Essential autocrine regulation by IL-21 in the generation of inflammatory T cells. *Nature* **448**: 480-3 [PMID:17581589]
 105. Ortiz MA, Piedrafita FJ, Pfahl M and Maki R. (1995) TOR: a new orphan receptor expressed in the thymus that can modulate retinoid and thyroid hormone signals. *Mol Endocrinol* **9**: 1679-91 [PMID:8614404]
 106. Ou Z, Shi X, Gilroy RK, Kirisci L, Romkes M, Lynch C, Wang H, Xu M, Jiang M and Ren S et al.. (2013) Regulation of the human hydroxysteroid sulfotransferase (SULT2A1) by ROR α and ROR γ and its potential relevance to human liver diseases. *Mol Endocrinol* **27**: 106-15 [PMID:23211525]
 107. Paravicini G, Steinmayr M, André E and Becker-André M. (1996) The metastasis suppressor candidate nucleotide diphosphate kinase NM23 specifically interacts with members of the ROR/RZR nuclear orphan receptor subfamily. *Biochem Biophys Res Commun* **227**: 82-7 [PMID:8858107]
 108. Pathak P, Li T and Chiang JY. (2013) Retinoic acid-related orphan receptor α regulates diurnal rhythm and fasting induction of sterol 12 α -hydroxylase in bile acid synthesis. *J Biol Chem* **288**: 37154-65 [PMID:24226095]
 109. Raichur S, Fitzsimmons RL, Myers SA, Pearen MA, Lau P, Eriksson N, Wang SM and Muscat GE. (2010) Identification and validation of the pathways and functions regulated by the orphan nuclear receptor, ROR alpha1, in skeletal muscle. *Nucleic Acids Res* **38**: 4296-312 [PMID:20338882]
 110. Raichur S, Lau P, Staels B and Muscat GE. (2007) Retinoid-related orphan receptor gamma regulates several genes that control metabolism in skeletal muscle cells: links to modulation of reactive oxygen species production. *J Mol Endocrinol* **39**: 29-44 [PMID:17601883]
 111. Ramasamy A, Kuokkanen M, Vedantam S, Gajdos ZK, Couto Alves A, Lyon HN, Ferreira MA, Strachan DP, Zhao JH and Abramson MJ et al.. (2012) Genome-wide association studies of asthma in population-based cohorts confirm known and suggested loci and identify an additional association near HLA. *PLoS ONE* **7**: e44008 [PMID:23028483]
 112. Raspè E, Mautino G, Duval C, Fontaine C, Duez H, Barbier O, Monte D, Fruchart J, Fruchart JC and Staels B. (2002) Transcriptional regulation of human Rev-erbalpha gene expression by the orphan nuclear receptor retinoic acid-related orphan receptor alpha. *J Biol Chem* **277**: 49275-81 [PMID:12377782]
 113. Salimi M, Barlow JL, Saunders SP, Xue L, Gutowska-Owsiaik D, Wang X, Huang LC, Johnson D, Scanlon ST and McKenzie AN et al.. (2013) A role for IL-25 and IL-33-driven type-2 innate lymphoid cells in atopic dermatitis. *J Exp Med* **210**: 2939-50 [PMID:24323357]
 114. Santarasci V, Maggi L, Capone M, Querci V, Beltrame L, Cavalieri D, D'Aiuto E, Cimaz R, Nebbioso A and Liotta F et al.. (2012) Rarity of human T helper 17 cells is due to retinoic acid orphan receptor-dependent mechanisms that limit their expansion. *Immunity* **36**: 201-14 [PMID:22326581]
 115. Santori FR, Huang P, van de Pavert SA, Douglass Jr EF, Leaver DJ, Haubrich BA, Keber R, Lorbek G,

- Konijn T and Rosales BN *et al.*. (2015) Identification of natural ROR γ ligands that regulate the development of lymphoid cells. *Cell Metab* **21**: 286-97 [PMID:25651181]
116. Sarachana T and Hu VW. (2013) Differential recruitment of coregulators to the RORA promoter adds another layer of complexity to gene (dys) regulation by sex hormones in autism. *Mol Autism* **4**: 39 [PMID:24119295]
117. Sarachana T and Hu VW. (2013) Genome-wide identification of transcriptional targets of RORA reveals direct regulation of multiple genes associated with autism spectrum disorder. *Mol Autism* **4**: 14 [PMID:23697635]
118. Sarachana T, Xu M, Wu RC and Hu VW. (2011) Sex hormones in autism: androgens and estrogens differentially and reciprocally regulate RORA, a novel candidate gene for autism. *PLoS ONE* **6**: e17116 [PMID:21359227]
119. Sato TK, Panda S, Miraglia LJ, Reyes TM, Rudic RD, McNamara P, Naik KA, FitzGerald GA, Kay SA and Hogenesch JB. (2004) A functional genomics strategy reveals Rora as a component of the mammalian circadian clock. *Neuron* **43**: 527-37 [PMID:15312651]
120. Schaeren-Wiemers N, André E, Kapfhammer JP and Becker-André M. (1997) The expression pattern of the orphan nuclear receptor RORbeta in the developing and adult rat nervous system suggests a role in the processing of sensory information and in circadian rhythm. *Eur J Neurosci* **9**: 2687-701 [PMID:9517474]
121. Schnute ME, Trujillo JI, Lee KL, Unwalla R, Vajdos FF, Kauppi B, Nuhant P, Flick AC, Crouse KK and Zhao Y *et al.*. (2023) Macrocyclic Retinoic Acid Receptor-Related Orphan Receptor C2 Inverse Agonists. *ACS Medicinal Chemistry Letters*
122. Schnute ME, Wennerstål M, Alley J, Bengtsson M, Blinn JR, Bolten CW, Braden T, Bonn T, Carlsson B and Caspers N *et al.*. (2018) Discovery of 3-Cyano- N-(3-(1-isobutyrylpiriperidin-4-yl)-1-methyl-4-(trifluoromethyl)-1 H-pyrrolo[2,3- b]pyridin-5-yl)benzamide: A Potent, Selective, and Orally Bioavailable Retinoic Acid Receptor-Related Orphan Receptor C2 Inverse Agonist. *J Med Chem* **61**: 10415-10439 [PMID:30130103]
123. Serafini N, Klein Wolterink RG, Satoh-Takayama N, Xu W, Vosshenrich CA, Hendriks RW and Di Santo JP. (2014) Gata3 drives development of ROR γ t+ group 3 innate lymphoid cells. *J Exp Med* **211**: 199-208 [PMID:24419270]
124. Skepner J, Ramesh R, Trocha M, Schmidt D, Baloglu E, Lobera M, Carlson T, Hill J, Orband-Miller LA and Barnes A *et al.*. (2014) Pharmacologic inhibition of ROR γ t regulates Th17 signature gene expression and suppresses cutaneous inflammation in vivo. *J Immunol* **192**: 2564-75 [PMID:24516202]
125. Slominski AT, Kim TK, Takeda Y, Janjetovic Z, Brozyna AA, Skobowiat C, Wang J, Postlethwaite A, Li W and Tuckey RC *et al.*. (2014) ROR α and ROR γ are expressed in human skin and serve as receptors for endogenously produced noncalcemic 20-hydroxy- and 20,23-dihydroxyvitamin D. *FASEB J* **28**: 2775-89 [PMID:24668754]
126. Smith SH, Peredo CE, Takeda Y, Bui T, Neil J, Rickard D, Millerman E, Therrien JP, Nicodeme E and Brusq JM *et al.*. (2016) Development of a Topical Treatment for Psoriasis Targeting ROR γ : From Bench to Skin. *PLoS ONE* **11**: e0147979 [PMID:26870941]
127. Solt LA, Banerjee S, Campbell S, Kamenecka TM and Burris TP. (2015) ROR inverse agonist suppresses insulitis and prevents hyperglycemia in a mouse model of type 1 diabetes. *Endocrinology* **156**: 869-81 [PMID:25560829]
128. Solt LA and Burris TP. (2012) Action of RORs and their ligands in (patho)physiology. *Trends Endocrinol Metab* **23**: 619-27 [PMID:22789990]
129. Solt LA, Kojetin DJ and Burris TP. (2011) The REV-ERBs and RORs: molecular links between circadian rhythms and lipid homeostasis. *Future Med Chem* **3**: 623-38 [PMID:21526899]
130. Solt LA, Kumar N, He Y, Kamenecka TM, Griffin PR and Burris TP. (2012) Identification of a selective ROR γ ligand that suppresses T(H)17 cells and stimulates T regulatory cells. *ACS Chem Biol* **7**: 1515-9 [PMID:22769242]
131. Solt LA, Kumar N, Nuhant P, Wang Y, Lauer JL, Liu J, Istrate MA, Kamenecka TM, Roush WR and Vidović D *et al.*. (2011) Suppression of TH17 differentiation and autoimmunity by a synthetic ROR ligand. *Nature* **472**: 491-4 [PMID:21499262]
132. Song Y, Xue X, Wu X, Wang R, Xing Y, Yan W, Zhou Y, Qian CN, Zhang Y and Xu Y. (2016) Identification of N-phenyl-2-(N-phenylphenylsulfonamido)acetamides as new ROR γ inverse agonists: Virtual screening, structure-based optimization, and biological evaluation. *Eur J Med Chem* **116**: 13-26

[PMID:27043267]

133. Stehlin C, Wurtz JM, Steinmetz A, Greiner E, Schüle R, Moras D and Renaud JP. (2001) X-ray structure of the orphan nuclear receptor RORbeta ligand-binding domain in the active conformation. *EMBO J* **20**: 5822-31 [PMID:11689423]
134. Stehlin-Gaon C, Willmann D, Zeyer D, Sanglier S, Van Dorsselaer A, Renaud JP, Moras D and Schüle R. (2003) All-trans retinoic acid is a ligand for the orphan nuclear receptor ROR beta. *Nat Struct Biol* **10**: 820-5 [PMID:12958591]
135. Steinmayr M, André E, Conquet F, Rondi-Reig L, Delhaye-Bouchaud N, Auclair N, Daniel H, Crépel F, Mariani J, Sotelo C and Becker-André M. (1998) staggerer phenotype in retinoid-related orphan receptor alpha-deficient mice. *Proc Natl Acad Sci USA* **95**: 3960-5 [PMID:9520475]
136. Strausberg RL, Feingold EA, Grouse LH, Derge JG, Klausner RD, Collins FS, Wagner L, Shenmen CM, Schuler GD and Altschul SF *et al.*. (2002) Generation and initial analysis of more than 15,000 full-length human and mouse cDNA sequences. *Proc Natl Acad Sci USA* **99**: 16899-903 [PMID:12477932]
137. Sun Z, Unutmaz D, Zou YR, Sunshine MJ, Pierani A, Brenner-Morton S, Mebius RE and Littman DR. (2000) Requirement for RORgamma in thymocyte survival and lymphoid organ development. *Science* **288**: 2369-73 [PMID:10875923]
138. Takeda Y and Jetten AM. (2013) Prospero-related homeobox 1 (Prox1) functions as a novel modulator of retinoic acid-related orphan receptors α - and γ -mediated transactivation. *Nucleic Acids Res* **41**: 6992-7008 [PMID:23723244]
139. Takeda Y, Jothi R, Birault V and Jetten AM. (2012) ROR γ directly regulates the circadian expression of clock genes and downstream targets in vivo. *Nucleic Acids Res* **40**: 8519-35 [PMID:22753030]
140. Takeda Y, Kang HS, Angers M and Jetten AM. (2011) Retinoic acid-related orphan receptor γ directly regulates neuronal PAS domain protein 2 transcription in vivo. *Nucleic Acids Res* **39**: 4769-82 [PMID:21317191]
141. Takeda Y, Kang HS, Freudenberg J, DeGraff LM, Jothi R and Jetten AM. (2014) Retinoic acid-related orphan receptor γ (ROR γ): a novel participant in the diurnal regulation of hepatic gluconeogenesis and insulin sensitivity. *PLoS Genet* **10**: e1004331 [PMID:24831725]
142. Takeda Y, Kang HS, Lih FB, Jiang H, Blaner WS and Jetten AM. (2014) Retinoid acid-related orphan receptor γ , ROR γ , participates in diurnal transcriptional regulation of lipid metabolic genes. *Nucleic Acids Res* **42**: 10448-59 [PMID:25143535]
143. Tilley SL, Jaradat M, Stapleton C, Dixon D, Hua X, Erikson CJ, McCaskill JG, Chason KD, Liao G and Jania L *et al.*. (2007) Retinoid-related orphan receptor gamma controls immunoglobulin production and Th1/Th2 cytokine balance in the adaptive immune response to allergen. *J Immunol* **178**: 3208-18 [PMID:17312169]
144. Tinahones FJ, Moreno-Santos I, Vendrell J, Chacon MR, Garrido-Sánchez L, García-Fuentes E and Macias-González M. (2012) The retinoic acid receptor-related orphan nuclear receptor γ 1 (ROR γ 1): a novel player determinant of insulin sensitivity in morbid obesity. *Obesity (Silver Spring)* **20**: 488-97 [PMID:21904299]
145. Tini M, Fraser RA and Giguère V. (1995) Functional interactions between retinoic acid receptor-related orphan nuclear receptor (ROR alpha) and the retinoic acid receptors in the regulation of the gamma F-crystallin promoter. *J Biol Chem* **270**: 20156-61 [PMID:7650034]
146. Tuong ZK, Lau P, Yeo JC, Pearen MA, Wall AA, Stanley AC, Stow JL and Muscat GE. (2013) Disruption of Ror α 1 and cholesterol 25-hydroxylase expression attenuates phagocytosis in male Ror α sg/sg mice. *Endocrinology* **154**: 140-9 [PMID:23239817]
147. van de Pavert SA, Ferreira M, Domingues RG, Ribeiro H, Molenaar R, Moreira-Santos L, Almeida FF, Ibiza S, Barbosa I and Goverse G *et al.*. (2014) Maternal retinoids control type 3 innate lymphoid cells and set the offspring immunity. *Nature* **508**: 123-7 [PMID:24670648]
148. van Niel MB, Fauber BP, Cartwright M, Gaines S, Killen JC, René O, Ward SI, de Leon Boenig G, Deng Y and Eidenschenk C *et al.*. (2014) A reversed sulfonamide series of selective RORc inverse agonists. *Bioorg Med Chem Lett* **24**: 5769-76 [PMID:25453817]
149. Wada T, Kang HS, Angers M, Gong H, Bhatia S, Khadem S, Ren S, Ellis E, Strom SC and Jetten AM *et al.*. (2008) Identification of oxysterol 7alpha-hydroxylase (Cyp7b1) as a novel retinoid-related orphan receptor alpha (RORalpha) (NR1F1) target gene and a functional cross-talk between RORalpha and liver X receptor (NR1H3). *Mol Pharmacol* **73**: 891-9 [PMID:18055760]
150. Walker JA, Barlow JL and McKenzie AN. (2013) Innate lymphoid cells--how did we miss them? *Nat Rev Immunol* **13**: 739-46 [PMID:24051111]

Immunol **13**: 75-87 [PMID:23292121]

151. Wang Y, Kumar N, Crumbley C, Griffin PR and Burris TP. (2010) A second class of nuclear receptors for oxysterols: Regulation of RORalpha and RORgamma activity by 24S-hydroxycholesterol (cerebrosterol). *Biochim Biophys Acta* **1801**: 917-23 [PMID:20211758]
152. Wang Y, Kumar N, Solt LA, Richardson TI, Helvering LM, Crumbley C, Garcia-Ordóñez RD, Stayrook KR, Zhang X and Novick S *et al.* (2010) Modulation of retinoic acid receptor-related orphan receptor alpha and gamma activity by 7-oxygenated sterol ligands. *J Biol Chem* **285**: 5013-25 [PMID:19965867]
153. Wang Y, Solt LA and Burris TP. (2010) Regulation of FGF21 expression and secretion by retinoic acid receptor-related orphan receptor alpha. *J Biol Chem* **285**: 15668-73 [PMID:20332535]
154. Wiesenbergs I, Missbach M, Kahlen JP, Schräder M and Carlberg C. (1995) Transcriptional activation of the nuclear receptor RZR alpha by the pineal gland hormone melatonin and identification of CGP 52608 as a synthetic ligand. *Nucleic Acids Res* **23**: 327-33 [PMID:7885826]
155. Wong SH, Walker JA, Jolin HE, Drynan LF, Hams E, Camelo A, Barlow JL, Neill DR, Panova V and Koch U *et al.* (2012) Transcription factor ROR α is critical for nuocyte development. *Nat Immunol* **13**: 229-36 [PMID:22267218]
156. Xiao S, Yosef N, Yang J, Wang Y, Zhou L, Zhu C, Wu C, Baloglu E, Schmidt D and Ramesh R *et al.* (2014) Small-molecule ROR γ t antagonists inhibit T helper 17 cell transcriptional network by divergent mechanisms. *Immunity* **40**: 477-89 [PMID:24745332]
157. Xu T, Wang X, Zhong B, Nurieva RI, Ding S and Dong C. (2011) Ursolic acid suppresses interleukin-17 (IL-17) production by selectively antagonizing the function of ROR γ t protein. *J Biol Chem* **286**: 22707-10 [PMID:21566134]
158. Yang XO, Pappu BP, Nurieva R, Akimzhanov A, Kang HS, Chung Y, Ma L, Shah B, Panopoulos AD and Schluns KS *et al.* (2008) T helper 17 lineage differentiation is programmed by orphan nuclear receptors ROR alpha and ROR gamma. *Immunity* **28**: 29-39 [PMID:18164222]
159. Yosef N, Shalek AK, Gaublomme JT, Jin H, Lee Y, Awasthi A, Wu C, Karwacz K, Xiao S and Jorgolli M *et al.* (2013) Dynamic regulatory network controlling TH17 cell differentiation. *Nature* **496**: 461-8 [PMID:23467089]
160. Yu X, Rollins D, Ruhn KA, Stubblefield JJ, Green CB, Kashiwada M, Rothman PB, Takahashi JS and Hooper LV. (2013) TH17 cell differentiation is regulated by the circadian clock. *Science* **342**: 727-30 [PMID:24202171]
161. Zhang F, Meng G and Strober W. (2008) Interactions among the transcription factors Runx1, ROR γ mat and Foxp3 regulate the differentiation of interleukin 17-producing T cells. *Nat Immunol* **9**: 1297-306 [PMID:18849990]
162. Zhang H, Lapointe BT, Anthony N, Azevedo R, Cals J, Correll CC, Daniels M, Deshmukh S, van Eenennaam H and Ferguson H *et al.* (2020) Discovery of *N*-(Indazol-3-yl)piperidine-4-carboxylic Acids as ROR γ t Allosteric Inhibitors for Autoimmune Diseases. *ACS Med Chem Lett* **11**: 114-119 [PMID:32071676]
163. Zhang Y, Wu X, Xue X, Li C, Wang J, Wang R, Zhang C, Wang C, Shi Y and Zou L *et al.* (2019) Discovery and Characterization of XY101, a Potent, Selective, and Orally Bioavailable ROR γ Inverse Agonist for Treatment of Castration-Resistant Prostate Cancer. *J Med Chem* **62**: 4716-4730 [PMID:30964293]
164. Zhao X, Graves C, Ames SJ, Fisher DE and Spanjaard RA. (2009) Mechanism of regulation and suppression of melanoma invasiveness by novel retinoic acid receptor-gamma target gene carbohydrate sulfotransferase 10. *Cancer Res* **69**: 5218-25 [PMID:19470764]