

Eicosanoid turnover in GtoPdb v.2023.1

Angelo A. Izzo¹ and Jane A. Mitchell²

1. University of Naples Federico II, Italy
2. Imperial College London, UK

Abstract

Eicosanoids are 20-carbon fatty acids, where the usual focus is the polyunsaturated analogue [arachidonic acid](#) and its metabolites. Arachidonic acid is thought primarily to derive from [phospholipase A2](#) action on membrane phosphatidylcholine, and may be re-cycled to form phospholipid through conjugation with [coenzyme A](#) and subsequently glycerol derivatives. Oxidative metabolism of arachidonic acid is conducted through three major enzymatic routes: cyclooxygenases; lipoxygenases and cytochrome P450-like epoxygenases, particularly [CYP2J2](#). Isoprostanes are structural analogues of the prostanoids (hence the nomenclature D-, E-, F-isoprostanes and isothromboxanes), which are produced in the presence of elevated free radicals in a non-enzymatic manner, leading to suggestions for their use as biomarkers of oxidative stress. Molecular targets for their action have yet to be defined.

Contents

This is a citation summary for Eicosanoid turnover in the [Guide to Pharmacology](#) database (GtoPdb). It exists purely as an adjunct to the database to facilitate the recognition of citations to and from the database by citation analyzers. Readers will almost certainly want to visit the relevant sections of the database which are given here under database links.

[GtoPdb](#) is an expert-driven guide to pharmacological targets and the substances that act on them. GtoPdb is a reference work which is most usefully represented as an on-line database. As in any publication this work should be appropriately cited, and the papers it cites should also be recognized. This document provides a citation for the relevant parts of the database, and also provides a reference list for the research cited by those parts. For further details see [\[17\]](#).

Please note that the database version for the citations given in GtoPdb are to the most recent preceding version in which the family or its subfamilies and targets were substantially changed. The links below are to the current version. If you need to consult the cited version, rather than the most recent version, please contact the GtoPdb curators.

Database links

Eicosanoid turnover

<https://www.guidetopharmacology.org/GRAC/FamilyDisplayForward?familyId=243>

Cyclooxygenase

<https://www.guidetopharmacology.org/GRAC/FamilyDisplayForward?familyId=269>

Enzymes

COX-1

<https://www.guidetopharmacology.org/GRAC/ObjectDisplayForward?objectId=1375>

COX-2

<https://www.guidetopharmacology.org/GRAC/ObjectDisplayForward?objectId=1376>

Prostaglandin synthases

<https://www.guidetopharmacology.org/GRAC/FamilyDisplayForward?familyId=270>

Enzymes

Thromboxane-A synthase(CYP5A1)

<https://www.guidetopharmacology.org/GRAC/ObjectDisplayForward?objectId=1353>

Prostacyclin synthase(CYP8A1)

<https://www.guidetopharmacology.org/GRAC/ObjectDisplayForward?objectId=1356>

mPGES1

<https://www.guidetopharmacology.org/GRAC/ObjectDisplayForward?objectId=1377>

mPGES2

<https://www.guidetopharmacology.org/GRAC/ObjectDisplayForward?objectId=1378>

cPGES

<https://www.guidetopharmacology.org/GRAC/ObjectDisplayForward?objectId=1379>

L-PGDS

<https://www.guidetopharmacology.org/GRAC/ObjectDisplayForward?objectId=1380>

H-PGDS

<https://www.guidetopharmacology.org/GRAC/ObjectDisplayForward?objectId=1381>

AKR1C3

<https://www.guidetopharmacology.org/GRAC/ObjectDisplayForward?objectId=1382>

CBR1

<https://www.guidetopharmacology.org/GRAC/ObjectDisplayForward?objectId=1383>

HPGD

<https://www.guidetopharmacology.org/GRAC/ObjectDisplayForward?objectId=1384>

Lipoxygenases

<https://www.guidetopharmacology.org/GRAC/FamilyDisplayForward?familyId=271>

Enzymes

5-LOX

<https://www.guidetopharmacology.org/GRAC/ObjectDisplayForward?objectId=1385>

12R-LOX

<https://www.guidetopharmacology.org/GRAC/ObjectDisplayForward?objectId=1386>

12S-LOX

<https://www.guidetopharmacology.org/GRAC/ObjectDisplayForward?objectId=1387>

15-LOX-1

<https://www.guidetopharmacology.org/GRAC/ObjectDisplayForward?objectId=1388>

15-LOX-2

<https://www.guidetopharmacology.org/GRAC/ObjectDisplayForward?objectId=1389>

E-LOX

<https://www.guidetopharmacology.org/GRAC/ObjectDisplayForward?objectId=1390>

Leukotriene and lipoxin metabolism

<https://www.guidetopharmacology.org/GRAC/FamilyDisplayForward?familyId=272>

Enzymes

Leukotriene C4 synthase

<https://www.guidetopharmacology.org/GRAC/ObjectDisplayForward?objectId=1391>

γ -Glutamyltransferase

<https://www.guidetopharmacology.org/GRAC/ObjectDisplayForward?objectId=1392>

Dipeptidase 1

<https://www.guidetopharmacology.org/GRAC/ObjectDisplayForward?objectId=1393>

Dipeptidase 2

<https://www.guidetopharmacology.org/GRAC/ObjectDisplayForward?objectId=1394>

Leukotriene A₄ hydrolase

<https://www.guidetopharmacology.org/GRAC/ObjectDisplayForward?objectId=1395>

References

1. Abdelgawad MA, Labib MB, Ali WAM, Kamel G, Azouz AA and El-Nahass ES. (2018) Design, synthesis, analgesic, anti-inflammatory activity of novel pyrazolones possessing aminosulfonyl pharmacophore as inhibitors of COX-2/5-LOX enzymes: Histopathological and docking studies. *Bioorg Chem* **78**: 103-114 [PMID:29550530]
2. Adams JL, Smothers J, Srinivasan R and Hoos A. (2015) Big opportunities for small molecules in immuno-oncology. *Nat Rev Drug Discov* **14**: 603-22 [PMID:26228631]
3. Allen L, Meck R and Yunis A. (1980) The inhibition of gamma-glutamyl transpeptidase from human pancreatic carcinoma cells by (alpha S,5S)-alpha-amino-3-chloro-4,5-dihydro-5-isoxazoleacetic acid (AT-125; NSC-163501). *Res Commun Chem Pathol Pharmacol* **27**: 175-82 [PMID:6102405]
4. Aritake K, Kado Y, Inoue T, Miyano M and Urade Y. (2006) Structural and functional characterization of HQL-79, an orally selective inhibitor of human hematopoietic prostaglandin D synthase. *J Biol Chem* **281**: 15277-86 [PMID:16547010]
5. Auerbach SS and DrugMatrix® and ToxFX® Coordinator National Toxicology Program.. National Toxicology Program: Dept of Health and Human Services. <https://ntp.niehs.nih.gov/drugmatrix/index.html>. Accessed on 02/05/2014.
6. Banerjee A, Pawar MY, Patil S, Yadav PS, Kadam PA, Kattige VG, Deshpande DS, Pednekar PV, Pisat MK and Gharat LA. (2014) Development of 2-aryl substituted quinazolin-4(3H)-one, pyrido[4,3-d]pyrimidin-4(3H)-one and pyrido[2,3-d]pyrimidin-4(3H)-one derivatives as microsomal prostaglandin E(2) synthase-1 inhibitors. *Bioorg Med Chem Lett* **24**: 4838-44 [PMID:25260492]
7. Bayly CI, Black WC, Léger S, Ouimet N, Ouellet M and Percival MD. (1999) Structure-based design of COX-2 selectivity into flurbiprofen. *Bioorg Med Chem Lett* **9**: 307-12 [PMID:10091674]
8. Beswick P, Bingham S, Bountra C, Brown T, Browning K, Campbell I, Chessell I, Clayton N, Collins S and Corfield J *et al.*. (2004) Identification of 2,3-diaryl-pyrazolo[1,5-b]pyridazines as potent and selective cyclooxygenase-2 inhibitors. *Bioorg Med Chem Lett* **14**: 5445-8 [PMID:15454242]
9. Bhagwat SS, Gude C, Boswell C, Contardo N, Cohen DS, Dotson R, Mathis J, Lee W, Furness P and Zoganas H. (1992) Thromboxane receptor antagonism combined with thromboxane synthase inhibition. 4. 8-[[[4-Chlorophenyl)sulfonyl]amino]-4-(3-(3-pyridinyl) propyl)octanoic acid and analogs. *J Med Chem* **35**: 4373-83 [PMID:1447738]
10. Bigby TD. (2000) The leukotriene C(4) synthase gene and asthma. *Am J Respir Cell Mol Biol* **23**: 273-6 [PMID:10970815]
11. Bigby TD, Hodulik CR, Arden KC and Fu L. (1996) Molecular cloning of the human leukotriene C4 synthase gene and assignment to chromosome 5q35. *Mol Med* **2**: 637-46 [PMID:8898379]
12. Black WC, Brideau C, Chan CC, Charleson S, Cromlish W, Gordon R, Grimm EL, Hughes G, Leger S and Li CS *et al.*. (2003) 3,4-Diaryl-5-hydroxyfuranones: highly selective inhibitors of cyclooxygenase-2 with aqueous solubility. *Bioorg Med Chem Lett* **13**: 1195-8 [PMID:12643942]
13. Blobaum AL and Marnett LJ. (2007) Molecular determinants for the selective inhibition of cyclooxygenase-2 by lumiracoxib. *J Biol Chem* **282**: 16379-90 [PMID:17434872]
14. Blobaum AL and Marnett LJ. (2007) Structural and functional basis of cyclooxygenase inhibition. *J Med Chem* **50**: 1425-41 [PMID:17341061]
15. Bollbuck B, Merkert C, Miltz W and Roehn T. (2015) Heteroaryl butanoic acid derivatives as lta4h inhibitors Patent number: [WO2015092740A1](#). Assignee: Novartis Ag. Priority date: 20/12/2013. Publication date: 25/06/2015.
16. Bonnard E, Poras H, Nadal X, Maldonado R, Fournié-Zaluski MC and Roques BP. (2015) Long-lasting oral analgesic effects of N-protected aminophosphinic dual ENKephalinase inhibitors (DENKIs) in peripherally controlled pain. *Pharmacol Res Perspect* **3**: e00116 [PMID:25692029]
17. Buneman P, Christie G, Davies JA, Dimitrellou R, Harding SD, Pawson AJ, Sharman JL and Wu Y. (2020) Why data citation isn't working, and what to do about it *Database* **2020** [PMID:32367113]
18. Bézière N, Goossens L, Pommery J, Vezin H, Touati N, Hénichart JP and Pommery N. (2008) New NSAIDs-NO hybrid molecules with antiproliferative properties on human prostatic cancer cell lines. *Bioorg Med Chem Lett* **18**: 4655-7 [PMID:18667313]
19. Carter GW, Young PR, Albert DH, Bouska J, Dyer R, Bell RL, Summers JB and Brooks DW. (1991) 5-lipoxygenase inhibitory activity of zileuton. *J Pharmacol Exp Ther* **256**: 929-37 [PMID:1848634]
20. Chaaban I, Rizk OH, Ibrahim TM, Henen SS, El-Khawass EM, Bayad AE, El-Ashmawy IM and Nematalla HA. (2018) Synthesis, anti-inflammatory screening, molecular docking, and COX-1,2/5-LOX inhibition profile of some novel quinoline derivatives. *Bioorg Chem* **78**: 220-235 [PMID:29602046]

21. Chadli A, Bouhouche I, Sullivan W, Stensgard B, McMahon N, Catelli MG and Toft DO. (2000) Dimerization and N-terminal domain proximity underlie the function of the molecular chaperone heat shock protein 90. *Proc Natl Acad Sci USA* **97**: 12524-9 [PMID:11050175]
22. Chen X, Wang S, Wu N and Yang CS. (2004) Leukotriene A4 hydrolase as a target for cancer prevention and therapy. *Curr Cancer Drug Targets* **4**: 267-83 [PMID:15134534]
23. Cho H, Ueda M, Tamaoka M, Hamaguchi M, Aisaka K, Kiso Y, Inoue T, Ogino R, Tatsuoka T and Ishihara T *et al.*. (1991) Novel caffeic acid derivatives: extremely potent inhibitors of 12-lipoxygenase. *J Med Chem* **34**: 1503-5 [PMID:2016727]
24. Chowdhury MA, Abdellatif KR, Dong Y, Das D, Yu G, Velázquez CA, Suresh MR and Knaus EE. (2009) Synthesis and biological evaluation of salicylic acid and N-acetyl-2-carboxybenzenesulfonamide regioisomers possessing a N-difluoromethyl-1,2-dihydropyrid-2-one pharmacophore: dual inhibitors of cyclooxygenases and 5-lipoxygenase with anti-inflammatory activity. *Bioorg Med Chem Lett* **19**: 6855-61 [PMID:19884005]
25. Dixon RA, Diehl RE, Opas E, Rands E, Vickers PJ, Evans JF, Gillard JW and Miller DK. (1990) Requirement of a 5-lipoxygenase-activating protein for leukotriene synthesis. *Nature* **343**: 282-4 [PMID:2300173]
26. El-Nagar MKS, Abdu-Allah HHM, Salem OIA, Kafafy AN and Farghaly HSM. (2018) Novel N-substituted 5-aminosalicylamides as dual inhibitors of cyclooxygenase and 5-lipoxygenase enzymes: Synthesis, biological evaluation and docking study. *Bioorg Chem* **78**: 80-93 [PMID:29550533]
27. Faull AW, Brewster AG, Brown GR, Smithers MJ and Jackson R. (1995) Dual-acting thromboxane receptor antagonist/synthase inhibitors: synthesis and biological properties of [2-substituted-4-(3-pyridyl)-1,3-dioxan-5-yl] alkenoic acids. *J Med Chem* **38**: 686-94 [PMID:7861416]
28. Fischer L, Steinhilber D and Werz O. (2004) Molecular pharmacological profile of the nonredox-type 5-lipoxygenase inhibitor CJ-13,610. *Br J Pharmacol* **142**: 861-8 [PMID:15197110]
29. Fürstenberger G, Marks F and Krieg P. (2002) Arachidonate 8(S)-lipoxygenase. *Prostaglandins Other Lipid Mediat* **68-69**: 235-43 [PMID:12432921]
30. Garscha U, Romp E, Pace S, Rossi A, Temml V, Schuster D, König S, Gerstmeier J, Liening S and Werner M *et al.*. (2017) Pharmacological profile and efficiency in vivo of diflapolin, the first dual inhibitor of 5-lipoxygenase-activating protein and soluble epoxide hydrolase. *Sci Rep* **7**: 9398 [PMID:28839250]
31. Geisslinger G and Schaible HG. (1996) New insights into the site and mode of antinociceptive action of flurbiprofen enantiomers. *J Clin Pharmacol* **36**: 513-20 [PMID:8809636]
32. Geusens P. (2009) Naproxenolone, a new cyclooxygenase-inhibiting nitric oxide donor (CINOD). *Expert Opin Biol Ther* **9**: 649-57 [PMID:19392579]
33. Gierse JK, McDonald JJ, Hauser SD, Rangwala SH, Koboldt CM and Seibert K. (1996) A single amino acid difference between cyclooxygenase-1 (COX-1) and -2 (COX-2) reverses the selectivity of COX-2 specific inhibitors. *J Biol Chem* **271**: 15810-4 [PMID:8663121]
34. Giroux A, Boulet L, Brideau C, Chau A, Claveau D, Côté B, Ethier D, Frenette R, Gagnon M and Guay J *et al.*. (2009) Discovery of disubstituted phenanthrene imidazoles as potent, selective and orally active mPGES-1 inhibitors. *Bioorg Med Chem Lett* **19**: 5837-41 [PMID:19748780]
35. Gorman RR, Johnson RA, Spilman CH and Aiken JW. (1983) Inhibition of platelet thromboxane A2 synthase activity by sodium 5-(3'-pyridinylmethyl)benzofuran-2-carboxylate. *Prostaglandins* **26**: 325-42 [PMID:6316421]
36. Graham DW, Ashton WT, Barash L, Brown JE, Brown RD, Canning LF, Chen A, Springer JP and Rogers EF. (1987) Inhibition of the mammalian beta-lactamase renal dipeptidase (dehydropeptidase-I) by (Z)-2-(acylamino)-3-substituted-propenoic acids. *J Med Chem* **30**: 1074-90 [PMID:3495664]
37. Gresele P, Deckmyn H, Arnout J, Nenci GG and Vermynen J. (1989) Characterization of N,N'-bis(3-picolyl)-4-methoxy-isophthalamide (picotamide) as a dual thromboxane synthase inhibitor/thromboxane A2 receptor antagonist in human platelets. *Thromb Haemost* **61**: 479-84 [PMID:2552606]
38. Gryglewski RJ, Bunting S, Moncada S, Flower RJ and Vane JR. (1976) Arterial walls are protected against deposition of platelet thrombi by a substance (prostaglandin X) which they make from prostaglandin endoperoxides. *Prostaglandins* **12**: 685-713 [PMID:824685]
39. Gryglewski RJ, Szczeklik A, Korbut R, Swies J, Musiał J, Krzanowski M and Maga P. (1995) The mechanism of anti-thrombotic, thrombolytic and fibrinolytic actions of camonagrel--a new thromboxane synthase inhibitor. *Wien Klin Wochenschr* **107**: 283-9 [PMID:7778318]
40. Han L, Hiratake J, Kamiyama A and Sakata K. (2007) Design, synthesis, and evaluation of gamma-phosphono diester analogues of glutamate as highly potent inhibitors and active site probes of gamma-

- glutamyl transpeptidase. *Biochemistry* **46**: 1432-47 [PMID:17260973]
41. Hatae T, Hara S, Yokoyama C, Yabuki T, Inoue H, Ullrich V and Tanabe T. (1996) Site-directed mutagenesis of human prostacyclin synthase: Alteration of Cys441 of the Cys-pocket, and Glu347 and Arg350 of the EXXR motif. *FEBS Lett* **389**: 268-72 [PMID:8766713]
 42. Hatzelmann A, Fruchtmann R, Mohrs KH, Raddatz S and Müller-Peddinghaus R. (1993) Mode of action of the new selective leukotriene synthesis inhibitor BAY X 1005 ((R)-2-[4-(quinolin-2-yl-methoxy)phenyl]-2-cyclopentyl acetic acid) and structurally related compounds. *Biochem Pharmacol* **45**: 101-11 [PMID:8381000]
 43. Heinrich DM, Flanagan JU, Jamieson SM, Silva S, Rigoreau LJ, Trivier E, Raynham T, Turnbull AP and Denny WA. (2013) Synthesis and structure-activity relationships for 1-(4-(piperidin-1-ylsulfonyl)phenyl)pyrrolidin-2-ones as novel non-carboxylate inhibitors of the aldo-keto reductase enzyme AKR1C3. *Eur J Med Chem* **62**: 738-44 [PMID:23454516]
 44. Hibi S, Okamoto Y, Tagami K, Numata H, Kobayashi N, Shinoda M, Kawahara T, Harada K, Miyamoto K and Yamatsu I. (1996) Structure-activity relationships of (E)-3-(1,4-benzoquinonyl)-2-[(3-pyridyl)-alkyl]-2-propenoic acid derivatives that inhibit both 5-lipoxygenase and thromboxane A2 synthetase. *J Med Chem* **39**: 3148-57 [PMID:8759636]
 45. Hieke M, Ness J, Steri R, Dittrich M, Greiner C, Werz O, Baumann K, Schubert-Zsilavec M, Weggen S and Zettl H. (2010) Design, synthesis, and biological evaluation of a novel class of gamma-secretase modulators with PPARgamma activity. *J Med Chem* **53**: 4691-700 [PMID:20503989]
 46. Hieke M, Ness J, Steri R, Greiner C, Werz O, Schubert-Zsilavec M, Weggen S and Zettl H. (2011) SAR studies of acidic dual γ -secretase/PPAR γ modulators. *Bioorg Med Chem* **19**: 5372-82 [PMID:21873070]
 47. Hinz B, Cheremina O and Brune K. (2008) Acetaminophen (paracetamol) is a selective cyclooxygenase-2 inhibitor in man. *FASEB J* **22**: 383-90 [PMID:17884974]
 48. Hiraku S, Taniguchi K, Wakitani K, Omawari N, Kira H, Miyamoto T, Okegawa T, Kawasaki A and Ujiie A. (1986) Pharmacological studies on the TXA2 synthetase inhibitor (E)-3-[p-(1H-imidazol-1-ylmethyl)phenyl]-2-propenoic acid (OKY-046). *Jpn J Pharmacol* **41**: 393-401 [PMID:3093741]
 49. Hoshino J, Park EJ, Kondratyuk TP, Marler L, Pezzuto JM, van Breemen RB, Mo S, Li Y and Cushman M. (2010) Selective synthesis and biological evaluation of sulfate-conjugated resveratrol metabolites. *J Med Chem* **53**: 5033-43 [PMID:20527891]
 50. Imanishi J, Morita Y, Yoshimi E, Kuroda K, Masunaga T, Yamagami K, Kuno M, Hamachi E, Aoki S and Takahashi F *et al.*. (2011) Pharmacological profile of FK881(ASP6537), a novel potent and selective cyclooxygenase-1 inhibitor. *Biochem Pharmacol* **82**: 746-54 [PMID:21745460]
 51. Inagaki M, Tsuru T, Jyoyama H, Ono T, Yamada K, Kobayashi M, Hori Y, Arimura A, Yasui K and Ohno K *et al.*. (2000) Novel antiarthritic agents with 1,2-isothiazolidine-1,1-dioxide (gamma-sultam) skeleton: cytokine suppressive dual inhibitors of cyclooxygenase-2 and 5-lipoxygenase. *J Med Chem* **43**: 2040-8 [PMID:10821716]
 52. Irikura D, Aritake K, Nagata N, Maruyama T, Shimamoto S and Urade Y. (2009) Biochemical, functional, and pharmacological characterization of AT-56, an orally active and selective inhibitor of lipocalin-type prostaglandin D synthase. *J Biol Chem* **284**: 7623-30 [PMID:19131342]
 53. Jameson 2nd JB, Kantz A, Schultz L, Kalyanaraman C, Jacobson MP, Maloney DJ, Jadhav A, Simeonov A and Holman TR. (2014) A high throughput screen identifies potent and selective inhibitors to human epithelial 15-lipoxygenase-2. *PLoS ONE* **9**: e104094 [PMID:25111178]
 54. Janusz JM, Young PA, Scherz MW, Enzweiler K, Wu LI, Gan L, Pikul S, McDow-Dunham KL, Johnson CR and Senanayake CB *et al.*. (1998) New cyclooxygenase-2/5-lipoxygenase inhibitors. 2. 7-tert-butyl-2,3-dihydro-3,3-dimethylbenzofuran derivatives as gastrointestinal safe antiinflammatory and analgesic agents: variations of the dihydrobenzofuran ring. *J Med Chem* **41**: 1124-37 [PMID:9544212]
 55. Jegerschöld C, Pawelzik SC, Purhonen P, Bhakat P, Gheorghe KR, Gyobu N, Mitsuoka K, Morgenstern R, Jakobsson PJ and Hebert H. (2008) Structural basis for induced formation of the inflammatory mediator prostaglandin E2. *Proc Natl Acad Sci USA* **105**: 11110-5 [PMID:18682561]
 56. Johnson J, Corbisier R, Stensgard B and Toft D. (1996) The involvement of p23, hsp90, and immunophilins in the assembly of progesterone receptor complexes. *J Steroid Biochem Mol Biol* **56**: 31-7 [PMID:8603045]
 57. Kalgutkar AS, Rowlinson SW, Crews BC and Marnett LJ. (2002) Amide derivatives of meclofenamic acid as selective cyclooxygenase-2 inhibitors. *Bioorg Med Chem Lett* **12**: 521-4 [PMID:11844663]
 58. Kassab SE, Khedr MA, Ali HI and Abdalla MM. (2017) Discovery of new indomethacin-based analogs

- with potentially selective cyclooxygenase-2 inhibition and observed diminishing to PGE2 activities. *Eur J Med Chem* **141**: 306-321 [PMID:29031075]
59. Kato M, Nishida S, Kitasato H, Sakata N and Kawai S. (2001) Cyclooxygenase-1 and cyclooxygenase-2 selectivity of non-steroidal anti-inflammatory drugs: investigation using human peripheral monocytes. *J Pharm Pharmacol* **53**: 1679-85 [PMID:11804398]
 60. Kawai S, Nishida S, Kato M, Furumaya Y, Okamoto R, Koshino T and Mizushima Y. (1998) Comparison of cyclooxygenase-1 and -2 inhibitory activities of various nonsteroidal anti-inflammatory drugs using human platelets and synovial cells. *Eur J Pharmacol* **347**: 87-94 [PMID:9650852]
 61. Khanapure SP, Garvey DS, Janero DR and Letts LG. (2007) Eicosanoids in inflammation: biosynthesis, pharmacology, and therapeutic frontiers. *Curr Top Med Chem* **7**: 311-40 [PMID:17305573]
 62. Kiefer JR, Pawlitz JL, Moreland KT, Stegeman RA, Hood WF, Gierse JK, Stevens AM, Goodwin DC, Rowlinson SW and Marnett LJ *et al.*. (2000) Structural insights into the stereochemistry of the cyclooxygenase reaction. *Nature* **405**: 97-101 [PMID:10811226]
 63. Kleinschmidt TK, Haraldsson M, Basavarajappa D, Lundeborg E, Thulasingam M, Ekoff M, Fauland A, Lehmann C, Kahnt AS and Lindbom L *et al.*. (2015) Tandem Benzophenone Amino Pyridines, Potent and Selective Inhibitors of Human Leukotriene C4 Synthase. *J Pharmacol Exp Ther* **355**: 108-16 [PMID:26283693]
 64. Kobayashi T, Nakatani Y, Tanioka T, Tsujimoto M, Nakajo S, Nakaya K, Murakami M and Kudo I. (2004) Regulation of cytosolic prostaglandin E synthase by phosphorylation. *Biochem J* **381**: 59-69 [PMID:15040786]
 65. Koeberle A, Zettl H, Greiner C, Wurglics M, Schubert-Zsilavec M and Werz O. (2008) Pirinixic acid derivatives as novel dual inhibitors of microsomal prostaglandin E2 synthase-1 and 5-lipoxygenase. *J Med Chem* **51**: 8068-76 [PMID:19053751]
 66. Kolasa T, Brooks CD, Rodriques KE, Summers JB, Dellaria JF, Hulkower KI, Bouska J, Bell RL and Carter GW. (1997) Nonsteroidal anti-inflammatory drugs as scaffolds for the design of 5-lipoxygenase inhibitors. *J Med Chem* **40**: 819-24 [PMID:9057869]
 67. Kramer JS, Woltersdorf S, Duflot T, Hiesinger K, Lillich FF, Knöll F, Wittmann SK, Klingler FM, Brunst S and Chaikuad A *et al.*. (2019) Discovery of the First in Vivo Active Inhibitors of the Soluble Epoxide Hydrolase Phosphatase Domain. *J Med Chem* **62**: 8443-8460 [PMID:31436984]
 68. Kumar R, Saha N, Purohit P, Garg SK, Seth K, Meena VS, Dubey S, Dave K, Goyal R and Sharma SS *et al.*. (2019) Cyclic enamionone as new chemotype for selective cyclooxygenase-2 inhibitory, anti-inflammatory, and analgesic activities. *Eur J Med Chem* **182**: 111601 [PMID:31445233]
 69. Lazer ES, Miao CK, Cywin CL, Sorcek R, Wong HC, Meng Z, Potocki I, Hoermann M, Snow RJ and Tschantz MA *et al.*. (1997) Effect of structural modification of enol-carboxamide-type nonsteroidal antiinflammatory drugs on COX-2/COX-1 selectivity. *J Med Chem* **40**: 980-9 [PMID:9083488]
 70. Leclerc P, Idborg H, Spahiu L, Larsson C, Nekhotiaeva N, Wannberg J, Stenberg P, Korotkova M and Jakobsson PJ. (2013) Characterization of a human and murine mPGES-1 inhibitor and comparison to mPGES-1 genetic deletion in mouse models of inflammation. *Prostaglandins Other Lipid Mediat* **107**: 26-34 [PMID:24045148]
 71. Lee KH, Petruncio G, Shim A, Burdick M, Zhang Z, Shim YM, Noble SM and Paige M. (2019) Effect of Modifier Structure on the Activation of Leukotriene A₄ Hydrolase Aminopeptidase Activity. *J Med Chem* **62**: 10605-10616 [PMID:31751136]
 72. Liu Y, Duan C, Chen H, Wang C, Liu X, Qiu M, Tang H, Zhang F, Zhou X and Yang J. (2018) Inhibition of COX-2/mPGES-1 and 5-LOX in macrophages by leonurine ameliorates monosodium urate crystal-induced inflammation. *Toxicol Appl Pharmacol* **351**: 1-11 [PMID:29763636]
 73. Lolli ML, Carnovale IM, Pippione AC, Wahlgren WY, Bonanni D, Marini E, Zonari D, Gallicchio M, Boscaro V and Goyal P *et al.*. (2019) Bioisosteres of Indomethacin as Inhibitors of Aldo-Keto Reductase 1C3. *ACS Med Chem Lett* **10**: 437-443 [PMID:30996776]
 74. Look GC, Schullek JR, Holmes CP, Chinn JP, Gordon EM and Gallop MA. (1996) The identification of cyclooxygenase-1 inhibitors from 4-thiazolidinone combinatorial libraries. *Bioorg Med Chem Lett* **6**: 707-712
 75. Luci DK, Jameson 2nd JB, Yasgar A, Diaz G, Joshi N, Kantz A, Markham K, Perry S, Kuhn N and Yeung J *et al.*. (2014) Synthesis and structure-activity relationship studies of 4-((2-hydroxy-3-methoxybenzyl)amino)benzenesulfonamide derivatives as potent and selective inhibitors of 12-lipoxygenase. *J Med Chem* **57**: 495-506 [PMID:24393039]

76. Luo M, Jones SM, Phare SM, Coffey MJ, Peters-Golden M and Brock TG. (2004) Protein kinase A inhibits leukotriene synthesis by phosphorylation of 5-lipoxygenase on serine 523. *J Biol Chem* **279**: 41512-20 [PMID:15280375]
77. Luz JG, Antonysamy S, Kuklish SL, Condon B, Lee MR, Allison D, Yu XP, Chandrasekhar S, Backer R and Zhang A *et al.*. (2015) Crystal Structures of mPGES-1 Inhibitor Complexes Form a Basis for the Rational Design of Potent Analgesic and Anti-Inflammatory Therapeutics. *J Med Chem* **58**: 4727-37 [PMID:25961169]
78. MacDonald CA, Bushnell EA, Gauld JW and Boyd RJ. (2014) The catalytic formation of leukotriene C4: a critical step in inflammatory processes. *Phys Chem Chem Phys* **16**: 16284-9 [PMID:24974917]
79. Maddox JF and Serhan CN. (1996) Lipoxin A4 and B4 are potent stimuli for human monocyte migration and adhesion: selective inactivation by dehydrogenation and reduction. *J Exp Med* **183**: 137-46 [PMID:8551217]
80. Masferrer JL, Zweifel BS, Hardy M, Anderson GD, Dufield D, Cortes-Burgos L, Pufahl RA and Graneto M. (2010) Pharmacology of PF-4191834, a novel, selective non-redox 5-lipoxygenase inhibitor effective in inflammation and pain. *J Pharmacol Exp Ther* **334**: 294-301 [PMID:20378715]
81. Matsuura K, Shiraishi H, Hara A, Sato K, Deyashiki Y, Ninomiya M and Sakai S. (1998) Identification of a principal mRNA species for human 3 α -hydroxysteroid dehydrogenase isoform (AKR1C3) that exhibits high prostaglandin D2 11-ketoreductase activity. *J Biochem* **124**: 940-6 [PMID:9792917]
82. Meng H, McClendon CL, Dai Z, Li K, Zhang X, He S, Shang E, Liu Y and Lai L. (2016) Discovery of Novel 15-Lipoxygenase Activators To Shift the Human Arachidonic Acid Metabolic Network toward Inflammation Resolution. *J Med Chem* **59**: 4202-9 [PMID:26290290]
83. Migliore M, Habrant D, Sasso O, Albani C, Bertozzi SM, Armirotti A, Piomelli D and Scarpelli R. (2016) Potent multitarget FAAH-COX inhibitors: Design and structure-activity relationship studies. *Eur J Med Chem* **109**: 216-37 [PMID:26774927]
84. Munck Af Rosenschöld M, Johannesson P, Nikitidis A, Tyrchan C, Chang HF, Rönn R, Chapman D, Ullah V, Nikitidis G and Glader P *et al.*. (2019) Discovery of the Oral Leukotriene C4 Synthase Inhibitor (1S,2S)-2-({5-[(5-Chloro-2,4-difluorophenyl)(2-fluoro-2-methylpropyl)amino]-3-methoxypyrazin-2-yl}carbonyl)cyclopropanecarboxylic Acid (AZD9898) as a New Treatment for Asthma. *J Med Chem* **62**: 7769-7787 [PMID:31415176]
85. Nabe T, Kuriyama Y, Mizutani N, Shibayama S, Hiromoto A, Fujii M, Tanaka K and Kohno S. (2011) Inhibition of hematopoietic prostaglandin D synthase improves allergic nasal blockage in guinea pigs. *Prostaglandins Other Lipid Mediat* **95**: 27-34 [PMID:21601002]
86. Nandha B, Ramareddy SA and Kuntal H. (2018) Synthesis of substituted fluorobenzimidazoles as inhibitors of 5-lipoxygenase and soluble epoxide hydrolase for anti-inflammatory activity. *Arch Pharm (Weinheim)* **351**: e1800030 [PMID:29732612]
87. Ochi T, Motoyama Y and Goto T. (2000) The analgesic effect profile of FR122047, a selective cyclooxygenase-1 inhibitor, in chemical nociceptive models. *Eur J Pharmacol* **391**: 49-54 [PMID:10720634]
88. Oh SF, Pillai PS, Recchiuti A, Yang R and Serhan CN. (2011) Pro-resolving actions and stereoselective biosynthesis of 18S E-series resolvins in human leukocytes and murine inflammation. *J Clin Invest* **121**: 569-81 [PMID:21206090]
89. Orning L, Krivi G and Fitzpatrick FA. (1991) Leukotriene A4 hydrolase. Inhibition by bestatin and intrinsic aminopeptidase activity establish its functional resemblance to metallohydrolase enzymes. *J Biol Chem* **266**: 1375-8 [PMID:1846352]
90. Ottanà R, Carotti S, Maccari R, Landini I, Chiricosta G, Caciagli B, Vigorita MG and Mini E. (2005) In vitro antiproliferative activity against human colon cancer cell lines of representative 4-thiazolidinones. Part I. *Bioorg Med Chem Lett* **15**: 3930-3 [PMID:15993594]
91. Ozen G, Gomez I, Daci A, Deschildre C, Boubaya L, Teskin O, Uydeş-Doğan BS, Jakobsson PJ, Longrois D and Topal G *et al.*. (2017) Inhibition of microsomal PGE synthase-1 reduces human vascular tone by increasing PGI2 : a safer alternative to COX-2 inhibition. *Br J Pharmacol* **174**: 4087-4098 [PMID:28675448]
92. P JJ, Manju SL, Ethiraj KR and Elias G. (2018) Safer anti-inflammatory therapy through dual COX-2/5-LOX inhibitors: A structure-based approach. *Eur J Pharm Sci* **121**: 356-381 [PMID:29883727]
93. Payne AN, Jackson WP, Salmon JA, Nicholls A, Yeadon M and Garland LG. (1991) Hydroxamic acids and hydroxyureas as novel, selective 5-lipoxygenase inhibitors for possible use in asthma. *Agents Actions*

Suppl **34**: 189-99 [PMID:1793063]

94. Penning TD, Askonas LJ, Djuric SW, Haack RA, Yu SS, Michener ML, Krivi GG and Pyla E. (1995) Kelatorphan and related analogs: potent and selective inhibitors of leukotriene A4 hydrolase *Bioorganic and Medicinal Chemistry Letters* **5**: 2517-2522
95. Penning TD, Chandrakumar NS, Chen BB, Chen HY, Desai BN, Djuric SW, Docter SH, Gasiiecki AF, Haack RA and Miyashiro JM *et al.*. (2000) Structure-activity relationship studies on 1-[2-(4-Phenylphenoxy)ethyl]pyrrolidine (SC-22716), a potent inhibitor of leukotriene A(4) (LTA(4)) hydrolase. *J Med Chem* **43**: 721-35 [PMID:10691697]
96. Penning TD, Talley JJ, Bertenshaw SR, Carter JS, Collins PW, Docter S, Graneto MJ, Lee LF, Malecha JW and Miyashiro JM *et al.*. (1997) Synthesis and biological evaluation of the 1,5-diarylpyrazole class of cyclooxygenase-2 inhibitors: identification of 4-[5-(4-methylphenyl)-3-(trifluoromethyl)-1H-pyrazol-1-yl]benzenesulfonamide (SC-58635, celecoxib). *J Med Chem* **40**: 1347-65 [PMID:9135032]
97. Penrose JF, Spector J, Baldasaro M, Xu K, Boyce J, Arm JP, Austen KF and Lam BK. (1996) Molecular cloning of the gene for human leukotriene C4 synthase. Organization, nucleotide sequence, and chromosomal localization to 5q35. *J Biol Chem* **271**: 11356-61 [PMID:8626689]
98. Prasher P, Pooja and Singh P. (2014) Lead modification: amino acid appended indoles as highly effective 5-LOX inhibitors. *Bioorg Med Chem* **22**: 1642-8 [PMID:24508141]
99. Priepke H, Doods H, Kuelzer R, Pfau R, Stenkamp D, Pelcman B and Roenn R. (2012) New compounds Patent number: [WO2012022793A1](#). Assignee: Boehringer Ingelheim International GmbH. Priority date: 20/08/2010. Publication date: 23/02/2012.
100. Qiu W, Zhou M, Mazumdar M, Azzi A, Ghanmi D, Luu-The V, Labrie F and Lin SX. (2007) Structure-based inhibitor design for an enzyme that binds different steroids: a potent inhibitor for human type 5 β -hydroxysteroid dehydrogenase. *J Biol Chem* **282**: 8368-79 [PMID:17166832]
101. Rai G, Joshi N, Perry S, Yasgar A, Schultz L, Jung JE, Liu Y, Terasaki Y, Diaz G and Kenyon V *et al.*. (2010) Discovery of ML351, a Potent and Selective Inhibitor of Human 15-Lipoxygenase-1 *Probe Reports from the NIH Molecular Libraries Program* [PMID:24672829]
102. Rai G, Kenyon V, Jadhav A, Schultz L, Armstrong M, Jameson JB, Hoobler E, Leister W, Simeonov A and Holman TR *et al.*. (2010) Discovery of potent and selective inhibitors of human reticulocyte 15-lipoxygenase-1. *J Med Chem* **53**: 7392-404 [PMID:20866075]
103. Randall MJ, Parry MJ, Hawkeswood E, Cross PE and Dickinson RP. (1981) UK-37, 248, a novel, selective thromboxane synthetase inhibitor with platelet anti-aggregatory and anti-thrombotic activity. *Thromb Res* **23**: 145-62 [PMID:6795753]
104. Rao NL, Riley JP, Banie H, Xue X, Sun B, Crawford S, Lundeen KA, Yu F, Karlsson L and Fourie AM *et al.*. (2010) Leukotriene A(4) hydrolase inhibition attenuates allergic airway inflammation and hyperresponsiveness. *Am J Respir Crit Care Med* **181**: 899-907 [PMID:20110560]
105. Riendeau D, Aspiotis R, Ethier D, Gareau Y, Grimm EL, Guay J, Guiral S, Juteau H, Mancini JA and Méthot N *et al.*. (2005) Inhibitors of the inducible microsomal prostaglandin E2 synthase (mPGES-1) derived from MK-886. *Bioorg Med Chem Lett* **15**: 3352-5 [PMID:15953724]
106. Riendeau D, Percival MD, Brideau C, Charleson S, Dubé D, Ethier D, Falgoutyret JP, Friesen RW, Gordon R and Greig G *et al.*. (2001) Etoricoxib (MK-0663): preclinical profile and comparison with other agents that selectively inhibit cyclooxygenase-2. *J Pharmacol Exp Ther* **296**: 558-66 [PMID:11160644]
107. Riendeau D, Salem M, Styhler A, Ouellet M, Mancini JA and Li CS. (2004) Evaluation of loxoprofen and its alcohol metabolites for potency and selectivity of inhibition of cyclooxygenase-2. *Bioorg Med Chem Lett* **14**: 1201-3 [PMID:14980665]
108. Ronn R, Lindh CJ, Ringberg E, Andersson EHB, Nilsson P, Schall WR, Munk af RM, Nikitidis A, Nikitidis G and Johannesson PJ *et al.*. (2016) Cyclopropane carboxylic acid derivatives and pharmaceutical uses thereof Patent number: [WO2016177845](#). Assignee: Astrazeneca Ab. Priority date: 06/05/2015. Publication date: 10/11/2016.
109. Sadik CD, Sies H and Schewe T. (2003) Inhibition of 15-lipoxygenases by flavonoids: structure-activity relations and mode of action. *Biochem Pharmacol* **65**: 773-81 [PMID:12628491]
110. Sandanayaka V, Mamat B, Mishra RK, Winger J, Krohn M, Zhou LM, Keyvan M, Enache L, Sullins D and Onua E *et al.*. (2010) Discovery of 4-[(2S)-2-[[4-(4-chlorophenoxy)phenoxy]methyl]-1-pyrrolidinyl]butanoic acid (DG-051) as a novel leukotriene A4 hydrolase inhibitor of leukotriene B4 biosynthesis. *J Med Chem* **53**: 573-85 [PMID:19950900]
111. Schiffler MA, Antonysamy S, Bhattachar SN, Campanale KM, Chandrasekhar S, Condon B, Desai PV,

- Fisher MJ, Groshong C and Harvey A *et al.*. (2016) Discovery and Characterization of 2-Acylaminoimidazole Microsomal Prostaglandin E Synthase-1 Inhibitors. *J Med Chem* **59**: 194-205 [PMID:26653180]
112. Schühly W, Hüfner A, Pferschy-Wenzig EM, Prettnner E, Adams M, Bodensieck A, Kunert O, Oluwemimo A, Haslinger E and Bauer R. (2009) Design and synthesis of ten biphenyl-neolignan derivatives and their in vitro inhibitory potency against cyclooxygenase-1/2 activity and 5-lipoxygenase-mediated LTB₄-formation. *Bioorg Med Chem* **17**: 4459-65 [PMID:19481465]
 113. Sendobry SM, Cornicelli JA, Welch K, Bocan T, Tait B, Trivedi BK, Colbry N, Dyer RD, Feinmark SJ and Daugherty A. (1997) Attenuation of diet-induced atherosclerosis in rabbits with a highly selective 15-lipoxygenase inhibitor lacking significant antioxidant properties. *Br J Pharmacol* **120**: 1199-206 [PMID:9105693]
 114. Shiro T, Kakiguchi K, Takahashi H, Nagata H and Tobe M. (2013) 7-Phenyl-imidazoquinolin-4(5H)-one derivatives as selective and orally available mPGES-1 inhibitors. *Bioorg Med Chem* **21**: 2868-78 [PMID:23623673]
 115. Singh P, Kaur S, Kaur J, Singh G and Bhatti R. (2016) Rational Design of Small Peptides for Optimal Inhibition of Cyclooxygenase-2: Development of a Highly Effective Anti-Inflammatory Agent. *J Med Chem* **59**: 3920-34 [PMID:27019010]
 116. Singh P, Prasher P, Dhillon P and Bhatti R. (2015) Indole based peptidomimetics as anti-inflammatory and anti-hyperalgesic agents: Dual inhibition of 5-LOX and COX-2 enzymes. *Eur J Med Chem* **97**: 104-23 [PMID:25956953]
 117. Sinha S, Doble M and Manju SL. (2018) Design, synthesis and identification of novel substituted 2-amino thiazole analogues as potential anti-inflammatory agents targeting 5-lipoxygenase. *Eur J Med Chem* **158**: 34-50 [PMID:30199704]
 118. Skarydová L, Zivná L, Xiong G, Maser E and Wsól V. (2009) AKR1C3 as a potential target for the inhibitory effect of dietary flavonoids. *Chem Biol Interact* **178**: 138-44 [PMID:19007764]
 119. Smith CJ, Zhang Y, Koboldt CM, Muhammad J, Zweifel BS, Shaffer A, Talley JJ, Masferrer JL, Seibert K and Isakson PC. (1998) Pharmacological analysis of cyclooxygenase-1 in inflammation. *Proc Natl Acad Sci USA* **95**: 13313-8 [PMID:9789085]
 120. Springman EB, Pugh MM, Bhatt L and Grosswald R. (2014) Methods of inhibiting leukotriene a4 hydrolase Patent number: [WO2014164658A1](#). Assignee: Celtaxsys, Inc.. Priority date: 13/03/2013. Publication date: 09/10/2014.
 121. Stsiapanava A, Samuelsson B and Haeggström JZ. (2017) Capturing LTA₄ hydrolase in action: Insights to the chemistry and dynamics of chemotactic LTB₄ synthesis. *Proc Natl Acad Sci USA* **114**: 9689-9694 [PMID:28827365]
 122. Takahashi T and Miyazawa M. (2012) N-Caffeoyl serotonin as selective COX-2 inhibitor. *Bioorg Med Chem Lett* **22**: 2494-6 [PMID:22386242]
 123. Talley JJ, Brown DL, Carter JS, Graneto MJ, Koboldt CM, Masferrer JL, Perkins WE, Rogers RS, Shaffer AF and Zhang YY *et al.*. (2000) 4-[5-Methyl-3-phenylisoxazol-4-yl]- benzenesulfonamide, valdecoxib: a potent and selective inhibitor of COX-2. *J Med Chem* **43**: 775-7 [PMID:10715145]
 124. Tandon M, Sant S, Khairatkar-Joshi N, Gudi G, Menon VCA and Talluri R. (2019) Mpges-1 inhibitor for the treatment of osteoarthritis pain Patent number: [WO2013186692A1](#). Assignee: Glenmark Pharmaceuticals. Priority date: 20/09/2017. Publication date: 28/02/2019.
 125. Tholander F, Muroya A, Roques BP, Fournié-Zaluski MC, Thunnissen MM and Haeggström JZ. (2008) Structure-based dissection of the active site chemistry of leukotriene A₄ hydrolase: implications for M1 aminopeptidases and inhibitor design. *Chem Biol* **15**: 920-9 [PMID:18804029]
 126. Uddin MJ, Xu S, Crews BC, Ghebreselasie K, Banerjee S and Marnett LJ. (2020) Harmaline Analogs as Substrate-Selective Cyclooxygenase-2 Inhibitors *ACS Med Chem Lett*
 127. Verma K, Gupta N, Zang T, Wangtrakuldee P, Srivastava SK, Penning TM and Trippier PC. (2018) AKR1C3 Inhibitor KV-37 Exhibits Antineoplastic Effects and Potentiates Enzalutamide in Combination Therapy in Prostate Adenocarcinoma Cells. *Mol Cancer Ther* **17**: 1833-1845 [PMID:29891491]
 128. Viegas A, Manso J, Corvo MC, Marques MM and Cabrita EJ. (2011) Binding of ibuprofen, ketorolac, and diclofenac to COX-1 and COX-2 studied by saturation transfer difference NMR. *J Med Chem* **54**: 8555-62 [PMID:22091869]
 129. Wannberg J, Alterman M, Malm J, Stenberg P, Westman J and Wallberg H. (2011) Microsomal prostaglandin e synthase-1 (mpges1) inhibitors Patent number: [WO2011023812](#). Assignee: Novasaid Ab.

Priority date: 27/08/2009. Publication date: 03/03/2011.

130. Warner TD, Giuliano F, Vojnovic I, Bukasa A, Mitchell JA and Vane JR. (1999) Nonsteroid drug selectivities for cyclo-oxygenase-1 rather than cyclo-oxygenase-2 are associated with human gastrointestinal toxicity: a full in vitro analysis. *Proc Natl Acad Sci USA* **96**: 7563-8 [[PMID:10377455](#)]
131. Watanabe K, Ohkubo H, Niwa H, Tanikawa N, Koda N, Ito S and Ohmiya Y. (2003) Essential 110Cys in active site of membrane-associated prostaglandin E synthase-2. *Biochem Biophys Res Commun* **306**: 577-81 [[PMID:12804604](#)]
132. Weinstein DS, Liu W, Ngu K, Langevine C, Combs DW, Zhuang S, Chen C, Madsen CS, Harper TW and Robl JA. (2007) Discovery of selective imidazole-based inhibitors of mammalian 15-lipoxygenase: highly potent against human enzyme within a cellular environment. *Bioorg Med Chem Lett* **17**: 5115-20 [[PMID:17656086](#)]
133. Wilkerson WW, Copeland RA, Covington M and Trzaskos JM. (1995) Antiinflammatory 4,5-diarylpyrroles. 2. Activity as a function of cyclooxygenase-2 inhibition. *J Med Chem* **38**: 3895-901 [[PMID:7562922](#)]
134. Wu Y, Karna S, Choi CH, Tong M, Tai HH, Na DH, Jang CH and Cho H. (2011) Synthesis and biological evaluation of novel thiazolidinedione analogues as 15-hydroxyprostaglandin dehydrogenase inhibitors. *J Med Chem* **54**: 5260-4 [[PMID:21650226](#)]
135. Yu Z, Schneider C, Boeglin WE, Marnett LJ and Brash AR. (2003) The lipoxygenase gene ALOXE3 implicated in skin differentiation encodes a hydroperoxide isomerase. *Proc Natl Acad Sci USA* **100**: 9162-7 [[PMID:12881489](#)]
136. Zhang Z, Ghosh A, Connolly PJ, King P, Wilde T, Wang J, Dong Y, Li X, Liao D and Chen H *et al.*. (2021) Gut-Restricted Selective Cyclooxygenase-2 (COX-2) Inhibitors for Chemoprevention of Colorectal Cancer. *J Med Chem* **64**: 11570-11596 [[PMID:34279934](#)]
137. Zhou H, Liu W, Su Y, Wei Z, Liu J, Kolluri SK, Wu H, Cao Y, Chen J and Wu Y *et al.*. (2010) NSAID sulindac and its analog bind RXRalpha and inhibit RXRalpha-dependent AKT signaling. *Cancer Cell* **17**: 560-73 [[PMID:20541701](#)]
138. Zimmermann TJ, Niesen FH, Pilka ES, Knapp S, Oppermann U and Maier ME. (2009) Discovery of a potent and selective inhibitor for human carbonyl reductase 1 from propionate scanning applied to the macrolide zearalenone. *Bioorg Med Chem* **17**: 530-6 [[PMID:19097799](#)]
139. Zou J, Jin D, Chen W, Wang J, Liu Q, Zhu X and Zhao W. (2005) Selective cyclooxygenase-2 inhibitors from *Calophyllum membranaceum*. *J Nat Prod* **68**: 1514-8 [[PMID:16252917](#)]