

Lysophospholipid (S1P) receptors (version 2019.4) in the IUPHAR/BPS Guide to Pharmacology Database

Victoria Blaho¹, Jerold Chun¹, Deepa Jonnalagadda¹, Yasuyuki Kihara¹, Hirotaka Mizuno¹, Chido Mpamhanga², Sarah Spiegel³ and Valerie Tan¹

1. Sanford Burnham Prebys Medical Discovery Institute, USA
2. LifeArc, UK
3. Virginia Commonwealth University, USA

Abstract

Sphingosine 1-phosphate (S1P) receptors (**nomenclature as agreed by the NC-IUPHAR Subcommittee on Lysophospholipid receptors [70]**) are activated by the endogenous lipid [sphingosine 1-phosphate](#) (S1P). Originally cloned as orphan members of the endothelial differentiation gene (*edg*) family, current gene names have been designated as S1P₁R through S1P₅R [52]. S1PRs, particularly S1P₁, are expressed throughout all mammalian organ systems. Ligand delivery occurs *via* two known carriers (or "chaperones"): albumin and HDL-bound apolipoprotein M (ApoM), the latter of which elicits biased agonist signaling by S1P₁ in multiple cell types [15, 39]. The five S1PRs, two chaperones, and active cellular metabolism have complicated analyses of receptor ligand binding in native systems. Signaling pathways and physiological roles have been characterized through radioligand binding in heterologous expression systems, targeted deletion of the different S1PRs, and most recently, mouse models that report *in vivo* S1P₁R activation [74, 76]. A crystal structure of an S1P₁-T4 fusion protein confirmed aspects of ligand binding, specificity, and receptor activation determined previously through biochemical and genetic studies [48, 14]. [fingolimod](#) (FTY720), the first drug to target any of the lysophospholipid receptors, binds to four of the five S1PRs, and was the first oral therapy for multiple sclerosis [26]. The mechanisms of action of fingolimod and other S1PR modulating drugs in development include binding S1PRs in multiple organ systems, *e.g.*, immune and nervous systems, although the precise nature of their receptor interactions requires clarification [107, 28, 43, 44].

Contents

This is a citation summary for Lysophospholipid (S1P) receptors in the [Guide to Pharmacology](#) database (GtoPdb). It exists purely as an adjunct to the database to facilitate the recognition of citations to and from the database by citation analyzers. Readers will almost certainly want to visit the relevant sections of the database which are given here under database links.

[GtoPdb](#) is an expert-driven guide to pharmacological targets and the substances that act on them. GtoPdb is a reference work which is most usefully represented as an on-line database. As in any publication this work should be appropriately cited, and the papers it cites should also be recognized. This document provides a citation for the relevant parts of the database, and also provides a reference list for the research cited by those parts.

Please note that the database version for the citations given in GtoPdb are to the most recent preceding version in which the family or its subfamilies and targets were substantially changed. The links below are to the current version. If you need to consult the cited version, rather than the most recent version, please contact the GtoPdb curators.

Database links

Lysophospholipid (S1P) receptors

<http://www.guidetopharmacology.org/GRAC/FamilyDisplayForward?familyId=135>

Introduction to Lysophospholipid (S1P) receptors

<http://www.guidetopharmacology.org/GRAC/FamilyIntroductionForward?familyId=135>

Receptors

S1P₁ receptor

<http://www.guidetopharmacology.org/GRAC/ObjectDisplayForward?objectId=275>

S1P₂ receptor

<http://www.guidetopharmacology.org/GRAC/ObjectDisplayForward?objectId=276>

S1P₃ receptor

<http://www.guidetopharmacology.org/GRAC/ObjectDisplayForward?objectId=277>

S1P₄ receptor

<http://www.guidetopharmacology.org/GRAC/ObjectDisplayForward?objectId=278>

S1P₅ receptor

<http://www.guidetopharmacology.org/GRAC/ObjectDisplayForward?objectId=279>

References

1. Albert R, Hinterding K, Brinkmann V, Guerini D, Müller-Hartwig C, Knecht H, Simeon C, Streiff M, Wagner T and Welzenbach K *et al.* (2005) Novel immunomodulator FTY720 is phosphorylated in rats and humans to form a single stereoisomer. Identification, chemical proof, and biological characterization of the biologically active species and its enantiomer. *J. Med. Chem.* **48**: 5373-7 [PMID:16078855]
2. Allende ML, Bektas M, Lee BG, Bonifacino E, Kang J, Tuymetova G, Chen W, Saba JD and Proia RL. (2011) Sphingosine-1-phosphate lyase deficiency produces a pro-inflammatory response while impairing neutrophil trafficking. *J. Biol. Chem.* **286**: 7348-58 [PMID:21173151]
3. Allende ML, Dreier JL, Mandala S and Proia RL. (2004) Expression of the sphingosine 1-phosphate receptor, S1P1, on T-cells controls thymic emigration. *J. Biol. Chem.* **279**: 15396-401 [PMID:14732704]
4. Allende ML, Tuymetova G, Lee BG, Bonifacino E, Wu YP and Proia RL. (2010) S1P1 receptor directs the release of immature B cells from bone marrow into blood. *J. Exp. Med.* **207**: 1113-24 [PMID:20404103]
5. Allende ML, Yamashita T and Proia RL. (2003) G-protein-coupled receptor S1P1 acts within endothelial cells to regulate vascular maturation. *Blood* **102**: 3665-7 [PMID:12869509]
6. Allende ML, Zhou D, Kalkofen DN, Benhamed S, Tuymetova G, Borowski C, Bendelac A and Proia RL. (2008) S1P1 receptor expression regulates emergence of NKT cells in peripheral tissues. *FASEB J.* **22**: 307-15 [PMID:17785606]
7. An S, Zheng Y and Bleu T. (2000) Sphingosine 1-phosphate-induced cell proliferation, survival, and related signaling events mediated by G protein-coupled receptors Edg3 and Edg5. *J. Biol. Chem.* **275**: 288-96 [PMID:10617617]
8. Ancellin N and Hla T. (1999) Differential pharmacological properties and signal transduction of the sphingosine 1-phosphate receptors EDG-1, EDG-3, and EDG-5. *J. Biol. Chem.* **274**: 18997-9002 [PMID:10383399]
9. Arikawa K, Takuwa N, Yamaguchi H, Sugimoto N, Kitayama J, Nagawa H, Takehara K and Takuwa Y. (2003) Ligand-dependent inhibition of B16 melanoma cell migration and invasion via endogenous S1P2 G protein-coupled receptor. Requirement of inhibition of cellular RAC activity. *J. Biol. Chem.* **278**: 32841-51 [PMID:12810709]

10. Awojoodu AO, Ogle ME, Sefcik LS, Bowers DT, Martin K, Brayman KL, Lynch KR, Peirce-Cottler SM and Botchwey E. (2013) Sphingosine 1-phosphate receptor 3 regulates recruitment of anti-inflammatory monocytes to microvessels during implant arteriogenesis. *Proc. Natl. Acad. Sci. U.S.A.* **110**: 13785-90 [PMID:23918395]
11. Bajwa A, Huang L, Ye H, Dondeti K, Song S, Rosin DL, Lynch KR, Lobo PI, Li L and Okusa MD. (2012) Dendritic cell sphingosine 1-phosphate receptor-3 regulates Th1-Th2 polarity in kidney ischemia-reperfusion injury. *J. Immunol.* **189**: 2584-96 [PMID:22855711]
12. Banno Y, Takuwa Y, Akao Y, Okamoto H, Osawa Y, Naganawa T, Nakashima S, Suh PG and Nozawa Y. (2001) Involvement of phospholipase D in sphingosine 1-phosphate-induced activation of phosphatidylinositol 3-kinase and Akt in Chinese hamster ovary cells overexpressing EDG3. *J. Biol. Chem.* **276**: 35622-8 [PMID:11468290]
13. Baudhuin LM, Jiang Y, Zaslavsky A, Ishii I, Chun J and Xu Y. (2004) S1P3-mediated Akt activation and cross-talk with platelet-derived growth factor receptor (PDGFR). *FASEB J.* **18**: 341-3 [PMID:14657000]
14. Blaho VA and Chun J. (2018) 'Crystal' Clear? Lysophospholipid Receptor Structure Insights and Controversies. *Trends Pharmacol. Sci.* **39**: 953-966 [PMID:30343728]
15. Blaho VA, Galvani S, Engelbrecht E, Liu C, Swendeman SL, Kono M, Proia RL, Steinman L, Han MH and Hla T. (2015) HDL-bound sphingosine-1-phosphate restrains lymphopoiesis and neuroinflammation. *Nature* **523**: 342-6 [PMID:26053123]
16. Bolli MH, Abele S, Binkert C, Bravo R, Buchmann S, Bur D, Gatfield J, Hess P, Kohl C and Mangold G *et al.*. (2010) 2-imino-thiazolidin-4-one derivatives as potent, orally active S1P1 receptor agonists. *J. Med. Chem.* **53**: 4198-211 [PMID:20446681]
17. Brinkmann V, Davis MD, Heise CE, Albert R, Cottens S, Hof R, Bruns C, Prieschl E, Baumruker T and Hiestand P *et al.*. (2002) The immune modulator FTY720 targets sphingosine 1-phosphate receptors. *J. Biol. Chem.* **277**: 21453-7 [PMID:11967257]
18. Brizuela L, Rábano M, Gangoiti P, Narbona N, Macarulla JM, Trueba M and Gómez-Muñoz A. (2007) Sphingosine-1-phosphate stimulates aldosterone secretion through a mechanism involving the PI3K/PKB and MEK/ERK 1/2 pathways. *J. Lipid Res.* **48**: 2264-74 [PMID:17609523]
19. Brizuela L, Rábano M, Peña A, Gangoiti P, Macarulla JM, Trueba M and Gómez-Muñoz A. (2006) Sphingosine 1-phosphate: a novel stimulator of aldosterone secretion. *J. Lipid Res.* **47**: 1238-49 [PMID:16554657]
20. Buvinic S, Briones R and Huidobro-Toro JP. (2002) P2Y(1) and P2Y(2) receptors are coupled to the NO/cGMP pathway to vasodilate the rat arterial mesenteric bed. *Br. J. Pharmacol.* **136**: 847-56 [PMID:12110609]
21. Buzard DJ, Kim SH, Lopez L, Kawasaki A, Zhu X, Moody J, Thoresen L, Calderon I, Ullman B and Han S *et al.*. (2014) Discovery of APD334: Design of a Clinical Stage Functional Antagonist of the Sphingosine-1-phosphate-1 Receptor. *ACS Med Chem Lett* **5**: 1313-7 [PMID:25516790]
22. Candelore MR, Wright MJ, Tota LM, Milligan J, Shei GJ, Bergstrom JD and Mandala SM. (2002) Phytosphingosine 1-phosphate: a high affinity ligand for the S1P(4)/Edg-6 receptor. *Biochem. Biophys. Res. Commun.* **297**: 600-6 [PMID:12270137]
23. Cattoretti G, Mandelbaum J, Lee N, Chaves AH, Mahler AM, Chadburn A, Dalla-Favera R, Pasqualucci L and MacLennan AJ. (2009) Targeted disruption of the S1P2 sphingosine 1-phosphate receptor gene leads to diffuse large B-cell lymphoma formation. *Cancer Res.* **69**: 8686-92 [PMID:19903857]
24. Choi JW, Gardell SE, Herr DR, Rivera R, Lee CW, Noguchi K, Teo ST, Yung YC, Lu M and Kennedy G *et al.*. (2011) FTY720 (fingolimod) efficacy in an animal model of multiple sclerosis requires astrocyte sphingosine 1-phosphate receptor 1 (S1P1) modulation. *Proc. Natl. Acad. Sci. U.S.A.* **108**: 751-6 [PMID:21177428]
25. Chun J, Hla T, Lynch KR, Spiegel S and Moolenaar WH. (2010) International Union of Basic and Clinical Pharmacology. LXXVIII. Lysophospholipid receptor nomenclature. *Pharmacol. Rev.* **62**: 579-87 [PMID:21079037]
26. Chun J, Kihara Y, Jonnalagadda D and Blaho VA. (2019) Fingolimod: Lessons Learned and New

- Opportunities for Treating Multiple Sclerosis and Other Disorders. *Annu. Rev. Pharmacol. Toxicol.* **59**: 149-170 [PMID:30625282]
27. Cinamon G, Zachariah MA, Lam OM, Foss Jr FW and Cyster JG. (2008) Follicular shuttling of marginal zone B cells facilitates antigen transport. *Nat. Immunol.* **9**: 54-62 [PMID:18037889]
 28. Cohen JA and Chun J. (2011) Mechanisms of fingolimod's efficacy and adverse effects in multiple sclerosis. *Ann. Neurol.* **69**: 759-77 [PMID:21520239]
 29. Contos JJ, Ye X, Sah VP and Chun J. (2002) Tandem genomic arrangement of a G protein (Gna15) and G protein-coupled receptor (s1p(4)/lp(C1)/Edg6) gene. *FEBS Lett.* **531**: 99-102 [PMID:12401211]
 30. Davenport AP, Alexander SP, Sharman JL, Pawson AJ, Benson HE, Monaghan AE, Liew WC, Mpamhanga CP, Bonner TI and Neubig RR *et al.*. (2013) International Union of Basic and Clinical Pharmacology. LXXXVIII. G protein-coupled receptor list: recommendations for new pairings with cognate ligands. *Pharmacol. Rev.* **65**: 967-86 [PMID:23686350]
 31. Davis MD, Clemens JJ, Macdonald TL and Lynch KR. (2005) Sphingosine 1-phosphate analogs as receptor antagonists. *J. Biol. Chem.* **280**: 9833-41 [PMID:15590668]
 32. Debien E, Mayol K, Biajoux V, Daussy C, De Aguero MG, Taillardet M, Dagany N, Brinza L, Henry T and Dubois B *et al.*. (2013) S1PR5 is pivotal for the homeostasis of patrolling monocytes. *Eur. J. Immunol.* **43**: 1667-75 [PMID:23519784]
 33. Demont EH, Bailey JM, Bit RA, Brown JA, Campbell CA, Deeks N, Dowell SJ, Eldred C, Gaskin P and Gray JR *et al.*. (2016) Discovery of Tetrahydropyrazolopyridine as Sphingosine 1-Phosphate Receptor 3 (S1P3)-Sparing S1P1 Agonists Active at Low Oral Doses. *J. Med. Chem.* **59**: 1003-20 [PMID:26751273]
 34. Deng Q, Clemas JA, Chrebet G, Fischer P, Hale JJ, Li Z, Mills SG, Bergstrom J, Mandala S and Mosley R *et al.*. (2007) Identification of Leu276 of the S1P1 receptor and Phe263 of the S1P3 receptor in interaction with receptor specific agonists by molecular modeling, site-directed mutagenesis, and affinity studies. *Mol. Pharmacol.* **71**: 724-35 [PMID:17170199]
 35. Donovan EE, Pelanda R and Torres RM. (2010) S1P3 confers differential S1P-induced migration by autoreactive and non-autoreactive immature B cells and is required for normal B-cell development. *Eur. J. Immunol.* **40**: 688-98 [PMID:20039302]
 36. Faroudi M, Hons M, Zachacz A, Dumont C, Lyck R, Stein JV and Tybulewicz VL. (2010) Critical roles for Rac GTPases in T-cell migration to and within lymph nodes. *Blood* **116**: 5536-47 [PMID:20870900]
 37. Forrest M, Sun SY, Hajdu R, Bergstrom J, Card D, Doherty G, Hale J, Keohane C, Meyers C and Milligan J *et al.*. (2004) Immune cell regulation and cardiovascular effects of sphingosine 1-phosphate receptor agonists in rodents are mediated via distinct receptor subtypes. *J. Pharmacol. Exp. Ther.* **309**: 758-68 [PMID:14747617]
 38. Foss FW, Snyder AH, Davis MD, Rouse M, Okusa MD, Lynch KR and Macdonald TL. (2007) Synthesis and biological evaluation of gamma-aminophosphonates as potent, subtype-selective sphingosine 1-phosphate receptor agonists and antagonists. *Bioorg. Med. Chem.* **15**: 663-77 [PMID:17113298]
 39. Galvani S, Sanson M, Blaho VA, Swendeman SL, Obinata H, Conger H, Dahlbäck B, Kono M, Proia RL and Smith JD *et al.*. (2015) HDL-bound sphingosine 1-phosphate acts as a biased agonist for the endothelial cell receptor S1P1 to limit vascular inflammation. *Sci Signal* **8**: ra79 [PMID:26268607]
 40. Golfier S, Kondo S, Schulze T, Takeuchi T, Vassileva G, Achtman AH, Gräler MH, Abbondanzo SJ, Wiekowski M and Kremmer E *et al.*. (2010) Shaping of terminal megakaryocyte differentiation and proplatelet development by sphingosine-1-phosphate receptor S1P4. *FASEB J.* **24**: 4701-10 [PMID:20686109]
 41. Gonda K, Okamoto H, Takuwa N, Yatomi Y, Okazaki H, Sakurai T, Kimura S, Sillard R, Harii K and Takuwa Y. (1999) The novel sphingosine 1-phosphate receptor AGR16 is coupled via pertussis toxin-sensitive and -insensitive G-proteins to multiple signalling pathways. *Biochem. J.* **337 (Pt 1)**: 67-75 [PMID:9854026]
 42. Gonzalez-Cabrera PJ, Jo E, Sanna MG, Brown S, Leaf N, Marsolais D, Schaeffer MT, Chapman J, Cameron M and Guerrero M *et al.*. (2008) Full pharmacological efficacy of a novel S1P1 agonist that does not require S1P-like headgroup interactions. *Mol. Pharmacol.* **74**: 1308-18 [PMID:18708635]

43. Groves A, Kihara Y and Chun J. (2013) Fingolimod: direct CNS effects of sphingosine 1-phosphate (S1P) receptor modulation and implications in multiple sclerosis therapy. *J. Neurol. Sci.* **328**: 9-18
[PMID:23518370]
44. Groves A, Kihara Y, Jonnalagadda D, Rivera R, Kennedy G, Mayford M and Chun J. (2018) A Functionally Defined *In Vivo* Astrocyte Population Identified by c-Fos Activation in a Mouse Model of Multiple Sclerosis Modulated by S1P Signaling: Immediate-Early Astrocytes (*ieAstrocytes*). *eNeuro* **5**: [PMID:30255127]
45. Gräler MH, Bernhardt G and Lipp M. (1998) EDG6, a novel G-protein-coupled receptor related to receptors for bioactive lysophospholipids, is specifically expressed in lymphoid tissue. *Genomics* **53**: 164-9
[PMID:9790765]
46. Gräler MH, Grosse R, Kusch A, Kremmer E, Gudermann T and Lipp M. (2003) The sphingosine 1-phosphate receptor S1P4 regulates cell shape and motility via coupling to Gi and G12/13. *J. Cell. Biochem.* **89**: 507-19 [PMID:12761884]
47. Hale JJ, Lynch CL, Neway W, Mills SG, Hajdu R, Keohane CA, Rosenbach MJ, Milligan JA, Shei GJ and Parent SA *et al.*. (2004) A rational utilization of high-throughput screening affords selective, orally bioavailable 1-benzyl-3-carboxyazetidone sphingosine-1-phosphate-1 receptor agonists. *J. Med. Chem.* **47**: 6662-5 [PMID:15615513]
48. Hanson MA, Roth CB, Jo E, Griffith MT, Scott FL, Reinhart G, Desale H, Clemons B, Cahalan SM and Schuerer SC *et al.*. (2012) Crystal structure of a lipid G protein-coupled receptor. *Science* **335**: 851-5
[PMID:22344443]
49. Herr DR, Grillet N, Schwander M, Rivera R, Müller U and Chun J. (2007) Sphingosine 1-phosphate (S1P) signaling is required for maintenance of hair cells mainly via activation of S1P2. *J. Neurosci.* **27**: 1474-8
[PMID:17287522]
50. Herr DR, Lee CW, Wang W, Ware A, Rivera R and Chun J. (2013) Sphingosine 1-phosphate receptors are essential mediators of eyelid closure during embryonic development. *J. Biol. Chem.* **288**: 29882-9
[PMID:24003216]
51. Hill RZ, Motita T, Brem RB and Bautista DM. (2018) S1PR3 mediates itch and pain via distinct TRP channel-dependent pathways. *Journal of Neuroscience*
52. Hla T and Maciag T. (1990) An abundant transcript induced in differentiating human endothelial cells encodes a polypeptide with structural similarities to G-protein-coupled receptors. *J. Biol. Chem.* **265**: 9308-13 [PMID:2160972]
53. Hobson AD, Harris CM, van der Kam EL, Turner SC, Abibi A, Aguirre AL, Bousquet P, Kebede T, Konopacki DB and Gintant G *et al.*. (2015) Discovery of A-971432, An Orally Bioavailable Selective Sphingosine-1-Phosphate Receptor 5 (S1P5) Agonist for the Potential Treatment of Neurodegenerative Disorders. *J. Med. Chem.* **58**: 9154-70 [PMID:26509640]
54. Hur W, Rosen H and Gray NS. (2017) A benzo[b]thiophene-based selective type 4 S1P receptor agonist. *Bioorg. Med. Chem. Lett.* **27**: 1-5 [PMID:27894870]
55. Högenauer K, Billich A, Pally C, Streiff M, Wagner T, Welzenbach K and Nussbaumer P. (2008) Phosphorylation by sphingosine kinase 2 is essential for in vivo potency of FTY720 analogues. *ChemMedChem* **3**: 1027-9 [PMID:18383466]
56. Idzko M, Hammad H, van Nimwegen M, Kool M, Müller T, Soullié T, Willart MA, Hijdra D, Hoogsteden HC and Lambrecht BN. (2006) Local application of FTY720 to the lung abrogates experimental asthma by altering dendritic cell function. *J. Clin. Invest.* **116**: 2935-44 [PMID:17080194]
57. Idzko M, Panther E, Corinti S, Morelli A, Ferrari D, Herouy Y, Dichmann S, Mockenhaupt M, Gebicke-Haerter P and Di Virgilio F *et al.*. (2002) Sphingosine 1-phosphate induces chemotaxis of immature and modulates cytokine-release in mature human dendritic cells for emergence of Th2 immune responses. *FASEB J.* **16**: 625-7 [PMID:11919175]
58. Ikeda H, Satoh H, Yanase M, Inoue Y, Tomiya T, Arai M, Tejima K, Nagashima K, Maekawa H and Yahagi N *et al.*. (2003) Antiproliferative property of sphingosine 1-phosphate in rat hepatocytes involves activation of Rho via Edg-5. *Gastroenterology* **124**: 459-69 [PMID:12557151]
59. Im DS, Clemens J, Macdonald TL and Lynch KR. (2001) Characterization of the human and mouse

- sphingosine 1-phosphate receptor, S1P5 (Edg-8): structure-activity relationship of sphingosine 1-phosphate receptors. *Biochemistry* **40**: 14053-60 [PMID:11705398]
60. Im DS, Heise CE, Ancellin N, O'Dowd BF, Shei GJ, Heavens RP, Rigby MR, Hla T, Mandala S and McAllister G *et al.*. (2000) Characterization of a novel sphingosine 1-phosphate receptor, Edg-8. *J. Biol. Chem.* **275**: 14281-6 [PMID:10799507]
 61. Inoki I, Takuwa N, Sugimoto N, Yoshioka K, Takata S, Kaneko S and Takuwa Y. (2006) Negative regulation of endothelial morphogenesis and angiogenesis by S1P2 receptor. *Biochem. Biophys. Res. Commun.* **346**: 293-300 [PMID:16756949]
 62. Ishii I, Friedman B, Ye X, Kawamura S, McGiffert C, Contos JJ, Kingsbury MA, Zhang G, Brown JH and Chun J. (2001) Selective loss of sphingosine 1-phosphate signaling with no obvious phenotypic abnormality in mice lacking its G protein-coupled receptor, LP(B3)/EDG-3. *J. Biol. Chem.* **276**: 33697-704 [PMID:11443127]
 63. Ishii I, Ye X, Friedman B, Kawamura S, Contos JJ, Kingsbury MA, Yang AH, Zhang G, Brown JH and Chun J. (2002) Marked perinatal lethality and cellular signaling deficits in mice null for the two sphingosine 1-phosphate (S1P) receptors, S1P(2)/LP(B2)/EDG-5 and S1P(3)/LP(B3)/EDG-3. *J. Biol. Chem.* **277**: 25152-9 [PMID:12006579]
 64. Jaillard C, Harrison S, Stankoff B, Aigrot MS, Calver AR, Duddy G, Walsh FS, Pangalos MN, Arimura N and Kaibuchi K *et al.*. (2005) Edg8/S1P5: an oligodendroglial receptor with dual function on process retraction and cell survival. *J. Neurosci.* **25**: 1459-69 [PMID:15703400]
 65. Jenne CN, Enders A, Rivera R, Watson SR, Bankovich AJ, Pereira JP, Xu Y, Roots CM, Beilke JN and Banerjee A *et al.*. (2009) T-bet-dependent S1P5 expression in NK cells promotes egress from lymph nodes and bone marrow. *J. Exp. Med.* **206**: 2469-81 [PMID:19808259]
 66. Jiang LI, Collins J, Davis R, Lin KM, DeCamp D, Roach T, Hsueh R, Rebres RA, Ross EM and Taussig R *et al.*. (2007) Use of a cAMP BRET sensor to characterize a novel regulation of cAMP by the sphingosine 1-phosphate/G13 pathway. *J. Biol. Chem.* **282**: 10576-84 [PMID:17283075]
 67. Kabashima K, Haynes NM, Xu Y, Nutt SL, Allende ML, Proia RL and Cyster JG. (2006) Plasma cell S1P1 expression determines secondary lymphoid organ retention versus bone marrow tropism. *J. Exp. Med.* **203**: 2683-90 [PMID:17101733]
 68. Kempf A, Tews B, Arzt ME, Weinmann O, Obermair FJ, Pernet V, Zagrebelsky M, Delekate A, Iobbi C and Zemmar A *et al.*. (2014) The Sphingolipid Receptor S1PR2 Is a Receptor for Nogo-A Repressing Synaptic Plasticity. *PLoS Biol.* **12**: e1001763 [PMID:24453941]
 69. Kennedy PC, Zhu R, Huang T, Tomsig JL, Mathews TP, David M, Peyruchaud O, Macdonald TL and Lynch KR. (2011) Characterization of a sphingosine 1-phosphate receptor antagonist prodrug. *J. Pharmacol. Exp. Ther.* **338**: 879-89 [PMID:21632869]
 70. Kihara Y, Maceyka M, Spiegel S and Chun J. (2014) Lysophospholipid receptor nomenclature review: IUPHAR Review 8. *Br. J. Pharmacol.* **171**: 3575-94 [PMID:24602016]
 71. Kohno T, Matsuyuki H, Inagaki Y and Igarashi Y. (2003) Sphingosine 1-phosphate promotes cell migration through the activation of Cdc42 in Edg-6/S1P4-expressing cells. *Genes Cells* **8**: 685-97 [PMID:12875654]
 72. Kon J, Sato K, Watanabe T, Tomura H, Kuwabara A, Kimura T, Tamama K, Ishizuka T, Murata N and Kanda T *et al.*. (1999) Comparison of intrinsic activities of the putative sphingosine 1-phosphate receptor subtypes to regulate several signaling pathways in their cDNA-transfected Chinese hamster ovary cells. *J. Biol. Chem.* **274**: 23940-7 [PMID:10446161]
 73. Kono M, Belyantseva IA, Skoura A, Frolenkov GI, Starost MF, Dreier JL, Lidington D, Bolz SS, Friedman TB and Hla T *et al.*. (2007) Deafness and stria vascularis defects in S1P2 receptor-null mice. *J. Biol. Chem.* **282**: 10690-6 [PMID:17284444]
 74. Kono M, Conlon EG, Lux SY, Yanagida K, Hla T and Proia RL. (2017) Bioluminescence imaging of G protein-coupled receptor activation in living mice. *Nat Commun* **8**: 1163 [PMID:29079828]
 75. Kono M, Mi Y, Liu Y, Sasaki T, Allende ML, Wu YP, Yamashita T and Proia RL. (2004) The sphingosine-1-phosphate receptors S1P1, S1P2, and S1P3 function coordinately during embryonic angiogenesis. *J. Biol. Chem.* **279**: 29367-73 [PMID:15138255]

76. Kono M, Tucker AE, Tran J, Bergner JB, Turner EM and Proia RL. (2014) Sphingosine-1-phosphate receptor 1 reporter mice reveal receptor activation sites in vivo. *J. Clin. Invest.* **124**: 2076-86 [PMID:24667638]
77. Kulinski JM, Muñoz-Cano R and Olivera A. (2016) Sphingosine-1-phosphate and other lipid mediators generated by mast cells as critical players in allergy and mast cell function. *Eur. J. Pharmacol.* **778**: 56-67 [PMID:25941085]
78. Kusumi K, Shinozaki K, Yamaura Y, Hashimoto A, Kurata H, Naganawa A, Otsuki K, Matsushita T, Sekiguchi T and Kakuuchi A *et al.*. (2016) Discovery of novel S1P2 antagonists, part 3: Improving the oral bioavailability of a series of 1,3-bis(aryloxy)benzene derivatives. *Bioorg. Med. Chem. Lett.* **26**: 1209-13 [PMID:26794040]
79. Lee MJ, Thangada S, Liu CH, Thompson BD and Hla T. (1998) Lysophosphatidic acid stimulates the G-protein-coupled receptor EDG-1 as a low affinity agonist. *J. Biol. Chem.* **273**: 22105-12 [PMID:9705355]
80. Li Z, Chen W, Hale JJ, Lynch CL, Mills SG, Hajdu R, Keohane CA, Rosenbach MJ, Milligan JA and Shei GJ *et al.*. (2005) Discovery of potent 3,5-diphenyl-1,2,4-oxadiazole sphingosine-1-phosphate-1 (S1P1) receptor agonists with exceptional selectivity against S1P2 and S1P3. *J. Med. Chem.* **48**: 6169-73 [PMID:16190743]
81. Liu G, Burns S, Huang G, Boyd K, Proia RL, Flavell RA and Chi H. (2009) The receptor S1P1 overrides regulatory T cell-mediated immune suppression through Akt-mTOR. *Nat. Immunol.* **10**: 769-77 [PMID:19483717]
82. Liu Y, Wada R, Yamashita T, Mi Y, Deng CX, Hobson JP, Rosenfeldt HM, Nava VE, Chae SS and Lee MJ *et al.*. (2000) Edg-1, the G protein-coupled receptor for sphingosine-1-phosphate, is essential for vascular maturation. *J. Clin. Invest.* **106**: 951-61 [PMID:11032855]
83. Mackle T, Gendy SS, Walsh M, McConn-Walsh R, Costello RW and Walsh MT. (2008) Role of sphingosine 1-phosphate receptor expression in eosinophils of patients with allergic rhinitis, and effect of topical nasal steroid treatment on this receptor expression. *J Laryngol Otol* **122**: 1309-17 [PMID:18808729]
84. MacLennan AJ, Benner SJ, Andringa A, Chaves AH, Rosing JL, Vesey R, Karpman AM, Cronier SA, Lee N and Erway LC *et al.*. (2006) The S1P2 sphingosine 1-phosphate receptor is essential for auditory and vestibular function. *Hear. Res.* **220**: 38-48 [PMID:16945494]
85. MacLennan AJ, Browe CS, Gaskin AA, Lado DC and Shaw G. (1994) Cloning and characterization of a putative G-protein coupled receptor potentially involved in development. *Mol. Cell. Neurosci.* **5**: 201-9 [PMID:8087418]
86. MacLennan AJ, Carney PR, Zhu WJ, Chaves AH, Garcia J, Grimes JR, Anderson KJ, Roper SN and Lee N. (2001) An essential role for the H218/AGR16/Edg-5/LP(B2) sphingosine 1-phosphate receptor in neuronal excitability. *Eur. J. Neurosci.* **14**: 203-9 [PMID:11553273]
87. Malek RL, Toman RE, Edsall LC, Wong S, Chiu J, Letterle CA, Van Brocklyn JR, Milstien S, Spiegel S and Lee NH. (2001) Nrg-1 belongs to the endothelial differentiation gene family of G protein-coupled sphingosine-1-phosphate receptors. *J. Biol. Chem.* **276**: 5692-9 [PMID:11069896]
88. Mandala S, Hajdu R, Bergstrom J, Quackenbush E, Xie J, Milligan J, Thornton R, Shei GJ, Card D and Keohane C *et al.*. (2002) Alteration of lymphocyte trafficking by sphingosine-1-phosphate receptor agonists. *Science* **296**: 346-9 [PMID:11923495]
89. Martinborough E, Boehm MF, Yeager AR, Tamiya J, Huang L, Brahmachary E, Moorjani M, Timony GA, Brooks JL and Peach R *et al.*. (2011) Selective sphingosine 1 phosphate receptor modulators and methods of chiral synthesis. Patent number: US20110172202 A1.
90. Matloubian M, Lo CG, Cinamon G, Lesneski MJ, Xu Y, Brinkmann V, Allende ML, Proia RL and Cyster JG. (2004) Lymphocyte egress from thymus and peripheral lymphoid organs is dependent on S1P receptor 1. *Nature* **427**: 355-60 [PMID:14737169]
91. McQuiston T, Luberto C and Del Poeta M. (2011) Role of sphingosine-1-phosphate (S1P) and S1P receptor 2 in the phagocytosis of *Cryptococcus neoformans* by alveolar macrophages. *Microbiology (Reading, Engl.)* **157**: 1416-27 [PMID:21292747]
92. Means CK, Xiao CY, Li Z, Zhang T, Omens JH, Ishii I, Chun J and Brown JH. (2007) Sphingosine 1-

- phosphate S1P2 and S1P3 receptor-mediated Akt activation protects against in vivo myocardial ischemia-reperfusion injury. *Am. J. Physiol. Heart Circ. Physiol.* **292**: H2944-51 [PMID:17293497]
93. Nofer JR, van der Giet M, Tölle M, Wolinska I, von Wnuck Lipinski K, Baba HA, Tietge UJ, Gödecke A, Ishii I and Kleuser B *et al.*. (2004) HDL induces NO-dependent vasorelaxation via the lysophospholipid receptor S1P3. *J. Clin. Invest.* **113**: 569-81 [PMID:14966566]
 94. Ogle ME, Olingy CE, Awojodu AO, Das A, Ortiz RA, Cheung HY and Botchwey EA. (2017) Sphingosine-1-Phosphate Receptor-3 Supports Hematopoietic Stem and Progenitor Cell Residence Within the Bone Marrow Niche. *Stem Cells* **35**: 1040-1052 [PMID:28026131]
 95. Okamoto H, Takuwa N, Gonda K, Okazaki H, Chang K, Yatomi Y, Shigematsu H and Takuwa Y. (1998) EDG1 is a functional sphingosine-1-phosphate receptor that is linked via a Gi/o to multiple signaling pathways, including phospholipase C activation, Ca²⁺ mobilization, Ras-mitogen-activated protein kinase activation, and adenylate cyclase inhibition. *J. Biol. Chem.* **273**: 27104-10 [PMID:9765227]
 96. Okamoto H, Takuwa N, Yatomi Y, Gonda K, Shigematsu H and Takuwa Y. (1999) EDG3 is a functional receptor specific for sphingosine 1-phosphate and sphingosylphosphorylcholine with signaling characteristics distinct from EDG1 and AGR16. *Biochem. Biophys. Res. Commun.* **260**: 203-8 [PMID:10381367]
 97. Olivera A. (2008) Unraveling the complexities of sphingosine-1-phosphate function: the mast cell model. *Prostaglandins Other Lipid Mediat.* **86**: 1-11 [PMID:18403224]
 98. Oo ML, Thangada S, Wu MT, Liu CH, Macdonald TL, Lynch KR, Lin CY and Hla T. (2007) Immunosuppressive and anti-angiogenic sphingosine 1-phosphate receptor-1 agonists induce ubiquitinylation and proteasomal degradation of the receptor. *J. Biol. Chem.* **282**: 9082-9 [PMID:17237497]
 99. Osada M, Yatomi Y, Ohmori T, Ikeda H and Ozaki Y. (2002) Enhancement of sphingosine 1-phosphate-induced migration of vascular endothelial cells and smooth muscle cells by an EDG-5 antagonist. *Biochem. Biophys. Res. Commun.* **299**: 483-7 [PMID:12445827]
 100. Osinde M, Mullershausen F and Dev KK. (2007) Phosphorylated FTY720 stimulates ERK phosphorylation in astrocytes via S1P receptors. *Neuropharmacology* **52**: 1210-8 [PMID:17379261]
 101. Oskeritzian CA, Price MM, Hait NC, Kapitonov D, Falanga YT, Morales JK, Ryan JJ, Milstien S and Spiegel S. (2010) Essential roles of sphingosine-1-phosphate receptor 2 in human mast cell activation, anaphylaxis, and pulmonary edema. *J. Exp. Med.* **207**: 465-74 [PMID:20194630]
 102. Pan S, Gray NS, Gao W, Mi Y, Fan Y, Wang X, Tuntland T, Che J, Lefebvre S and Chen Y *et al.*. (2013) Discovery of BAF312 (Siponimod), a Potent and Selective S1P Receptor Modulator. *ACS Med Chem Lett* **4**: 333-7 [PMID:24900670]
 103. Pan S, Mi Y, Pally C, Beerli C, Chen A, Guerini D, Hinterding K, Nuesslein-Hildesheim B, Tuntland T and Lefebvre S *et al.*. (2006) A monoselective sphingosine-1-phosphate receptor-1 agonist prevents allograft rejection in a stringent rat heart transplantation model. *Chem. Biol.* **13**: 1227-34 [PMID:17114004]
 104. Pereira JP, Xu Y and Cyster JG. (2010) A role for S1P and S1P1 in immature-B cell egress from mouse bone marrow. *PLoS ONE* **5**: e9277 [PMID:20174580]
 105. Piali L, Birker-Robaczewska M, Lescop C, Froidevaux S, Schmitz N, Morrison K, Kohl C, Rey M, Studer R and Vezzali E *et al.*. (2017) Cenerimod, a novel selective S1P₁ receptor modulator with unique signaling properties. *Pharmacol Res Perspect* **5**: [PMID:29226621]
 106. Price MM, Oskeritzian CA, Milstien S and Spiegel S. (2008) Sphingosine-1-phosphate synthesis and functions in mast cells. *Future Lipidol* **3**: 665-674 [PMID:19802381]
 107. Proia RL and Hla T. (2015) Emerging biology of sphingosine-1-phosphate: its role in pathogenesis and therapy. *J. Clin. Invest.* **125**: 1379-87 [PMID:25831442]
 108. Quancard J, Bollbuck B, Janser P, Angst D, Berst F, Buehlmayer P, Streiff M, Beerli C, Brinkmann V and Guerini D *et al.*. (2012) A potent and selective S1P(1) antagonist with efficacy in experimental autoimmune encephalomyelitis. *Chem. Biol.* **19**: 1142-51 [PMID:22999882]
 109. Riganti L, Antonucci F, Gabrielli M, Prada I, Giussani P, Viani P, Valtorta F, Menna E, Matteoli M and Verderio C. (2016) Sphingosine-1-Phosphate (S1P) Impacts Presynaptic Functions by Regulating Synapsin I Localization in the Presynaptic Compartment. *J. Neurosci.* **36**: 4624-34 [PMID:27098703]

110. Sanna MG, Liao J, Jo E, Alfonso C, Ahn MY, Peterson MS, Webb B, Lefebvre S, Chun J and Gray ~~N~~ *et al.* (2004) Sphingosine 1-phosphate (S1P) receptor subtypes S1P1 and S1P3, respectively, regulate lymphocyte recirculation and heart rate. *J. Biol. Chem.* **279**: 13839-48 [PMID:14732717]
111. Sanna MG, Vincent KP, Repetto E, Nguyen N, Brown SJ, Abgaryan L, Riley SW, Leaf NB, Cahalan SM and Kiosses WB *et al.* (2016) Bitopic Sphingosine 1-Phosphate Receptor 3 (S1P3) Antagonist Rescue from Complete Heart Block: Pharmacological and Genetic Evidence for Direct S1P3 Regulation of Mouse Cardiac Conduction. *Mol. Pharmacol.* **89**: 176-86 [PMID:26494861]
112. Sanna MG, Wang SK, Gonzalez-Cabrera PJ, Don A, Marsolais D, Matheu MP, Wei SH, Parker I, Jo E and Cheng WC *et al.* (2006) Enhancement of capillary leakage and restoration of lymphocyte egress by a chiral S1P1 antagonist in vivo. *Nat. Chem. Biol.* **2**: 434-41 [PMID:16829954]
113. Sassoli C, Pierucci F, Tani A, Frati A, Chellini F, Matteini F, Vestri A, Anderloni G, Nosi D and Zecchi-Orlandini S *et al.* (2018) Sphingosine 1-Phosphate Receptor 1 Is Required for MMP-2 Function in Bone Marrow Mesenchymal Stromal Cells: Implications for Cytoskeleton Assembly and Proliferation. *Stem Cells Int* **2018**: 5034679 [PMID:29713350]
114. Sawicka E, Zuany-Amorim C, Manlius C, Trifilieff A, Brinkmann V, Kemeny DM and Walker C. (2003) Inhibition of Th1- and Th2-mediated airway inflammation by the sphingosine 1-phosphate receptor agonist FTY720. *J. Immunol.* **171**: 6206-14 [PMID:14634137]
115. Schwab SR and Cyster JG. (2007) Finding a way out: lymphocyte egress from lymphoid organs. *Nat. Immunol.* **8**: 1295-301 [PMID:18026082]
116. Scott FL, Clemons B, Brooks J, Brahmachary E, Powell R, Dedman H, Desale HG, Timony GA, Martinborough E and Rosen H *et al.* (2016) Ozanimod (RPC1063) is a potent sphingosine-1-phosphate receptor-1 (S1P1) and receptor-5 (S1P5) agonist with autoimmune disease-modifying activity. *Br. J. Pharmacol.* **173**: 1778-92 [PMID:26990079]
117. Skoura A, Sanchez T, Claffey K, Mandala SM, Proia RL and Hla T. (2007) Essential role of sphingosine 1-phosphate receptor 2 in pathological angiogenesis of the mouse retina. *J. Clin. Invest.* **117**: 2506-16 [PMID:17710232]
118. Sobel K, Monnier L, Menyhart K, Bolinger M, Studer R, Nayler O and Gatfield J. (2015) FTY720 Phosphate Activates Sphingosine-1-Phosphate Receptor 2 and Selectively Couples to G α 12/13/Rho/ROCK to Induce Myofibroblast Contraction. *Mol. Pharmacol.* **87**: 916-27 [PMID:25762025]
119. Song J, Matsuda C, Kai Y, Nishida T, Nakajima K, Mizushima T, Kinoshita M, Yasue T, Sawa Y and Ito T. (2008) A novel sphingosine 1-phosphate receptor agonist, 2-amino-2-propanediol hydrochloride (KRP-203), regulates chronic colitis in interleukin-10 gene-deficient mice. *J. Pharmacol. Exp. Ther.* **324**: 276-83 [PMID:17898319]
120. Subei AM and Cohen JA. (2015) Sphingosine 1-phosphate receptor modulators in multiple sclerosis. *CNS Drugs* **29**: 565-75 [PMID:26239599]
121. Sugahara K, Maeda Y, Shimano K, Mogami A, Kataoka H, Ogawa K, Hikida K, Kumagai H, Asayama M and Yamamoto T *et al.* (2017) Amiselimod, a novel sphingosine 1-phosphate receptor-1 modulator, has potent therapeutic efficacy for autoimmune diseases, with low bradycardia risk. *Br. J. Pharmacol.* **174**: 15-27 [PMID:27714763]
122. Szczepaniak WS, Pitt BR and McVerry BJ. (2010) S1P2 receptor-dependent Rho-kinase activation mediates vasoconstriction in the murine pulmonary circulation induced by sphingosine 1-phosphate. *Am. J. Physiol. Lung Cell Mol. Physiol.* **299**: L137-45 [PMID:20435688]
123. Takabe K, Paugh SW, Milstien S and Spiegel S. (2008) "Inside-out" signaling of sphingosine-1-phosphate: therapeutic targets. *Pharmacol. Rev.* **60**: 181-95 [PMID:18552276]
124. Taylor Meadows KR, Steinberg MW, Clemons B, Stokes ME, Opitck GJ, Peach R and Scott FL. (2018) Ozanimod (RPC1063), a selective S1PR1 and S1PR5 modulator, reduces chronic inflammation and alleviates kidney pathology in murine systemic lupus erythematosus. *PLoS ONE* **13**: e0193236 [PMID:29608575]
125. Terai K, Soga T, Takahashi M, Kamohara M, Ohno K, Yatsugi S, Okada M and Yamaguchi T. (2003) Edg-8 receptors are preferentially expressed in oligodendrocyte lineage cells of the rat CNS. *Neuroscience*

- 116:** 1053-62 [PMID:12617946]
126. Theilmeyer G, Schmidt C, Herrmann J, Keul P, Schäfers M, Herrgott I, Mersmann J, Larman J, Hermann S and Stypmann J *et al.*. (2006) High-density lipoproteins and their constituent, sphingosine-1-phosphate, directly protect the heart against ischemia/reperfusion injury in vivo via the S1P3 lysophospholipid receptor. *Circulation* **114**: 1403-9 [PMID:16982942]
 127. Urbano M, Guerrero M, Rosen H and Roberts E. (2013) Modulators of the Sphingosine 1-phosphate receptor 1. *Bioorg. Med. Chem. Lett.* **23**: 6377-89 [PMID:24125884]
 128. Van Brocklyn JR, Gräler MH, Bernhardt G, Hobson JP, Lipp M and Spiegel S. (2000) Sphingosine-1-phosphate is a ligand for the G protein-coupled receptor EDG-6. *Blood* **95**: 2624-9 [PMID:10753843]
 129. Van Brocklyn JR, Tu Z, Edsall LC, Schmidt RR and Spiegel S. (1999) Sphingosine 1-phosphate-induced cell rounding and neurite retraction are mediated by the G protein-coupled receptor H218. *J. Biol. Chem.* **274**: 4626-32 [PMID:9988698]
 130. Walzer T, Chiossone L, Chaix J, Calver A, Carozzo C, Garrigue-Antar L, Jacques Y, Baratin M, Tomasello E and Vivier E. (2007) Natural killer cell trafficking in vivo requires a dedicated sphingosine 1-phosphate receptor. *Nat. Immunol.* **8**: 1337-44 [PMID:17965716]
 131. Wang W, Graeler MH and Goetzl EJ. (2004) Physiological sphingosine 1-phosphate requirement for optimal activity of mouse CD4+ regulatory T Cells. *FASEB J.* **18**: 1043-5 [PMID:15084513]
 132. Wang W, Graeler MH and Goetzl EJ. (2005) Type 4 sphingosine 1-phosphate G protein-coupled receptor (S1P4) transduces S1P effects on T cell proliferation and cytokine secretion without signaling migration. *FASEB J.* **19**: 1731-3 [PMID:16046470]
 133. Weth-Malsch D, Langeslag M, Beroukas D, Zangrandi L, Kastenberger I, Quarta S, Malsch P, Kalpachidou T, Schwarzer C and Proia RL *et al.*. (2016) Ablation of Sphingosine 1-Phosphate Receptor Subtype 3 Impairs Hippocampal Neuron Excitability In vitro and Spatial Working Memory In vivo. *Front Cell Neurosci* **10**: 258 [PMID:27872583]
 134. Windh RT, Lee MJ, Hla T, An S, Barr AJ and Manning DR. (1999) Differential coupling of the sphingosine 1-phosphate receptors Edg-1, Edg-3, and H218/Edg-5 to the G(i), G(q), and G(12) families of heterotrimeric G proteins. *J. Biol. Chem.* **274**: 27351-8 [PMID:10488065]
 135. Yamamoto D, Ikeshita N, Daito R, Herningtyas EH, Toda K, Takahashi K, Iida K, Takahashi Y, Kaji H, Chihara K and Okimura Y. (2007) Neither intravenous nor intracerebroventricular administration of obestatin affects the secretion of GH, PRL, TSH and ACTH in rats. *Regul. Pept.* **138**: 141-4 [PMID:17055593]
 136. Yamamoto R, Okada Y, Hirose J, Koshika T, Kawato Y, Maeda M, Saito R, Hattori K, Harada H and Nagasaka Y *et al.*. (2014) ASP4058, a novel agonist for sphingosine 1-phosphate receptors 1 and 5, ameliorates rodent experimental autoimmune encephalomyelitis with a favorable safety profile. *PLoS ONE* **9**: e110819 [PMID:25347187]
 137. Yang AH, Ishii I and Chun J. (2002) In vivo roles of lysophospholipid receptors revealed by gene targeting studies in mice. *Biochim. Biophys. Acta* **1582**: 197-203 [PMID:12069829]
 138. Zhang G, Contos JJ, Weiner JA, Fukushima N and Chun J. (1999) Comparative analysis of three murine G-protein coupled receptors activated by sphingosine-1-phosphate. *Gene* **227**: 89-99 [PMID:9931453]